

TIMKEN and PRECISE TAPERED ROLLER BEARINGS

Generic is Decimal Bore Size for Cones and Decimal Outside Diameter for Cups
Family is First Part Number in Series

R1



TIMKEN, BOWER, TYSON, HYATT & FINE All Use The Same Bearing Number - Call for Bower & Fine prices.

Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"
5BC	Cone	441792	\$12.16	1.114		.309
6	Cup	441856	12.85	1.750		.375
6CE	Cup	4418561	30.57	1.934		.750
4A	Cone	4417904		.750		.468
4CB	Cone	4417906	46.24	.812		.476
6CE	Cup	4418561	30.57	1.934		.750
12CB	Cone	4418721	100.27	1.000		.439
13C	Cup	441873	52.35	1.938		.453
14CE	Cup	4418736	789.41	2.061		.375
332	Cup	442048	24.73	3.149	80	.701
332A	Cup	441984	71.75	3.149	80	.826
334	Cone	441990	183.45	1.187		.882
335	Cone	442112	177.54	1.375		.882
335S	Cone	442114	127.88	1.312		.882
336	Cone	442120	86.92	1.625		.882
337	Cone	442121	59.85	1.500		.882
338	Cone	442127	1185.31	1.000		.882
339	Cone	442129	92.90	1.378	35	.882
342	Cone	442133	95.56	1.625		.882
342S	Cone	442304		1.688		.882
342SW	Cone	442305	1162.12	1.688		.882
343	Cone	442306	1185.31	1.375		.882
344	Cone	442368	68.44	1.574	40	.882
346	Cone	442373	100.60	1.250		.882
347	Cone	442375	1185.31	1.500		.882
350	Cone	442381		1.574	40	.854
350A	Cone	442390	108.98	1.574	40	.854
352	Cup	442400	53.32	3.548		.848
353D*	Cup	442436	200.39	3.548		1.750
354A	Cup	442496	27.76	3.346	88	.687
355	Cone	442560	74.05	1.750		.854
355A	Cone	442561	78.26	1.750		.854
358	Cone	442624	43.46	1.771	45	.854
359A	Cone	442686		1.812		.854
359S	Cone	442688	58.86	1.812		.854
359TD*	Cone	442690	317.99	1.802		2.062
362	Cup	442752	29.80	3.543	90	.625
362A	Cup	442816	33.67	3.500		.650
362AC	Cup	4428162	814.35	3.740	95	.650
363	Cup	442820	45.32	3.543	90	.787
363DC*	Cup	442822	358.09	3.543	90	1.656
365	Cone	442825	67.64	1.968	50	.875
365DE*	Cone	442828	341.94	1.750		3.500
366	Cone	442830	54.52	1.968	50	.875
366DE*	Cone	442831	356.58	1.875		3.500
367	Cone	442835	63.20	1.771	40	.875
367DA*	Cone	442836	377.24	1.937		2.953
367DE*	Cone	442837	290.36	1.937		3.500
368	Cone	442944	61.26	2.000		.875
368A	Cone	442946	48.91	2.000		.875
368DA*	Cone	442947	374.21	2.000		2.953
368DE*	Cone	442948	350.53	2.000		3.500
368S	Cone	442949	59.48	2.031		.875
368W	Cone	442950	451.17	2.000		.875
369A	Cone	442960	52.12	1.875		.875
370A	Cone	442970	68.33	2.000		.875
374	Cup	443013	31.33	3.671		.593
375	Cone	443015	83.70	2.000		.875
375D*	Cone	443016	528.17	2.000		2.094
375S	Cone	443018	128.89	2.000		.875
376	Cone	443020	142.42	1.771	45	.875
377TD*	Cone	443028	458.83	2.054		2.094
378DE*	Cone	443030	292.02	1.937		2.094
378DW*	Cone	443031	606.22	1.937		2.657
382	Cup	443072	40.35	3.875		.701
382A	Cup	443136	23.76	3.812		.625
382S	Cup	443140	44.68	3.812		.798
383	Cup	443145	49.46	3.937	100	.826
383A	Cup	443150	55.53	3.937	100	.701
383X	Cup	443151	141.14	3.937	100	.875
384D*	Cup	443160	143.46	3.937	100	1.687
384DRB*	Cup	443162	260.97	4.125		1.562
384SW	Cup	443165	248.51	4.125		.875
385	Cone	443320	61.16	2.165	55	.864
385A	Cone	443321	61.67	2.000		.864
385AX	Cone	443324	99.22	2.000		.864
385SD*	Cone	443328	147.07	1.531		3.000
386A	Cone	443341	45.02	1.875		.864
387	Cone	443400	46.42	2.250		.864
387A	Cone	443420	47.04	2.250		.864
387AS	Cone	443410	51.96	2.250		.864
387S	Cone	443412	45.47	2.250		.864
388A	Cone	4434191	76.81	2.265		.864

TIMKEN®

Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"
388DE*	Cone	443422	\$357.70	2.187		3.750
389	Cone	443425	90.41	2.188		.864
389A	Cone	443426	95.15	2.125		.864
389AS	Cone	443427	120.18	2.125		.864
389AW	Cone	4434275	585.39	2.125		.864
389S	Cone	443429	127.51	2.188		1.033
390	Cone	443430	102.96	2.250		.866
390A	Cone	443431		2.500		.866
392	Cone	443435	87.68	2.437		.866
393	Cup	443440	230.34	4.330	110	1.063
393A	Cup	443441	108.34	4.437		.625
393AS	Cup	443442	52.79	4.375		.741
393C	Cup	443443	843.70	4.468		.806
394	Cup	443445	83.45	4.330	110	.866
394A	Cup	443456	27.84	4.330	110	.741
394AS	Cup	443459	30.21	4.330	110	.741
395	Cone	443520	79.84	2.500		.866
395A	Cone	443521	83.36	2.625		.866
395CS	Cone	443522	60.24	2.625		.923
395LA	Cone	443523	84.37	2.500		.866
395S	Cone	443524	81.96	2.625		.866
395TD*	Cone	443525	413.39	2.557		2.187
396	Cone	443540	140.17	1.968	50	.866
396S	Cone	443542	206.73	2.558		.866
397	Cone	443560	100.04	2.362	60	.866
NA397	Cone	443562	148.61	2.362	60	1.033
398	Cone	443570	201.15	2.000		.866
399A	Cone	443600	79.68	2.687		.866
399AS	Cone	443605	62.10	2.687		.866
399D*	Cone	443615	370.87	2.437		2.187
412	Cup	443660		3.250		1.187
414	Cup	443712	39.12	3.484		.875
414A	Cup	443715	150.79	3.484		.875
414X	Cup	443717	141.07	3.500		.875
417	Cone	443770	170.39	1.375		1.145
419	Cone	443842	77.22	1.625		1.145
420	Cone	443845	64.86	1.574	40	1.145
422	Cone	443846	179.24	1.562		1.145
432	Cup	443849	67.27	3.750		.875
432A	Cup	443850	86.21	3.750		.875
432AB	Cup	443851	176.71	3.625		.875
432B	Cup	443852	110.80	3.750		.875
435	Cone	443857	219.39	1.750		1.177
NA435SW	Cone	443859	178.55	1.750		1.408
438	Cone	443863	35.16	1.750		1.177
439	Cone	443867	117.05	1.625		1.177
NA439SW	Cone	443868	196.43	1.750		1.315
444	Cone	443875	183.56	1.500		1.177
447	Cone	4438765	163.50	1.625		1.177
449	Cone	443878	112.98	1.375		1.177
452	Cup	443881	93.36	4.250		1.063
452A	Cup	443882	154.05	4.250		1.063
453	Cup	443886	63.11	4.250		1.063
453A	Cup	443904	87.00	4.250		.875
453B	Cup	443910	144.88	4.250		.875
453DW*	Cup	443915	1013.22	4.500		2.187
453E	Cup	443920	72.49	4.125		1.062
453X	Cup	443968	56.86	4.125		.968
454	Cup	443970		4.330	110	1.063
455	Cone	443978		2.000		1.154
456	Cone	443990	72.60	2.125		1.154
NA456SW	Cone	443992	179.22	2.000		1.471
458	Cone	443994	159.20	1.750		1.154
458S	Cone	443995	159.11	1.771	45	1.154
460	Cone	444000	121.51	1.750		1.154
461	Cone	444005	146.12	1.687		1.154
462	Cone	444032	76.51	2.250		1.154
462A	Cone	444096	51.80	2.250		1.154
463	Cone	444097	197.77	1.875		1.154
464A	Cone	4440972	233.00	1.625		1.154
467	Cone	4440982	120.29	1.875		1.154
469	Cone	444100	108.43	2.250		1.154
472	Cup	444108		4.724	120	.954
472D*	Cup	4441083	177.27	4.724	120	2.125
472DC*	Cup	4441084	522.51	4.724	120	2.125
472X	Cup	4441086		4.875		.968
473	Cup	444109	132.73	4.724	124	1.141
474	Cup	444110	1015.52	5.118	130	1.220
475	Cone	444111	95.75	2.165	55	1.142

Continued on next page

*Double Cone or Cup

ASK FOR QUANTITY DISCOUNT

Prices subject to change without notice.

BAUM HYDRAULICS CORPORATION


1-800-228-9222 / e-mail: sales@baumhydraulics.com
Fax: 1-800-832-2522 / www.baumhydraulics.com / © Baum Hydraulics Corporation

TIMKEN and PRECISE TAPERED ROLLER BEARINGS

Generic is Decimal Bore Size for Cones and Decimal Outside Diameter for Cups

Family is First Part Number in Series

TIMKEN, BOWER, TYSON, HYATT & FINE All Use The Same Bearing Number - Call for Bower & Fine prices.



Dimensions						
Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"
NA476	Cone	444113	\$157.55	2.362		1.283
477	Cone	444118	107.49	2.500		1.142
482	Cone	444320	104.80	2.750		1.142
NA482	Cone	444325	162.53	2.750		1.283
484	Cone	444340	121.26	2.755	70	1.142
487TD*	Cone	444349	519.71	2.837		2.659
492A	Cup	444350	59.20	5.250		.875
493	Cup	444352	54.81	5.375		.875
493A	Cup	444355	1015.52	5.315	135	.875
493DC*	Cup	444361	458.32	5.375		2.125
493X	Cup	444365	1035.83	5.511	140	.875
495	Cone	444393	126.31	3.250		1.172
495A	Cone	444416	99.63	3.000		1.172
495AA	Cone	444418	326.45	2.625		1.172
495AS	Cone	444420	252.67	3.062		1.172
495AX	Cone	444480	115.42	3.000		1.172
495S	Cone	444484	175.63	2.812		1.172
496	Cone	444544	114.16	3.187		1.172
496AS	Cone	444550	681.97	3.216		1.172
497	Cone	444608	98.55	3.375		1.172
497A	Cone	444610	93.26	3.375		1.172
NA497SW	Cone	444614	267.27	3.375		1.440
498	Cone	444630	139.09	3.312		1.172
522	Cup	444736	65.75	4.000		1.062
522A	Cup	444738	830.62	3.938		1.250
522B	Cup	444740	309.16	4.000		1.062
528	Cone	444800	132.91	1.875		1.420
529	Cone	444864	79.52	2.000		1.420
529A	Cone	444866	247.39	1.968	50	1.420
529X	Cone	444868	85.98	2.000		1.420
532	Cup	444900	105.70	4.375		1.312
532A	Cup	444928	126.73	4.375		1.187
532B	Cup	444930	391.24	4.375		1.187
532X	Cup	444932	56.47	4.250		1.125
533D*	Cup	444942	251.32	4.375		2.500
533X	Cup	444946	860.54	4.330	110	1.187
535	Cone	444955	160.28	1.750		1.455
537	Cone	444965	114.02	2.000		1.455
538	Cone	444970	239.94	2.164		1.455
539	Cone	444975	141.76	2.125		1.455
540	Cone	444981	147.09	2.062		1.455
552A	Cup	444992	89.56	4.875		1.187
552B	Cup	444998	203.10	4.875		1.187
552DC*	Cup	445002	375.06	4.875		2.500
552S	Cup	445004	1015.52	4.875		1.062
553A	Cup	445010	1015.52	4.921	125	1.187
553X	Cup	445056	113.01	4.812		1.187
554	Cone	445070	131.90	2.437		1.444
555S	Cone	445082	109.63	2.250		1.444
557A	Cone	445095	310.91	2.375		1.444
557S	Cone	445100	78.67	2.125		1.444
558A	Cone	445248		2.375		1.444
558S	Cone	445248	303.86	2.361		1.444
NA558SW	Cone	445249	253.59	2.375		1.565
559	Cone	445250	104.02	2.500		1.444
560	Cone	445258	116.66	2.625		1.444
560S	Cone	445260	190.21	2.687		1.444
566	Cone	445440	165.43	2.750		1.424
567	Cone	445504	149.94	2.875		1.424
NA567	Cone	445542	268.74	2.875		1.596
568	Cone	445550	110.59	2.906		1.424
569	Cone	445560	206.16	2.557		1.424
570	Cone	445600	194.07	2.687		1.424
572	Cup	445632	82.05	5.511	140	1.125
572A	Cup	445634	221.19	5.511	140	1.125
572D*	Cup	445640	258.81	5.511	140	2.625
572DC*	Cup	445642	470.82	5.511	140	2.625
574	Cup	445670	485.03	5.511	140	1.125
575	Cone	445696	126.91	3.000		1.421
579TD*	Cone	445758	498.59	3.351		3.154
580	Cone	445760	118.06	3.250		1.421
NA580SW	Cone	445785	294.89	3.250		1.815
582	Cone	445824	106.75	3.250		1.421

TIMKEN®

TIMKEN®				Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"
Timken Number	Type	Our Sequence Number	Per Each			
592	Cup	445870	\$95.38	6.000		1.312
592A	Cup	445888	85.38	6.000		1.187
593	Cone	445952	166.30	3.500		1.430
594	Cone	446016	99.40	3.750		1.430
594A	Cone	446040	136.56	3.750		1.430
594W	Cone	446052	547.63	3.750		1.430
595A	Cone	446062	218.38	3.125		1.430
596	Cone	446070	212.89	3.375		1.430
596S	Cone	446073	251.18	3.437		1.430
NA596SW	Cone	446075	286.78	3.500		1.815
598	Cone	446080	128.52	3.625		1.430
598A	Cone	446144	114.91	3.625		1.430
612	Cup	446208	59.46	4.750		1.250
612A	Cup	446210	1035.83	4.726		1.250
612B	Cup	446212	197.19	4.750		1.250
612S	Cup	446214	1035.83	4.750		1.250
612X	Cup	446218	1015.52	4.750		1.250
613B	Cup	446220	170.53	4.750		1.375
613S	Cup	446222	832.87	4.500		1.187
622A	Cone	446255	487.53	2.165	55	1.625
623	Cone	446272	99.40	2.250		1.625
624	Cone	446290	230.36	2.125		1.625
632	Cup	446336	106.55	5.375		1.250
632A	Cup	4463361	423.09	5.375		1.562
633	Cup	446338	81.73	5.125		1.250
633X	Cup	446339	1015.52	5.118	130	1.250
634W	Cup	446340	1015.52	5.375		1.406
635	Cone	446342	342.05	2.250		1.625
637	Cone	446344	306.93	2.375		1.625
639	Cone	446350	198.20	2.500		1.625
641	Cone	446355	118.13	2.625		1.625
645	Cone	446530	146.70	2.812		1.625
652	Cup	446592	90.39	6.000		1.250
653	Cup	446656	90.92	5.750		1.250
658	Cone	446664	255.61	2.937		1.625
659	Cone	446666	175.06	3.000		1.625
NA659	Cone	446670	366.23	3.000		1.877
663	Cone	446720	142.36	3.250		1.625
663A	Cone	4467201	366.62	3.250		1.625
664	Cone	446722	296.02	3.312		1.625
665	Cone	446723	79.73	3.375		1.625
665A	Cone	446724	131.14	3.375		1.625
672	Cup	446784	155.36	6.625		1.187
672B	Cup	446788	295.58	6.625		1.187
681A	Cone	446848	297.76	3.625		1.625
683	Cone	446852	212.11	3.750		1.625
740	Cone	446910	173.27	3.187		1.837
742	Cup	446912	101.47	5.909	150	1.437
742A	Cup	446913	1035.83	5.905		1.437
742V	Cup	446917	399.23	5.909		1.437
743	Cup	446920	162.17	5.905	150	1.378
748	Cone	446960	287.31	3.149	80	1.837
749	Cone	446976	188.41	3.347		1.837
749S	Cone	446980	247.75	3.347		1.837
750	Cone	446987	284.07	3.125		1.837
750A	Cone	446988	199.81	3.250		1.837
752	Cup	446990	138.33	6.375		1.500
752A	Cup	4469901	289.72	6.299	160	1.500
752AA	Cup	4469902	235.87	6.375		1.500
753	Cup	446991	275.29	6.625		1.500
753A	Cup	4469911	687.90	6.625		1.937
757	Cone	446998	195.95	3.250		1.900
758	Cone	447000	104.45	3.375		1.900
759	Cone	447010	216.64	3.500		1.900
760	Cone	447012		3.562		1.900
772	Cup	447020	193.45	7.125		1.500
772B	Cup	4470202	379.24	7.125		1.500
773D*	Cup	4470211	647.56	7.086	180	3.375
775	Cone	447023	485.76	3.500		1.890
NA776	Cone	4470251	365.91	3.750		2.065
778	Cone	447027	306.61	3.625		1.890
779	Cone	447028	369.24	3.875		1.890
780	Cone	447030	211.86	4.000		1.890
783	Cone	447032	377.68	3.937	100	1.890
799A	Cone	4470385	611.73	5.125		1.875
832B	Cup	4470432	665.67	6.625		1.625
837	Cone	447045	456.87	3.000		2.219
843	Cone	447048	420.29	3.000		2.219
854	Cup	447050	196.59	7.500		1.750
854B	Cup	4470501	499.51	7.500		1.750
869	Cone	4470538	713.48	3.437		2.265

Prices subject to change without notice.

ASK FOR QUANTITY DISCOUNT

1-800-228-9222 / e-mail: sales@baumhydraulics.com

Fax: 1-800-832-2522 / www.baumhydraulics.com / © Baum Hydraulics Corporation

BAUM **HYDRAULICS**
CORPORATION

R4

Generic is Decimal Bore Size for Cones and Decimal Outside Diameter for Cups

TIMKEN and PRECISE TAPERED ROLLER BEARINGS

Family is First Part Number in Series



TIMKEN, BOWER, TYSON, HYATT & FINE All Use The Same Bearing Number - Call for Bower & Fine prices.

Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"	Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"
3779	Cone	450560	\$60.81	1.875		1.193	6521	Cup	451729	\$1015.52	6.312		1.750
3780	Cone	450624	75.54	2.000		1.193	6535	Cup	451730	141.92	6.375		1.687
3781	Cone	450747	105.86	1.937		1.193	6535B	Cup	4517302	723.06	6.375		1.687
3782	Cone	450752	49.53	1.750		1.193	6535W	Cup	4517303	454.23	6.375		1.687
3783	Cone	450788		1.750		1.193	6536	Cup	451731	188.07	6.375		1.687
3784	Cone	450816	73.13	2.000		1.193	6536V	Cup	4517313	857.07	6.375		1.687
3795	Cone	450880	107.38	2.000		1.193	6559C	Cone	4517331	379.35	3.250		2.169
3820	Cup	450944	26.01	3.375		.937	JF7010	Cup	451737	107.79	5.118	130	1.378
3821	Cup	450963	47.76	3.375		.937	JF7049	Cup	4517385	276.18	5.118	130	1.692
3822RB	Cup	450972	149.36	3.468		.937	JF7049A	Cone	451739	220.73	2.755	70	1.653
3872	Cone	450981	97.54	1.375		1.187	JW8010	Cup	451746	181.08	6.299	160	1.220
3875	Cone	450989	80.05	1.500		1.187	JW8049	Cone	451748	514.03	3.149	80	1.614
3876	Cone	451001	68.05	1.500		1.187	9180	Cone	451823	649.81	2.437		1.812
3877	Cone	451008	68.10	1.625		1.187	9220D*	Cup	451827	675.07	6.375		2.781
3880	Cone	451057	56.93	1.625		1.187	9221B	Cup	451828	664.55	6.375		1.187
3919RB	Cup	451061	644.46	4.437		.968	9275	Cone	451829	689.71	2.375		1.812
3920	Cup	451072	33.03	4.437		.937	9320	Cup	451833	274.32	7.000		1.375
3920B	Cup	451073	126.01	4.437		.937	9321	Cup	451835	162.07	6.750		1.250
3925	Cup	451136	42.04	4.437		.937	9321B	Cup	451836	460.07	6.750		1.250
3975	Cone	451156	44.33	2.000		1.183	9378	Cone	451839	621.59	3.000		2.000
3979	Cone	451160	71.71	2.250		1.183	NA9378	Cone	4518401	715.64	3.000		2.158
3980	Cone	451170	80.81	2.375		1.183	9380	Cone	451841	359.06	3.000		1.812
3982	Cone	451200	68.66	2.500		1.183	JF9549	Cone	451853	277.95	3.740	95	1.811
3984	Cone	451264	66.56	2.625		1.183	02420	Cup	451740	35.58	2.687		.687
3994	Cone	451265	58.54	2.625		1.183	02474	Cone	451760	61.89	1.125		.875
A4044	Cone	451267	108.92	.437		.432	02475	Cone	451871	62.77	1.250		.875
A4050	Cone	451269	54.61	.500		.432	02475W	Cone	451873	925.06	1.250		.875
A4051	Cone	451271	198.89	.500		.565	02476	Cone	451874	76.67	1.250		.875
A4059	Cone	451272	55.71	.590	15	.432	02820	Cup	451776	21.31	2.875		.687
A4138	Cup	4512729	22.59	1.377	35	.343	02830	Cup	451880	64.47	2.875		.687
A4138D*	Cup	451274	62.95	1.377	35	.812	02831	Cup	451881	226.72	3.187		.687
K24299	Cup	457391	390.91	1.750		1.002	02872	Cone	449046	49.00	1.125		.875
4320	Cup	451275	100.20	3.484		1.312	02875	Cone	451885	37.26	1.250		.875
4328	Cup	451276	830.62	3.545		1.312	02876	Cone	451890	61.94	1.250		.875
4335	Cup	4512765	49.41	3.562		1.312	02877	Cone	451895	41.55	1.375		.875
4368	Cone	451281	1185.31	1.375		1.590	02878	Cone	451904	64.60	1.375		.875
4375	Cone	451283	266.09	1.500		1.590	03062	Cone	451917	28.51	.625		.578
4395	Cone	451290	112.18	1.656		1.590	05062	Cone	451942	55.04	.625		.566
4520	Cup	451320	282.32	3.984		1.312	05075	Cone	451968	37.60	.750		.566
4535	Cup	451325	62.53	4.125		1.312	NA05075	Cone	451993	211.46	.750		.627
4536	Cup	451331	122.50	4.375		1.281	NA05076SW	Cone	452021	80.65	.750		.690
4559	Cone	451350	247.18	1.771	45	1.581	05079	Cone	452032	68.79	.787	20	.566
5520	Cup	451445	210.18	4.734		1.437	05175	Cup	452044	42.22	1.750		.450
5521	Cup	451450	297.65	5.118	130	1.437	05180D*	Cup	452067	485.90	1.810	46	.992
5535	Cup	451462	162.92	4.812		1.437	05185	Cup	452096	21.90	1.850	47	.437
5557	Cone	4514644	417.39	2.687		2.035	05185A	Cup	4520963	720.16	1.849		.437
5565	Cone	4514657	342.90	2.000		1.723	K39214	Cup	4609709	327.76	2.500		1.312
5577	Cone	451467	190.02	2.125		1.723	07079	Cone	452099	41.92	.787	20	.561
5578	Cone	4514673	348.86	2.125		1.723	07087	Cone	452100	36.89	.875		.561
5584	Cone	451470	129.53	2.500		1.723	07093	Cone	452107	93.49	.937		.561
5595	Cone	451474	214.93	2.593		1.723	07097	Cone	452110	44.06	.984		.561
JW5510	Cup	451440	62.35	4.527	115	.925	07098	Cone	452160	39.21	.983		.561
5720	Cup	451476	369.24	5.596		1.375	07100	Cone	452224	35.07	1.000		.561
5735	Cup	451480	142.10	5.343		1.375	07100S	Cone	452244	58.12	1.000		.561
5760	Cone	451490	192.04	3.000		1.815	07100W	Cone	452264	432.19	1.000		.561
JW6010	Cup	451515	104.66	4.921	125	1.023	07101DW*	Cone	452294	578.27	1.000		1.437
JW6049	Cone	451517	306.13	2.362	60	1.318	07196	Cup	452352	12.68	1.968	50	.375
A6062	Cone	451519	73.29	.625		.439	07196D*	Cup	452372	110.85	1.968	50	1.000
A6075	Cone	451584	50.38	.750		.439	07204	Cup	452416	15.49	2.047	52	.500
A6157	Cup	451648	26.38	1.574	40	.375	07210X	Cup	452418	11.22	2.000		.500
A6157A	Cup	451652	789.41	1.574	40	.375	08125	Cone	452420	63.78	1.250		.593
A6162	Cup	451712	31.26	1.625		.343	NA08125	Cone	452429	135.25	1.250		.643
6220	Cup	451713		5.000	127	1.625	08231	Cup	452440	26.96	2.312		.421
6277	Cone	451714	279.84	1.750		2.062	09062	Cone	452466	76.58	.625		.848
6280	Cone	451715	206.59	2.125		2.062	09067	Cone	452480	57.89	.750		.750
6320	Cup	451716	133.67	5.344		1.750	09070	Cone	452491	122.54	.695		.848
6375	Cone	4517184	284.27	2.250		2.205	09074	Cone	452544	39.81	.750		.848
6376	Cone	4517187	407.76	2.375		2.205	09075	Cone	452565	86.66	.748	19	.879
6379	Cone	451720	187.40	2.562		2.205	09076	Cone	452580	257.31	.748	19	.879
6391	Cone	4517235	467.01	2.361		2.205	09078	Cone	452608	66.32	.750		.848
6420	Cup	451724	179.31	5.875		1.750	09081	Cone	452672	66.29	.812		.848
6420B	Cup	4517244	758.96	5.875		1.750	09194	Cup	452736	23.51	1.938		.687
6454	Cone	451725	346.33	2.750		2.135	09195	Cup	452800	19.90	1.938		.562
6455	Cone	4517253	436.37	2.250		2.135	09196	Cup	452864	19.61	1.938		.687
6460	Cone	4517257	325.46	2.875		2.135	09201	Cup	452866	73.22	2.000		.687
6461	Cone	451726	212.27	3.000		2.135	11162	Cone	452901	59.87	1.625		.684
6461A	Cone	451728	305.92	3.000		2.135	11163	Cone	452905	95.56	1.625		.684
6464	Cone	4517283	335.00	2.557		2.135	11300	Cup	452912	58.19	3.000		.562
6466	Cone	4517285	280.25	3.000		2.135	11315	Cup	452920	99.35	3.149	80	.562
6484	Cone	4517287	659.05	2.750		2.135							

*Double Cone or Cup

*T Suffix means Tapered I.D.

Prices subject to change without notice.

ASK FOR QUANTITY DISCOUNT

1-800-228-9222 / e-mail: sales@baumhydraulics.com

Fax: 1-800-832-2522 / www.baumhydraulics.com / © Baum Hydraulics Corporation


BAUM HYDRAULICS
CORPORATION

TIMKEN and PRECISE TAPERED ROLLER BEARINGS

Generic is Decimal Bore Size for Cones and Decimal Outside Diameter for Cups
Family is First Part Number in Series

R5

TIMKEN, BOWER, TYSON, HYATT & FINE All Use The Same Bearing Number - Call for Bower & Fine prices.



TIMKEN®



Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D.	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"	Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D.	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"
11520	Cup	452928	\$13.33	1.687		.375	15118	Cone	455488	\$31.10	1.189		.812
11590	Cone	452992	32.64	.625		.562	15119	Cone	455552	44.76	1.189		.812
LM11710	Cup	453056	9.12	1.570		.420	15120	Cone	455616	45.00	1.189		.812
LM11749	Cone	453120	23.22	.687		.575	15121T	Cone	455640	160.97	1.218		.750
LM11910	Cup	453184	7.26	1.781		.475	15123	Cone	455680	29.68	1.250		.750
LM11919	Cup	453248	68.72	2.078		.575	15125	Cone	455700	46.47	1.250		.812
LM11949	Cone	453312	13.69	.750		.655	15126	Cone	455744	30.30	1.250		.812
LM11900LA	Cone	453180	31.78	.750		.655	15243	Cup	455808	28.48	2.437	62	.562
12175	Cone	453327	72.99	1.750		.675	15244	Cup	455830	44.77	2.440		.625
12303	Cup	453330	38.24	3.031	77	.468	15245	Cup	455872	10.40	2.441		.562
12520	Cup	453440	14.84	1.938		.625	15249	Cup	455890	796.40	2.500		.625
12580	Cone	453504	43.84	.812		.781	15250	Cup	455936	21.80	2.500		.625
NA12581SW	Cone	453537	180.25	.812		.955	15250X	Cup	456000	21.08	2.500		.625
K38958	Cup	4609705	586.89	3.000		1.843	K33867	Cup	460572	456.64	3.500		1.937
M12610	Cup	453568	9.06	1.968	50	.550	15520	Cup	456064	19.86	2.250		.531
M12648	Cone	453581	54.81	.875		.720	15522A	Cup	456090	133.53	2.343		.593
M12649	Cone	453632	18.37	.843		.720	15523	Cup	456101	18.43	2.375		.625
M12600LA	Cone	453560	46.63	.843		.720	15574A	Cone	456114	1162.12	.937		.734
LM12710	Cup	453640	8.35	1.781		.475	15575T	Cone	456120	80.12	.937		.687
LM12711	Cup	-----	----	1.811	46	.475	15578	Cone	456128	31.73	1.000		.687
LM12748F	Cone	453648	----	.843		.655	15579A	Cone	456179	470.00	1.030		.734
LM12749	Cone	453650	19.49	.865		.655	15579X	Cone	456189	394.09	1.023	26	.687
JP13010	Cup	453700	186.07	7.283		.826	15590	Cone	4562409	----	1.125		.687
JP13049	Cone	453710	398.54	5.118	130	1.063	16131	Cone	4562417	1186.46	1.312		.812
13176D*	Cone	453746	350.81	1.750		1.250	16137	Cone	4562419	62.51	1.375		.812
13181	Cone	453747	104.76	1.812		.687	16143	Cone	456242	61.18	1.437		.812
13620	Cup	453760	23.19	2.717		.593	16150	Cone	456244	48.70	1.500		.812
13621	Cup	453824	21.15	2.717		.593	16151	Cone	4562448	1162.12	1.500		.812
13621D*	Cup	453834	100.55	2.717		1.500	16282	Cup	456245	----	2.834	72	.560
13678SD*	Cone	453888	163.80	1.156+		2.875	16283	Cup	456246	46.22	2.844		.750
13682	Cone	453919	70.65	1.437		.750	16284	Cup	456247	27.51	2.844		.625
13685	Cone	454016	35.43	1.500		.750	16522	Cup	4562478	875.62	2.687		.687
13685A	Cone	454026	241.66	1.500		.750	16929	Cup	456251	76.07	2.952	75	.562
13600LA	Cone	453755	54.62	1.500		.750	16986	Cone	456252	160.63	1.692	43	.781
13686	Cone	454144	42.18	1.500		1.031	NA17098	Cone	4562535	245.96	.983		.783
13687	Cone	454208	31.87	1.500		.750	17116D*	Cone	456254	329.11	1.187		1.375
NA13687	Cone	454218	155.02	1.500		.908	17118	Cone	456256	57.59	1.180		.652
13836	Cup	454233	39.81	2.562		.375	17244	Cup	456320	40.61	2.440	62	.562
13836B	Cup	454236	133.00	2.562		.375	17245D*	Cup	456355	113.19	2.440	62	1.427
13889	Cone	454239	----	1.500		.468	17520	Cup	456384	33.00	1.687		.531
13890	Cone	454245	118.32	1.515		.468	17520B	Cup	456394	86.65	1.687		.531
14116	Cone	454253	23.11	1.190		.771	17580	Cone	456448	79.08	.625		.656
14117A	Cone	454260	36.70	1.181		.771	17830	Cup	456460	144.24	3.125		.625
14120	Cone	454269	53.09	1.190		1.052	17831	Cup	456465	116.09	3.149	80	.593
14123A	Cone	454272	69.78	1.250		1.052	17884	Cone	456475	285.08	1.750		1.321
14124	Cone	454336	51.23	1.250		.771	17886	Cone	456480	1162.12	1.692	43	.812
14125A	Cone	454400	41.62	1.250		.771	17887	Cone	456485	40.48	1.780		.812
14130	Cone	454464	32.52	1.312		.771	17888	Cone	456490	175.45	1.750		1.234
14131	Cone	454491	48.45	1.312		.771	18200	Cone	456501	81.27	2.000		.719
14131A	Cone	454493	88.21	1.312		.771	18337	Cup	456508	52.61	3.375		.500
14132T	Cone	454528	57.96	1.312		.771	18337B	Cup	456509	169.34	3.375		.500
14136A	Cone	454592	61.02	1.375		1.052	18352	Cup	456511	894.24	3.500		.750
14136AA	Cone	454596	88.94	1.375		1.052	18520	Cup	456512	30.34	2.875		.500
14137A	Cone	454720	43.04	1.375		.771	18587	Cone	456530	60.28	1.562		.687
14138A	Cone	454784	47.22	1.375		.771	18590	Cone	456576	61.50	1.625		.687
14139	Cone	454801	47.34	1.377	35	.771	18620	Cup	456640	33.74	3.125		.531
14139X	Cone	454810	242.01	1.387		.771	18620B	Cup	456650	100.78	3.125		.531
14274	Cup	454848	16.35	2.717		.625	18685	Cone	456704	51.04	1.750		.687
14274A	Cup	454858	82.85	2.717		.625	NA18685	Cone	456730	260.74	1.750		.814
14274S	Cup	454868	115.19	2.965		.625	18690	Cone	456768	68.47	1.812		.687
14275A	Cup	454878	733.17	2.750		.625	18720	Cup	456832	22.16	3.346	85	.531
14276	Cup	454912	17.77	2.717		.625	18720B	Cup	456842	220.36	3.346	85	.531
14276B	Cup	454914	66.88	2.717		.625	18721	Cup	456870	902.21	3.280		.531
14282	Cup	454918	720.14	2.834	72	.591	18723	Cup	456883	815.64	3.500		.656
14283	Cup	454920	----	2.838		.725	18724	Cup	456890	85.40	3.500		.531
14284	Cup	454930	733.17	2.834	72	.725	18780	Cone	456896	139.57	1.812		.687
14299	Cup	454941	791.04	3.062		.625	18790	Cone	456960	37.26	2.000		.687
15100	Cone	454976	46.72	1.000		.812	19137DE*	Cone	456965	----	1.375		3.000
15101	Cone	455040	36.40	1.000		.812	19138	Cone	456966	66.88	1.377	35	.650
15102	Cone	455070	36.96	1.000		.812	19138A	Cone	456968	1162.12	1.377	35	.650
15103S	Cone	455104	40.79	1.030		.785	19143DA*	Cone	456972	371.82	1.437		2.531
15106	Cone	455168	35.51	1.062		.812	19143DE*	Cone	456973	281.45	1.437		3.000
15112	Cone	455232	44.82	1.125		.812	19145D*	Cone	456975	268.44	1.437		1.500
15113	Cone	455296	45.32	1.125		.812	19150	Cone	456980	68.10	1.500		.650
15116	Cone	455360	44.33	1.185		.812	19268	Cup	456990	95.49	2.687		.468
15117	Cone	455424	37.09	1.180		.812	19269	Cup	456994	150.47	2.687		.631
NA15117SW	Cone	455439	120.15	1.181	30	1.002	19283	Cup	456997	57.48	2.834	72	.562
Continued in next column							19283X	Cup	-----	----	2.834	72	.562

*Double Cone or Cup.


ASK FOR QUANTITY DISCOUNT

Prices subject to change without notice.

BAUM HYDRAULICS CORPORATION

1-800-228-9222 / e-mail: sales@baumhydraulics.com
Fax: 1-800-832-2522 / www.baumhydraulics.com / © Baum Hydraulics Corporation

R6



TIMKEN and PRECISE TAPERED ROLLER BEARINGS

Generic is Decimal Bore Size for Cones and Decimal Outside Diameter for Cups

Family is First Part Number in Series

TIMKEN, BOWER, TYSON, HYATT & FINE All Use The Same Bearing Number - Call for Bower & Fine prices.

Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D.	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"
21075	Cone	457024	\$56.19	.750		.859
21212	Cup	457088	32.70	2.125		.625
21213	Cup	457090	142.29	2.125		.625
L21511	Cup	457100	22.09	1.377	35	.343
22150DA*	Cone	457121	463.36	1.500		2.843
22150DE*	Cone	457122	346.49	1.500		3.375
22168	Cone	457128	95.45	1.687		.781
22168DE*	Cone	457139	247.78	1.687		3.375
NA22171	Cone	457145	244.03	1.718		.877
22720	Cup	457180	79.89	3.250		.812
22721	Cup	457184	191.22	3.250		.812
22778	Cone	457186	218.89	1.625		1.062
22780	Cone	457188	92.74	1.687		1.062
23100	Cone	457216	56.64	1.000		.845
23256	Cup	457280	26.04	2.562		.625
23256B	Cup	457288	105.90	2.562		.625
23420	Cup	457300	39.23	2.687		.875
23491	Cone	457310	100.27	1.250		1.062
23620	Cup	457327	37.23	2.875		.875
23621	Cup	457336	99.98	2.875		.875
23685	Cone	457339	381.95	1.250		1.062
23690	Cone	457344	107.15	1.375		1.062
23691	Cone	457347	159.13	1.378		1.062
24118	Cone	457375	114.73	1.187		.747
24261	Cup	457385	171.57	2.615		.625
24720	Cup	457408	22.39	3.000		.687
24720D*	Cup	457418	111.72	3.000		1.562
24722	Cup	457450	110.46	3.000		.687
NA24776SW	Cone	457465	117.05	1.500		1.158
24780	Cone	457472	43.57	1.625		.906
24781	Cone	457480	100.83	1.625		.906
K78175	Cup	4638905	900.17	4.250		2.250
25518	Cup	457530	710.93	3.228	82	.752
25519	Cup	457536	75.89	3.250		.750
25520	Cup	457600	18.19	3.265		.750
25521	Cup	457664	27.37	3.270		.750
25521B	Cup	457665	140.88	3.270		.750
25522	Cup	457728	27.16	3.270		.752
25523	Cup	457792	28.31	3.265		.875
25524	Cup	457801	830.62	3.265		.750
25526	Cup	457826	105.44	3.346	85	.750
25528	Cup	457836	86.32	3.625		.750
25530RB	Cup	457841	847.86	3.312		.750
25570	Cone	457870	57.09	1.437		1.000
25572	Cone	457877	76.14	1.500		1.000
25576	Cone	457914	45.09	1.687		1.000
25577	Cone	457920	60.25	1.688		1.000
25578	Cone	457984	60.93	1.687		1.000
25580	Cone	458048	35.67	1.750		1.000
25581	Cone	458080	67.11	1.750		1.000
25583	Cone	458112	205.03	1.750		1.412
25584	Cone	458176	66.10	1.771	45	1.000
25590	Cone	458304	34.78	1.796		1.000
25592	Cone	458326	88.18	1.812		1.000
25820	Cup	458368	21.39	2.875		.750
25821	Cup	458432	22.13	2.875		.750
25877	Cone	458496	34.18	1.375		.968
25878	Cone	458501	32.50	1.375		.968
25880	Cone	458508	41.71	1.436		.968
26093	Cone	458510	1185.31	.937		.754
26100	Cone	458512	203.19	1.000		.745
26112	Cone	458516	117.30	1.125		.745
26118	Cone	458520	72.56	1.180		.745
NA26118	Cone	458527	332.08	1.180		.844
26126	Cone	458533	1185.31	1.260		.745
26131	Cone	458541	133.62	1.312		.745
26132	Cone	458546	126.50	1.312		.745
26274	Cup	458547	71.52	2.745		.750
26283	Cup	458550	34.93	2.834	72	.625
26283B	Cup	458552	521.23	2.834	72	.625
26300	Cup	458555	78.95	3.000		.625
JL26710	Cup	458557	21.81	2.086	53	.452
26820	Cup	458560	66.44	3.156		.812
26821	Cup	458590	815.57	3.156		.968
26822	Cup	458624	31.99	3.125		.750
26823	Cup	458752	51.07	3.000		.812
26830	Cup	458767	84.74	3.156		.812
26878	Cone	458790	45.57	1.500		1.000
26881	Cone	458880	68.19	1.562		1.000
26882	Cone	458944	62.00	1.625		1.000
26883	Cone	458979	22.79	1.378		1.000
26884	Cone	459008	47.64	1.688		1.000

TIMKEN®

Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D.	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"
26885	Cone	459014	\$55.37	1.625		1.000
26886	Cone	459026	50.95	1.688		1.000
27620	Cup	459044	46.95	4.937		.781
27620DA*	Cup	459047	897.29	4.937		1.750
27621	Cup	459052	1015.52	4.937		1.000
27684	Cone	459077	128.34	3.000		1.000
27687	Cone	459097	148.56	3.250		1.000
27689	Cone	459101		3.281		1.000
27690	Cone	459113	136.06	3.281		1.000
27695	Cone	459131	140.84	3.345		1.000
27820	Cup	459136	38.36	3.151		.729
27875	Cone	459167	74.07	1.375		.933
27880	Cone	459200	94.32	1.500		.933
27881	Cone	459220	62.28	1.500		.933
28118	Cone	459225	106.94	1.187		.824
NA28138	Cone	459235	155.64	1.377	35	.908
28150	Cone	459240	94.94	1.500		.824
28151	Cone	459246	127.53	1.500		.824
28158	Cone	459250	77.77	1.574	40	.824
28159	Cone	459253	140.26	1.574	40	.824
28300	Cup	459254	58.24	3.000		.610
28314XD*	Cup	459256	119.81	3.151		1.375
28315B	Cup	459258	109.77	3.149	80	.625
28317	Cup	459260	40.08	3.151		.625
28520	Cup	459263	50.59	3.542		.786
28521	Cup	459264	49.50	3.625		.781
28521B	Cup	459265	198.32	3.625		.781
28580	Cone	459328	94.14	2.000		1.000
28584	Cone	459366	100.48	2.062		1.000
28622	Cup	459392	38.30	3.843		.765
28622A	Cup	459395	65.39	3.843		.765
28623	Cup	459412	107.01	3.875		.765
28680	Cone	459437	72.30	2.187		.968
28682	Cone	459456	66.26	2.250		.968
28820	Cup	459500	915.24	12.000		.625
28920	Cup	459520	30.29	4.000		.781
28921	Cup	4595201	71.02	3.937	100	.781
28921A	Cup	4595202	96.73	3.937	100	.781
28921B	Cup	4595203	272.94	3.937	100	.781
28921D*	Cup	4595204	254.92	3.937	100	1.750
28921DC*	Cup	4595205	420.12	3.937	100	1.750
28985	Cone	459530	118.87	2.375		1.000
28995	Cone	459545	125.69	2.470		1.000
29177	Cone	459590	1162.12	1.771	45	.754
29334	Cup	459601	814.35	3.346	85	.625
29520	Cup	459648	67.29	4.250		.750
29520B	Cup	459649	274.64	4.250		.750
29521B	Cup	459663	119.14	4.330	110	.750
29522	Cup	459665	62.70	4.250		.750
29526DRB*	Cup	459685	399.44	4.437		1.687
29582	Cone	459707	129.81	2.362	60	1.000
29585	Cone	459712	101.06	2.500		1.000
29586	Cone	459732	85.20	2.500		1.000
29588	Cone	459770	192.80	2.558		1.000
29590	Cone	459806	98.02	2.625		1.000
29620	Cup	459840	38.81	4.437		.750
29622D*	Cup	4598421	188.71	4.499		1.812
29622DC*	Cup	4598423	392.61	4.499		1.812
29622W	Cup	4598425	843.70	4.499		.750
29624	Cup	459843	935.21	4.500		.875
29630	Cup	459844	33.72	4.750		.750
29675	Cone	459850	100.76	2.750		1.000
29680	Cone	459880	128.70	2.781		1.000
29685	Cone	459904	70.97	2.875		1.000
LM29710	Cup	459968	17.30	2.562		.550
LM29711	Cup	459969	32.68	2.562		.620
LM29700LA	Cone	459960	58.27	1.500		.720
LM29748	Cone	459971	48.36	1.500		.720
LM29749	Cone	460032	36.20	1.500		.720
29820	Cup	460035	865.35	12.750		.625
31520	Cup	460096	17.00	3.000		.937
31593	Cone	460153	73.36	1.375		1.125
31594	Cone	460160	58.58	1.375		1.125
31597	Cone	460191	37.39	1.437		1.125
33251	Cone	460217	109.63	2.500		1.187
33275	Cone	460224	88.48	2.750		1.187
33281	Cone	460288	103.10	2.812		1.187
33287	Cone	460299	70.44	2.875		1.187
33462	Cup	460416	42.72	4.625		.937
33472	Cup	460420	79.89	4.724	120	.923
33472DC*	Cup	460472	520.47	4.724	120	2.649

*Double Cone or Cup

Prices subject to change without notice.

ASK FOR QUANTITY DISCOUNT

1-800-228-9222 / e-mail: sales@baumhydraulics.com

Fax: 1-800-832-2522 / www.baumhydraulics.com / © Baum Hydraulics Corporation

BAUM **HYDRAULICS**
CORPORATION



TIMKEN and PRECISE TAPERED ROLLER BEARINGS

Generic is Decimal Bore Size for Cones and Decimal Outside Diameter for Cups
Family is First Part Number in Series

R7

TIMKEN, BOWER, TYSON, HYATT & FINE All Use The Same Bearing Number - Call for Bower & Fine prices.

Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"	Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"
33821	Cup	460544	\$50.19	3.750		.875	42584	Cup	461215	105.54	5.843		.843
33821D*	Cup	460549	222.27	3.750		2.062	42585	Cup	461219	1035.83	5.843		1.000
33885	Cone	460585	81.73	1.750		1.125	42587	Cup	461227	69.96	5.875		.968
33889	Cone	460591	97.52	2.000		1.125	42620	Cup	461248	\$81.08	5.000		.875
NA33889SW	Cone	460593	250.40	2.000		1.377	42620B	Cup	461250	574.43	5.000		.875
33890	Cone	460608	102.73	2.062		1.125	42624	Cup	461253	469.84	5.118	130	1.063
33891	Cone	460672	60.61	2.062		1.125	42687	Cone	461312	150.72	3.000		1.220
33895	Cone	460736	98.37	2.125		1.125	42688	Cone	461376	140.36	3.000		1.220
NA33895SW	Cone	460747	212.52	2.126	54	1.377	43118	Cone	461384	596.59	1.187		.947
33821	Cup	460544	50.19	3.750		.875	43125	Cone	461386	63.55	1.125		.947
33821D*	Cup	460549	222.27	3.750		2.062	43131	Cone	461388	89.47	1.312		.947
33885	Cone	460585	81.73	1.750		1.125	NA43131	Cone	461390	147.50	1.312		1.096
33889	Cone	460591	97.52	2.000		1.125	43312	Cup	461395	38.38	3.125		.687
NA33889SW	Cone	460593	250.40	2.000		1.377	43312B	Cup	461396	214.04	3.125		.687
33890	Cone	460608	102.73	2.062		1.125	43315	Cup	461397	814.35	3.156		.937
33891	Cone	460672	60.61	2.062		1.125	44143	Cone	461403	59.23	1.437		.933
33895	Cone	460736	98.37	2.125		1.125	NA44143	Cone	461405	313.83	1.437		1.096
NA33895SW	Cone	460747	212.52	2.126	54	1.377	44156	Cone	461408	139.07	1.562		.933
34268DA*	Cone	460761	713.82	2.687		3.687	44157	Cone	461410	160.93	1.574	40	.933
34268DE*	Cone	460763	599.71	2.687		4.500	44158	Cone	461412	78.72	1.562		.933
34275	Cone	460786	219.60	2.755	70	.906	44162	Cone	461413	79.43	1.625		.933
34275DE*	Cone	460795	634.76	2.750		4.500	44348	Cup	461415	38.22	3.484		.687
34293DA*	Cone	460803	503.85	2.937		3.687	44348B	Cup	461416	105.84	3.484		.687
34293DE*	Cone	460814	483.47	2.937		4.500	44363D*	Cup	461419	138.43	3.625		1.562
34300	Cone	460843	82.16	3.000		.906	L44600LA	Cone	461433	44.52	1.000		.580
34300A	Cone	460847	436.56	3.000		.906	L44600LB++	Cone	461435	60.10	1.000		.580
34300DA*	Cone	460850	583.88	3.000		3.687	L44610	Cup	461440	7.82	1.980		.420
34300DE*	Cone	460852	524.81	3.000		4.500	L44613	Cup	461460	63.52	2.046		.500
34301	Cone	460864	117.12	3.000		.906	L44640	Cone	461504	82.90	.937		.580
34306	Cone	460880	123.56	3.062		.906	L44642	Cone	461542	56.08	1.000		.580
34307	Cone	460908	136.31	3.062		.906	L44643	Cone	461568	18.31	1.000		.580
34472X	Cup	460918	393.56	4.724	120	.629	L44645	Cone	461589	84.32	1.023	26	.580
34478	Cup	460928	72.79	4.781		.688	L44649	Cone	461696	18.13	1.062		.580
34478D*	Cup	4609288	368.64	4.781		1.000	45220	Cup	461700	42.75	4.125		.937
34481B	Cup	460931	194.16	4.812		.843	45220B	Cup	4617001	401.55	4.125		.937
34500	Cup	460934	75.57	5.000	127	.781	45221	Cup	461701	56.63	4.125		.937
35175	Cone	460935	97.29	1.750		.906	45222	Cup	4617012	843.70	4.187		.937
35176	Cone	460936	80.92	1.750		.906	45280	Cone	461702		1.750		1.218
35326	Cup	460938	75.73	3.266		.688	45282	Cone	461703	107.05	1.875		1.218
36137	Cone	460942	194.94	1.375		1.175	45284	Cone	461704	56.38	2.000		1.218
36300	Cup	460944	98.55	3.000		.937	45285	Cone	461705	88.23	2.000		1.218
36620	Cup	460945	182.46	7.625		.906	45285A	Cone	461707	149.39	2.000		1.218
36620B	Cup	460946	494.04	7.625		.906	45287	Cone	461711	71.96	2.125		1.218
36690	Cone	460953	375.63	5.750		1.125	45290	Cone	461714	91.89	2.250		1.218
37425	Cone	460961	112.98	4.250		.844	45290CA	Cone	461715	112.39	2.250		1.218
37625	Cup	460963	118.36	6.250		.625	45291	Cone	4617151	63.41	2.250		1.218
37625B	Cup	4609631	419.73	6.250		.625	46143	Cone	4617159	255.71	1.437		1.250
37626D*	Cup	460964	317.53	6.250		1.562	46175	Cone	461717	178.74	1.750		1.250
M38510	Cup	460966	39.16	2.625		.656	46176	Cone	4617172		1.750		1.250
M38514	Cup	4609674	718.83	2.687		.656	46369	Cup	4617175	173.80	3.687		1.031
M38545	Cone	4609675	276.60	1.312		.812	L45410	Cup	4617153	9.27	1.980		.420
M38547	Cone	4609682	1162.12	1.377	35	.812	L45449	Cone	4617154	25.98	1.141	29	.580
M38549	Cone	4609687	116.11	1.375		.812	46720	Cup	461718	345.89	8.875		1.312
39243DA*	Cone	460973	433.00	2.437		3.312	46780	Cone	4617195	256.29	6.250		1.562
39243DE*	Cone	4609733	381.42	2.437		4.000	46790	Cone	4617202	492.41	6.500		1.562
39250	Cone	4609735	97.56	2.500		.866	NA46790	Cone	4617215	710.01	6.500		1.882
39250DA*	Cone	4609736	500.29	2.500		3.312	46792	Cone	461723	495.65	6.562		1.562
39250DE*	Cone	4609737	424.08	2.500		4.000	47420	Cup	461725	65.16	4.724	120	1.031
39412	Cup	460980	54.68	4.125		.625	47420A	Cup	461726	249.45	4.724	120	1.031
39412B	Cup	460982	193.68	4.125		.625	47420D*	Cup	461727	441.04	4.724	120	2.312
39520	Cup	460992	47.81	4.437		.937	47423	Cup	461729	191.88	4.750		1.031
39520DC*	Cup	4609924	479.63	4.437		2.187	47487	Cone	461730	119.83	2.750		1.281
39520XX	Cup	4609925	231.76	4.437		.937	47490	Cone	461735	108.80	2.812		1.281
39521	Cup	460993	48.36	4.437		.937	47620	Cup	461760	74.49	5.250		1.031
39522	Cup	4609932	1083.43	4.437		1.187	47620A	Cup	461824	89.38	5.250		1.031
39573	Cone	460994	202.46	2.000		1.187	47620B	Cup	461825	381.54	5.250		1.031
39580	Cone	4609949	79.41	2.250		1.187	47621	Cup	461827	1015.52	5.511	140	1.156
39581	Cone	460995	101.79	2.250		1.187	47675	Cone	461835	230.45	2.812		1.312
39585	Cone	461120	98.58	2.500		1.187	47679	Cone	461840	116.25	3.000		1.312
39585D	Cone	461152	717.87	2.500		2.375	47681	Cone	461868	106.67	3.187		1.312
39590	Cone	461184	90.18	2.625		1.187	47685	Cone	461875	326.72	3.250		1.312
39591	Cone	461185	165.61	2.625		1.187	47686	Cone	461888	132.68	3.250		1.312
41125	Cone	461187	67.66	1.125		.955	47687	Cone	461937	145.37	3.250		1.312
41286	Cup	4611886	45.74	2.859		.687	47688	Cone	461940		3.281		1.312
41286B	Cup	4611888	297.93	2.859		.687	47820	Cup	461952	81.91	5.750		1.031
41294D*	Cup	461189	572.32	2.937		1.625	47825B	Cup	461981	257.45	5.625		1.031
42343DA*	Cone	4611895	888.49	3.437		4.187	47880	Cone	461998	499.02	3.062		1.375
42343DE*	Cone	4611896	799.64	3.437		5.000	47890	Cone	462016	132.82	3.625		1.375
42350DE*	Cone	461193	947.51	3.500		5.000	47898	Cone	462043	440.05	3.750		1.375
42362D*	Cone	461199	1085.36	3.625		2.281	48120	Cup	462044	113.21	6.375		1.062
42373	Cone	461202	332.54	3.740	95	1.140	48190	Cone	462045	189.84	4.250		1.375
42381	Cone	461210	197.10	3.812		1.140							

ASK FOR QUANTITY DISCOUNT

Prices subject to change without notice.

BAUM

HYDRAULICS CORPORATION

1-800-228-9222

Fax: 1-800-832-2522

e-mail: sales@baumhydraulics.com


www.baumhydraulics.com / © Baum Hydraulics Corporation

TIMKEN and PRECISE TAPERED ROLLER BEARINGS

Generic is Decimal Bore Size for Cones and Decimal Outside Diameter for Cups

Family is First Part Number in Series

TIMKEN, BOWER, TYSON, HYATT & FINE All Use The Same Bearing Number - Call for Bower & Fine prices.



Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"
48220	Cup	462050	\$221.69	7.187		1.312
48282	Cone	462059	337.73	4.750		1.500
48290	Cone	462075	417.78	5.000	127	1.500
48290DW*	Cone	462095	1133.69	5.000	127	3.000
NA48291	Cone	462120	533.15	5.000	127	1.690
NA48385	Cone	462131	670.45	5.250		1.695
NA48390	Cone	462133	499.07	5.375		1.695
48393	Cone	462134		5.375		1.562
48393A	Cone	462136	560.41	5.375		1.562
LM48500LA	Cone	462139	42.24	1.375		.720
LM48510	Cup	462144	9.51	2.562		.550
LM48548	Cone	462208	20.11	1.375		.720
LM48548A	Cone	462218	54.24	1.375		.720
LM48549	Cone	462231	177.08	1.375		.720
48620	Cup	462250	155.73	7.875		1.343
48680D*	Cone	462273	1160.49	5.500		2.968
48685	Cone	462285	387.79	5.625		1.562
NA48686	Cone	462311	535.91	5.625		1.851
48506	Cone	462140	894.53	5.062		1.250
48750	Cup	462316	408.63	7.500		1.000
49520	Cup	462336	54.56	4.000		1.000
49520B	Cup	462337	316.96	4.000		1.000
49580	Cone	462380	183.20	1.875		1.250
49585	Cone	462400	94.73	2.000		1.250
52400	Cone	462447	251.94	4.000		1.421
52618	Cup	462452	125.51	6.187		1.031
52618B	Cup	4624523	467.31	6.187		1.031
52630X	Cup	462454	1135.67	6.299	160	1.031
52637B	Cup	4624546	399.37	6.375		1.031
LL52549	Cone	462451		.875		.440
53176	Cone	462464	82.58	1.750		1.114
53375	Cup	462592	62.81	3.750		.812
53376D*	Cup	462606	207.19	3.750		1.750
53390D*	Cup	462629	342.74	3.875		1.750
53398	Cup	462639	860.52	4.000		.812
55176	Cone	462804	183.98	1.750		1.059
55197	Cone	462840	198.92	1.967		1.059
55200	Cone	462848	135.90	2.000		1.059
55437	Cup	462912	59.76	4.375		.812
55443	Cup	462920	106.43	4.437		.812
55175C	Cone	462794	151.85	1.750		1.059
55200C	Cone	462850	78.19	2.000		1.059
55437	Cup	462912	59.76	4.375		.812
55443	Cup	462920	106.43	4.437		.812
56425	Cone	462976	157.48	4.250		1.437
59176	Cone	463129	200.29	1.750		1.437
59187	Cone	463130	486.38	1.875		1.437
59188	Cone	463131	548.37	1.875		1.437
59200	Cone	463132	108.06	2.000		1.437
59412	Cup	463135	53.11	4.125		1.125
59413	Cup	463136	116.25	4.125		1.125
59425	Cup	463137	131.85	4.250		1.125
59429	Cup	463138	211.37	4.290		1.062
64450	Cone	4631632	194.71	4.500		1.625
64452A	Cone	463168	333.71	4.527	115	1.625
64700	Cup	463164	115.47	7.000		1.187
64713	Cup	4631645	400.68	7.125		1.187
65225	Cone	4631655	154.63	2.250		1.750
65231	Cone	463166	373.70	2.312		1.750
65237	Cone	4631665	112.59	2.375		1.750
65500	Cup	463181	127.53	5.000	127	1.375
65500B	Cup	463182	317.14	5.000	127	1.375
65501	Cup	463185	1025.65	5.000	127	1.375
65321	Cup	463167	860.52	4.500		1.375
65383	Cone	4631673	255.66	1.687		1.750
65385	Cone	4631675	239.89	1.750		1.750
65395	Cone	463175	327.25	2.000		1.750
66187	Cone	463188	183.93	1.875		1.250
66212	Cone	463190		2.125		1.250
NA66212	Cone	463192	526.05	2.125		1.440
66461	Cup	463201	155.41	4.625		.937
66462B	Cup	463204	253.73	4.625		.937
66583	Cone	463218	203.81	2.195		1.250
66586	Cone	463228	331.30	2.361		1.250

*Double Cone or Cup

++ with Inner Oring

TIMKEN [®]				Cone Bore "A"	Cone Bore or Cup O.D. "B"	Cup or Cone Length Inches "D" or "E"
Timken Number	Type	Our Sequence Number	Per Each	Cup O.D.		
LM67010	Cup	463232	\$8.23	2.328		.465
LM67010Z	Sold in Set Only			2.328		.465
LM67014	Cup	463274	20.55	2.440	62	.465
LM67019	Cup	463296	869.74	2.648		.640
LM67045	Sold in Set Only			1.250		.728
LM67048	Cone	463360	16.94	1.250		.660
LM67049A	Cone	463369	34.80	1.250		.660
LM67000LA	Cone	463424	31.90	1.250		.660
67322	Cup	463430	144.84	7.750		1.500
67388	Cone	463438		5.000	127	1.812
67434	Cone	4634414	906.55	4.343		1.187
67675	Cup	4634417	258.53	6.750		.999
67720	Cup	463442	230.75	9.750		1.500
67720V	Cup	4634426	1049.76	9.750		1.500
67790	Cone	463450	521.69	7.000		1.875
L68110	Cup	463460	13.30	2.328		.470
LJ68111Z	Sold in Set Only			2.362	60	.470
L68111	Cup	463488	13.12	2.362	60	.470
LJ68145	Sold in Set Only			1.378		.726
L68149	Cone	463552	19.25	1.378		.660
68462	Cone	463561	327.30	4.625		1.250
68712	Cup	463572	216.52	7.125		1.000
JL69310	Cup	463585	9.60	2.480	63	.669
JL69345	Cone	463588	43.92	1.496	38	.748
JL69349	Cone	463597	19.52	1.496	38	.669
69630	Cup	463601	176.69	6.303		.878
71437	Cone	463613	422.79	4.375		1.937
71455	Cone	463665	530.69	4.531		1.937
71750	Cup	463680	290.34	7.500		1.375
72487	Cup	463872	71.15	4.875		1.000
72200C	Cone	463692	101.81	2.000		1.291
72487	Cup	463872	71.15	4.875		1.000
LM72810	Cup	463873	27.69	1.850	47	.472
LM72849	Cone	4638733	78.03	.890		.610
NA74525	Cone	4638761	659.26	5.250		2.096
74845	Cup	4638788	1114.48	8.464		1.375
74851CD*	Cup	4638794	1215.54	8.500		3.187
77350	Cone	4638799	413.32	3.500		1.900
77364	Cone	463883	471.38	3.625		1.900
77675	Cup	463890	135.35	6.750		1.500
77676W	Cup	4638903	865.09	6.750		2.250
78215	Cone	4638908	152.12	2.125		1.308
78238	Cone	4638916	342.72	2.375		1.308
78238C	Cone	4638917	317.78	2.375		1.308
NA78250	Cone	463892	377.38	2.500		1.533
78255D*	Cone	4638923	760.59	2.558		2.598
78549D*	Cup	4638932	383.81	5.500		2.039
78214C	Cone	4638907	383.38	2.125		1.308
LM78310C	Cup	4638927	16.59	2.440	62	.590
LM78349A	Cone	463893	35.19	1.378		.669
81600	Cone	463896	958.54	6.000		1.968
82587	Cone	4638985	881.85	5.875		2.230
82720	Cup	4639009	1166.33	11.375		1.687
M84210	Cup	4639028	23.10	2.343		.720
M84249	Cone	463903	51.94	1.000		.910
M84510	Cup	4639033	30.54	2.250		.580
M84548	Cone	4639034	89.77	1.000		.765
M86610	Cup	4639061	16.00	2.531		.656
M86649	Cone	463907	31.67	1.187		.843
M88010	Cup	463936	16.35	2.687		.687
M88010B	Cup	463937	48.70	2.687		.687
M88012	Cup	463949	869.74	2.687		.687
M88047	Cone	463985	194.02	1.312		.875
M88048	Cone	464000	44.26	1.312		.875
HM88510	Cup	464064	26.20	2.875		.906
HM88542	Cone	464128	52.75	1.250		1.093
HM88547	Cone	464192	49.16	1.312		1.093
HM88610	Cup	464256	22.75	2.843		.781
HM88610A	Cup	464257	792.56	2.843		.781
HM88611	Cup	464267	719.22	2.834	72	.844
HM88611AS	Cup	464290	46.61	2.859		.781
HM88612	Cup	464300	206.39	2.875		.826
HM88638	Cone	464315	176.67	1.259	32	1.000
HM88648	Cone	464320	47.90	1.406		1.000
HM88649	Cone	464384	48.10	1.375		1.000
HM89410	Cup	464448	29.07	3.000		.906
HM89446	Cone	464576	72.30	1.375		1.125
HM89448	Cone	464680	44.72	1.437		1.125
HM89449	Cone	464704	43.74	1.437		1.125

Prices subject to change without notice.

ASK FOR QUANTITY DISCOUNT

1-800-228-9222 / e-mail: sales@baumhydraulics.com

Fax: 1-800-832-2522 / www.baumhydraulics.com / © Baum Hydraulics Corporation

BAUM


HYDRAULICS
CORPORATION

TIMKEN and PRECISE TAPERED ROLLER BEARINGS

Generic is Decimal Bore Size for Cones and Decimal Outside Diameter for Cups
Family is First Part Number in Series

R9

TIMKEN, BOWER, TYSON, HYATT & FINE All Use The Same Bearing Number - Call for Bower & Fine prices.



TIMKEN®

Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"
90334	Cone	4647041	\$867.81	3.346	85	2.077
J90354	Cone	4647042	828.94	3.543	90	1.812
J90748	Cup	4647046	456.44	7.480	190	1.250
NA95500	Cone	AB0865	817.68	5.000	127	2.815
97500	Cone	AB0951	859.14	5.000	127	1.946
98316	Cone	AB0966	839.24	3.149	80	1.937
LM102910	Cup	AB1075	12.20	2.891		.620
LM102949	Cone	AB1085	25.74	1.781		.780
JLM104910	Cup	AB1135	20.26	3.228	82	.669
JLM104910Z	Sold in Set Only			3.228	82	.669
LM104911	Cup	AB1145	15.02	3.250		.650
LM104911A	Cup	AB1150	37.39	3.250		.730
LM104912	Cup	AB1155	22.43	3.265		.650
JLM104946	Sold in Set Only			1.968	50	.944
JLM104948	Cone	AB1175	35.51	1.969		.847
LM104949	Cone	AB1180	29.65	2.000		.875
LM104949E	Sold in Set Only			2.000		1.019
M111012	Cup	AB1310	76.06	4.250		.800
LM120710	Cup	AB1500	371.88	5.750		1.125
LM121310	Cup	AB1510	330.15	5.784		.944
LM121349	Cone	AB1515	932.00	4.212		1.102
LM122911	Cup	AB1540	393.99	6.250		1.187
LM124410	Cup	AB1570	276.92	6.562		1.250
M201011	Cup	AB3040	24.18	2.875		.840
JM205110	Cup	AB3095	46.24	3.543	90	.905
JM205149	Cone	AB3105	96.02	1.968	50	1.102
LL205410	Cup	AB3115	79.36	3.062		.375
LL205410B	Cup	AB3120	1036.89	3.062		.375
LL205442	Cone	AB3125	273.77	1.812		.500
LL205449	Cone	AB3130	151.30	2.000		.500
JM207010	Cup	AB3135	47.25	3.740	95	.925
JM207010A	Cup	AB3140	42.38	3.740	95	.964
JM207049	Cone	AB3145	108.00	2.165	55	1.141
JH211710	Cup	AB3180	101.93	4.724	120	1.259
JH211749	Cone	AB3185	182.09	2.559	65	1.515
HM212011	Cup	AB3200	54.72	4.812		1.170
HM212044	Cone	AB3205	75.13	2.375		1.510
HM212046	Cone	AB3210	93.70	2.500		1.510
HM212047	Cone	AB3220	94.37	2.500		1.510
HM212049	Cone	AB3225	90.28	2.625		1.510
L217849	Cone	AB3355	188.23	3.500		.812
LL217810	Cup	AB3335	138.52	4.781		.437
HM218210	Cup	AB3315	82.32	5.787		1.279
HM218248	Cone	AB3385	145.71	3.543	90	1.574
HH221410	Cup	AB3458	189.42	7.500		1.812
HH221410	Cup	AB3458	189.42	7.500		1.812
L225810	Cup	AB3760	132.73	6.687		.812
L305649	Cone	AB5685	125.58	2.000		.718
JH307710	Cup	AB5700	96.62	4.330	110	1.259
JH307749	Cone	AB5710		2.165	55	1.535
H414210	Cup	AB6140	67.87	5.375		1.250
H414249	Cone	AB6180	152.67	2.813		1.625
JH415610	Cup	AB6185	113.14	5.708	129	1.653
JH415647	Cone	AB6190	229.67	2.952	75	2.007
LM501310	Cup	AB6705	11.08	2.891		.580
LM501311	Cup	AB6710	36.36	2.891		.716
LM501314	Cup	AB6715	17.10	2.891		.653
LM501349	Cone	AB6730	24.88	1.625		.780
LM503310	Cup	AB6740	17.21	2.952	75	.551
HH506310	Cup	AB6760	61.11	4.500		1.420
HH506348	Cone	AB6770	158.42	1.937		1.750
JLM506810	Cup	AB6780	33.83	3.543	90	.728
JLM506848E	Sold in Set Only			2.165	55	1.023
JLM506849	Cone	AB6795	63.39	2.165	55	.906
JLM506849A	Cone	AB6800	64.10	2.165	55	.905
JLM508710	Cup	AB6830	78.53	3.740	95	.748
JLM508748	Cone	AB6835	81.29	2.362	60	.944
JM511910	Cup	AB6850	51.21	4.331	110	.886
JM511946	Cone	AB6855		2.559	65	1.102
M514512	Cup	AB6875	141.60	4.875		1.031
JM515610	Cup	AB6895	92.05	5.118	130	1.122
JM515649	Cone	AB6905	137.62	3.149	80	1.338
HM516410	Cup	AB6935	60.70	5.250		1.281
HM516448	Cone	AB6960	154.70	3.250		1.562
HM516449C	Cone	AB6965	129.55	3.250		1.562
JHM516810	Cup	AB6975	90.16	5.511	140	1.240
JHM516849	Cone	AB6980	174.88	3.346	85	1.496

*Double Cone or Cup

Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"
HM518410	Cup	AB6995	\$....	6.000		1.187
HM518445	Cone	AB7000		3.500		1.562
LL521810	Cup	AB7005	382.39	4.493		.468
L521910D*	Cup	AB7020	291.40	5.750		1.562
LM603012	Cup	AB7570	19.70	3.062		.656
JLM603013Z	Cup	AB7575	18.55	3.070	78	.590
LM603014	Cup	AB7580	41.14	3.149	80	.593
LM603015	Cup	AB7585	106.23	3.149	80	.656
LM603049	Cone	AB7610	27.40	1.781		.781
L610549	Cone	AB7640	161.87	2.500		.750
JM612910	Cup	AB7650	76.39	4.527	115	.905
JM612949	Cone	AB7655	109.93	2.755	70	1.141
LM613410	Cup	AB7660	80.07	4.437		.625
LM613449	Cone	AB7670	123.07	2.750		.866
HM617010	Cup	AB7675	148.93	5.596		1.343
HM617049	Cone	AB7695	265.52	3.375		1.687
L623110	Cup	AB7710	133.78	6.000		.656
L623149	Cone	AB7735	257.94	4.500		.843
JLM704610	Cup	AB8010	21.14	3.307	84	.689
JLM704649	Cone	AB8020	47.48	1.968	50	.866
JLM710910	Cup	AB8045	52.54	4.133	105	.728
JLM714110	Cup	AB8110	59.85	4.527	115	.748
JLM714149	Cone	AB8115	108.09	2.952	75	.984
JM714210	Cup	AB8120	48.68	4.724	120	.984
JM714249	Cone	AB8125	121.05	2.952	75	1.161
H715311	Cup	AB8155	152.67	5.375		1.437
H715332	Cone	AB8180	231.00	2.375		1.812
H715345	Cone	AB8220	216.47	2.812		1.812
JM716610	Cup	AB8265	64.49	5.118	130	.944
JM716648	Cone	AB8270	119.14	3.346	85	1.141
JM716649	Cone	AB8275	114.29	3.346	85	1.141
JM719113	Cup	AB8315	105.22	5.905	150	1.063
JM719149	Cone	AB8320	144.98	3.740	95	1.338
JHM720210	Cup	AB8330	99.47	6.299	160	1.259
JHM720249	Cone	AB8345	207.42	3.937	100	1.574
JM720210	Cup	AB8335	119.97	6.102	155	1.102
JM720249	Cone	AB8350	255.68	3.937	100	1.378
HM801310	Cup	AB8970	37.39	3.250		.906
HM801346	Cone	AB8980	73.38	1.500		1.125
HM801349	Cone	AB8990		1.593		1.125
M802011	Cup	AB8995	19.67	3.250		.795
M802048	Cone	AB9005	39.99	1.625		1.010
HM803110	Cup	AB9010	47.67	3.500		.906
HM803145	Cone	AB9030	92.67	1.625		1.156
HM803146	Cone	AB9035	77.75	1.625		1.156
HM803149	Cone	AB9040	77.22	1.750		1.156
M804010	Cup	AB9045	42.89	3.500		.750
M804049	Cone	AB9055	65.55	1.875		1.000
HM804810	Cup	AB9060	54.54	3.750		.906
HM804843	Cone	AB9090	109.58	1.750		1.156
HM804846	Cone	AB9095	99.88	1.875		1.156
HM804848	Cone	AB9100	85.04	1.906		1.156
LM806610	Cup	AB9125	46.40	3.500		.531
LM806649	Cone	AB9130	105.72	2.125		.750
HM807010	Cup	AB9135	62.10	4.125		1.125
HM807011	Cup	AB9150	117.37	4.125		1.125
JHM807012	Cup	AB9155	75.31	4.133	105	1.141
HM807040	Cone	AB9170	107.21	1.750		1.437
JHM807045	Cone	AB9180	141.80	1.968	50	1.417
HM807046	Cone	AB9185	123.30	2.000		1.437
HM807049	Cone	AB9200	103.63	2.125		1.437
JLM813010	Cup	AB9230	62.83	4.330	110	.807
JLM813049	Cone	AB9235	137.76	2.755	70	.984
HM813810	Cup	AB9240	57.30	5.000	127	1.062
HM813844	Cone	AB9290	93.84	2.625		1.437
HM813849	Cone	AB9300	130.82	2.812		1.437
LM814810	Cup	AB9355		4.625		.750
LM814849	Cone	AB9370	145.43	3.062		1.000
JM822010	Cup	AB9393	108.62	6.496	165	1.043
JM822049	Cone	AB9394	200.46	4.330	110	1.378
HM903249	Cone	AB9554	109.37	1.750		1.125
HM903249A	Cone	AB9556	74.76	1.750		1.114
M903310	Cup	AB9558	27.22	3.625		.656
M903345	Cone	AB9560	93.38	1.625		.937
HM903210	Cup	AB9540	36.97	3.750		.875
HM911210	Cup	AB9580	63.80	5.125		.937

ASK FOR QUANTITY DISCOUNT

Prices subject to change without notice.

BAUM HYDRAULICS CORPORATION

1-800-228-9222 / e-mail: sales@baumhydraulics.com
Fax: 1-800-832-2522 / www.baumhydraulics.com / © Baum Hydraulics Corporation

R10

Generic is Decimal Bore Size for Cones and Decimal Outside Diameter for Cups
Family is First Part Number in Series




TIMKEN AND PRECISE TAPERED ROLLER BEARINGS

**TIMKEN, BOWER,
TYSON, HYATT & FINE**
All Use The Same
Bearing Number

TIMKEN SETS OF CONES AND CUPS

Part Number	Our Sequence Number	Per Each	Contents of Set
Set No. 1	AB9820	\$29.06	LM11710 Cup & LM11749 Cone
Set No. 2	AB9825	20.91	LM11910 Cup & LM11949 Cone
Set No. 3	AB9830		M12610 Cup & M12649 Cone
Set No. 4	AB9835	26.01	L44610 Cup & L44649 Cone
Set No. 5	AB9840	29.65	LM48510 Cup & LM48548 Cone
Set No. 6	AB9845	26.16	LM67010 Cup & LM67048 Cone
Set No. 8	AB9855	32.84	L45410 Cup & L45449 Cone
Set No. 11	AB9863	29.15	JL69310 Cup & JL69349 Cone
Set No. 12	AB9864	27.82	LM12710 Cup & LM12749 Cone
Set No. 13	AB9866	34.54	L68110 Cup & L68149 Cone
Set No. 14	AB9870	26.07	L44610 Cup & L44643 Cone
Set No. 15	AB9874		07196 Cup & 07100 Cone
Set No. 16	AB9876	22.20	LM127811 Cup & LM12749 Cone
Set No. 17	AB9877	25.42	L68111 Cup & L68149 Cone
Set No. 22	AB9882	199.74	2/LM670120 Cup&2/LM67045 Cones
Set No. 25	AB9888	232.93	506810 Cup & JLM506848E Cone
Set No. 37	AB9902	42.00	LM603011 Cup & LM603049 Cone
Set No. 38	AB9904	61.55	LM104911 Cup & LM104949 Cone
Set No. 45	AB9912	37.47	LM501310 Cup & LM501349 Cone



TIMKEN STEERING GEAR BEARINGS



CAGE & ROLLER

CUP

Part Number	Type	Our Sequence Number	Per Each	Base Diam. Inches "F"	Race Length Inches "E"	Outside Diam. Inches "D"	Width Inches "C"
5BA	Cage	441791	\$18.73	1.105	.288		
5BC	Cage	441792	12.16	1.114	.309		
11BA	Cage	441871	18.23	1.299	.299		
11BC	Cage	4418711	16.39	1.310	.319		
13C	Cup	441873	52.35			1.938	.453



TIMKEN THRUST BEARINGS

NO Oil Holes in Retainer Part No.	Our Sequence Number	Per Each	Oil Holes in Retainer Part No.	Our Sequence Number	Per Each	Bore Diam. Inches "D"	Outside Diam. Inches "T"
T63	441900	\$25.19	-----		\$....	.635	1.625
T76	441901	35.28	-----			.760	1.625
T77	441902	24.15	-----			.760	1.625
T88	441906	23.53	T88W	4419061	22.66	.885	1.890
T92	441908		-----			.938	1.770
T101	441913	37.92	T101W	4419131	17.42	1.010	2.000
T107	441920	32.41	-----			1.072	2.000
T113	441926	23.33	-----			1.135	2.187
T119	441932	27.63	-----			1.197	2.187
T126	441937	32.70	T126W	4419373	37.99	1.260	2.187
T127	441938	66.74	T127W	4419381	45.53	1.260	2.625
T139	441945		-----			1.385	2.312
T144	441948	66.47	-----			1.447	2.625
T149	441949	36.70	-----			1.508	2.593
T151	441950	65.57	-----			1.510	2.859
T176	441955	93.29	-----			1.760	3.266
T177	441956	45.65	-----			1.771	2.874
T188	441958	81.54	-----			1.885	3.266
T199	441964	58.39	-----			2.010	2.937
T251	441975	180.09	-----			2.510	4.375
T301	441977	369.79	-----			3.010	5.250
T309	4419774	113.81	-----			3.093	4.031

Prices subject to change without notice. **ASK FOR QUANTITY DISCOUNT**

1-800-228-9222 / e-mail: sales@baumhydraulics.com

Fax: 1-800-832-2522 / www.baumhydraulics.com / © Baum Hydraulics Corporation

BAUM HYDRAULICS CORPORATION

Most Tapered Roller Bearings Are
Made to Fractional Inch Dimensions.

EXPLANATION OF TIMKEN BEARING SYMBOLS

Prefix	Suffix	Cone or Cup	Explanation
A		Cone	Different bore
A		Cone	Different radius
A		Cup	Different O.D.
A		Cup	Different radius
A		Cup	Different length
AB		Cup	Flanged cup
AC		Cup	Different O.D. or Length and radius
AD		Cup	Double cup
AS		Cone & Cup	Different bore or O.D. or length and radius
AW		Cone & Cup	Keyway or slotted cone or cup
AX		Cone & Cup	Different bore or O.D. or length and radius
B		Cup	Flanged cup
B		Cone	Cone using Brass Cage
BS		Cup	Flanged cup
BW		Cup	Flanged cup with slot
C		Cup	Dimensionally Different
CN		Cup	Neoprene cushioned cup
CP		Cone & Cup	Flash chrome plated
CR		Cone & Cup	Rib cup bearing series
D		Cone & Cup	Double cone or Double cup
DA		Cone	Double cone
DA		Cup	Spherical O.D. double dup
DB		Cup	Double cup with flange
DC		Cup	Double cup with hole for locking pin
DD		Cone & Cup	Special long double cone or cup
DE		Cone & Cup	Double cone or cup with different dimensions
DP		Cone	Double cone with puller groove
DR		Cup	Double cup for rib cup series
DS		Cup	Crowned O.D. double cup
DT		Cup	Tapered O.D. double cup
DW		Cone & Cup	Double cone or cup with keyway or slot
DX		Cup	Adapter for spherical or straight O.D. cup
DX		Cup	Threaded O.D. double cup
E		Cone & Cup	Both with special characteristics
ED		Cup	Double cup
EE		Cone	Double rib-close guided rolls
EH		Cone & Cup	Extra heavy series
EL		Cone & Cup	Extra light series
F		Cone & Cup	Factory identification only
H		Cone & Cup	Heavy series
HH		Cone & Cup	Heavy-Heavy series
HM		Cone & Cup	Heavy-Medium series
L		Cone & cup	Light series
LA		Cone	Assembled with Duo-faced series
LB		Cone	Assembled w/ Duo-faced series & inner oring
LL		Cone & Cup	Light-Light series
LM		Cone & Cup	Light-Medium series
M		Cone & Cup	Medium series
MM		Cone & Cup	Factory identification only
NA		Cone	Two cones mated with double cup to form double row non-adjustable bearing
NC		Cup	Cushioned cup (Usually neoprene)
NR		Cone	'NA' type ribless cone for rib cup
NW		Cone	'NA' type cone with slot front face
NX		Cone	Lapped front face
P		Cone	Puller groove
RC		Cone & Cup	Special ribbed cup bearing
RB		Cup	Snap ring on O.D.
S		Cone & Cup	Special feature bearing
SA		Cone & Cup	Special feature bearing
SB		Cone	Cone with brass cage
SB		Cup	Flanged cup
SC		Cone	Cone with square bore
SD		Cup	Double cup
SW		Cone & Cup	Slot or keyway
T		Cone	Thrust bearings assemblies
T		Cone	Tapered bore
T		Cup	Tapered O.D.
TA		Cone	Tapered bore 'NA' type cone
TA		Cup	Tapered O.D.
TB		Cone	Tapered bore cone with brass cage
TC		Cone	Thrust bearing assembly
TD		Cone	Tapered bore double cone
TE		Cone	Tapered bore cone with extended rib
TP		Cone	Tapered bore cone with puller groove
TW		Cone & Cup	TP cone bore or cup O.D. with slots
W		Cone & Cup	Slot or keyway
W		Cone	Type number 2 slot
WA		Cone	Type number 1 slot
WB		Cone	Type number 3 slot
WC		Cone	Type number 4 slot
WD		Cone	Special type slot
WE		Cone & Cup	Extended keyway cone or cup
X		Cone	Slot or keyway
XD		Cone & Cup	Double
XW		Cone	Slotted
YD		Cup	Double



TIMKEN®



Light

30200



Light

32200




Medium

30300



Medium

31300



Medium

32300



Extra Light

32000X

Comparative
Outside
Diameters
Of
55mm Bore
Bearings
At Left

ISO Bearings are made to same I.D. and O.D. dimensions as metric ball bearings in light, medium & extra light.

ISO Bearings are **SOLD IN SETS ONLY** and are made to metric dimension standards set by the International standard organization and are the same size I.D. and O.D. as each corresponding size metric radial ball bearings.

Cups are stamped with X prefix to assembly number and cones are stamped with Y prefix to assembly number and number without prefix is for an assembly or set of cone and cup.

To find inch dimensions, just divide metric dimensions by 25.4 and you get inch dimensions.

Cone Bore Size "A"		Cup Outside Diam. "B"		Timken Number	Our Sequence Number	Per Each	Timken Number	Our Sequence Number	Per Each	Timken Number	Our Sequence Number	Per Each
MM	Inch	MM	Inch									

LIGHT SERIES BEARINGS

				30200 ISO SERIES NARROW			32200 ISO SERIES MEDIUM					
20	.7874	47	1.8504	30204M	460049	\$34.43						
25	.9843	52	2.0472	30205M	460051	38.86						
30	1.1811	62	2.4409	30206M	460053	41.58	32206M	4601957	\$48.61			
35	1.3780	72	2.8346	30207M	460054	51.48						
40	1.5748	80	3.1496	30208M	460055	60.77	32208M	4601968	66.60			
45	1.7717	85	3.3465	30209M	460056	71.34	32209M	4601969	125.78			
50	1.9685	90	3.5433	30210M	460057	53.05	32210M	460197	85.40			
55	2.1654	100	3.9370	30211M	460058	101.26						
60	2.3622	110	4.3307	30212M	460059	125.12						
65	2.5591	120	4.7244	30213M	460060	93.24	32213	4601973				
70	2.7559	125	4.9213	30214	460061	155.75						
75	2.9528	130	5.1181	30215M	460062	100.41						

MEDIUM SERIES BEARINGS

				30300 ISO SERIES NARROW			31300 ISO SERIES MEDIUM			32300 ISO SERIES WIDE		
20	.7874	52	2.0472	30304	460070	30.75				32304M	4601984	\$....
25	.9843	62	2.4409	30305M	460072	46.66				32305	4601985	61.27
30	1.1811	72	2.8346	30306M	460074	46.08				32306	4601986	61.75
35	1.3780	80	3.1496	30307M	460075	102.23				32307	4601987	
40	1.5748	90	3.5433				31308	460083	79.77	32308	4601988	110.29
45	1.7717	100	3.9370	30309M	460077	92.57						
50	1.9685	110	4.3307	30310	460078	138.36						

EXTRA LIGHT SERIES BEARINGS

				32000 ISO SERIES NARROW								
30	1.1811	55	2.1654	32006X	4601916	45.55						
35	1.3780	62	2.4409	32007X	4601917	80.23						
40	1.5748	68	2.6772	32008XM	460192	28.52						
55	2.1654	90	3.5433	32011XM	4601925	79.29						
60	2.3622	95	3.7402	32012X	4601927	70.01						
70	2.7559	110	4.3307	32014X	4601931	114.22						
75	2.9528	115	4.5276	32015X	4601935	147.48						
80	3.1496	120	4.7244	32016X	4601936	144.12						

ASK FOR QUANTITY DISCOUNT

Prices subject to change without notice.

BAUM HYDRAULICS CORPORATION

1-800-228-9222 / e-mail: sales@baumhydraulics.com
Fax: 1-800-832-2522 / www.baumhydraulics.com / © Baum Hydraulics Corporation



Open

Group 4

SKF / CHICAGO RAWHIDE METRIC OIL SEALS



Open

Group 4

Oil Seal Number	Our Sequence Number	Per Each	MM Housing Diam.	MM Width Inches
10MM SHAFT - SYLE 4				
562661	318022	\$2.25	22	7
562689	318028	2.53	26	7
562825	318054	2.34	24	7
563082	318110	4.02	25	7
563509	318202	2.30	20	7
563709	318226	1.98	20	6
564025	318290	2.23	19	7
12MM SHAFT - SYLE 4				
562570	318002	2.25	28	7
562982	318086	2.28	32	7
563500	318198	4.00	25	7
563821	318246	2.76	22	5
563946	318270	2.34	22	6
563992	318278	3.47	30	7
564029	318292	2.76	19	5
692265	318338	3.22	22	7
692673	318372	2.16	24	7
14MM SHAFT - SYLE 4				
562701	318030	2.34	25	5
563561	318218	1.98	30	7
563874	318260	2.44	28	7
564033	318294	3.40	24	7
15MM SHAFT - SYLE 4				
562673	318024	3.45	32	7
563014	318096	3.24	25	5
563022	318098	3.56	25	6
563954	318274	3.49	40	10
564037	318296	2.76	24	7
564041	318298	2.73	26	7
564045	318300	3.17	30	7
564049	318302	2.76	35	7
16MM SHAFT - SYLE 4				
562929	318068	2.46	30	7
563030	318102	3.68	32	7
563384	318178	4.32	35	7
564053	318304	2.28	28	7
17MM SHAFT - SYLE 4				
562994	318088	2.55	32	7
563376	318176	4.46	40	10
563934	318266	2.44	29	5
564057	318306	6.34	28	7
692269	318340	2.76	35	7
692685	318374	3.42	30	7
18MM SHAFT - SYLE 4				
562813	318050	3.91	32	7
563412	318182	3.01	40	7
563958	318276	2.53	30	6
692273	318342	2.69	35	7
19MM SHAFT - SYLE 4				
562821	318052	3.84	32	7
563837	318248	18.13	30	7
564061	318308	2.76	28	7
20MM SHAFT - SYLE 4				
562970	318082	3.84	52	10
563006	318092	3.40	40	10
563182	318140	3.08	38	7
563256	318148	3.56	47	10
563356	318168	2.94	36	7
563741	318232	3.26	42	10
563870	318258	2.76	34	7
564065	318310	2.60	32	7
692277	318344	3.13	30	7
692281	318346	2.71	35	7
22MM SHAFT - SYLE 4				
562574	318004	3.52	42	10
563533	318208	4.37	40	10
563541	318210	2.92	38	8
563817	318244	4.48	47	7
563950	318272	3.45	36	7
564069	318312	3.13	32	7
692297	318348	3.68	35	7

Oil Seal Number	Our Sequence Number	Per Each	MM Housing Diam.	MM Width Inches
24MM SHAFT - SYLE 4				
562829	318056	\$4.27	37	7
562837	318058	3.95	40	7
563938	318268	2.73	42	8
692301	318350	3.08	35	7
25MM SHAFT - SYLE 4				
562637	318016	4.04	52	10
562773	318046	4.18	47	10
562777	318048	4.78	42	10
562941	318074	4.78	45	10
562945	318076	4.87	62	10
563260	318150	3.70	40	10
563721	318228	3.82	50	10
564073	318314	2.67	37	7
692305	318352	3.31	35	7
26MM SHAFT -- SYLE 4				
563150	318128	3.01	37	7
563162	318134	3.45	42	7
563408	318180	3.40	47	7
692329	318354	2.23	38	7
27MM SHAFT - SYLE 4				
563158	318132	3.06	42	10
563525	318206	3.01	37	7
563841	318250	3.45	47	10
28MM SHAFT - SYLE 4				
562613	318010	3.01	42	8
563364	318170	2.41	38	8
563424	318186	3.06	44	6
563456	318192	3.06	45	8
563480	318194	4.48	47	10
563549	318212	2.80	40	8
563553	318214	3.72	52	10
30MM SHAFT - SYLE 4				
562617	318012	3.01	45	8
562753	318042	4.60	55	10
562901	318062	5.52	52	8
563002	318090	22.06	47	8
563026	318100	4.23	50	8
563224	318144	5.08	42	8
563280	318152	3.56	48	8
564089	318316	3.45	46	7
564097	318318	4.60	62	10
692349	318356	3.38	40	7
32MM SHAFT - SYLE 4				
562705	318032	4.87	62	10
562765	318044	3.61	55	10
563066	318106	3.56	48	8
563130	318124	4.39	52	8
563505	318200	2.76	50	8
563801	318242	3.15	44	7
564004	318282	3.95	45	8
564008	318284	5.15	47	8
34MM SHAFT - SYLE 4				
562677	318026	8.09	48	8
563444	318190	4.92	44	8
563777	318240	3.61	52	8
563857	318254	4.30	62	10
35MM SHAFT - SYLE 4				
562578	318006	5.75	49	6
562621	318014	4.53	48	8
562653	318018	4.02	56	10
562721	318034	5.70	55	8
562741	318040	4.34	50	8
562974	318084	3.75	52	8
563106	318118	10.30	72	12
563372	318174	6.71	58	10
563861	318256	4.83	62	8
564012	318286	3.82	47	8
564105	318320	8.83	60	10
36MM SHAFT - SYLE 4				
562909	318064	5.52	58	10
562966	318080	4.30	52	7
563344	318166	5.56	50	7
563845	318252	4.30	62	7

Oil Seal Number	Our Sequence Number	Per Each	MM Housing Diam.	MM Width Inches
38MM SHAFT - SYLE 4				
563110	318120	\$5.24	62	10
563292	318156	3.61	54	10
563368	318172	3.61	52	8
563521	318204	7.33	60	10
563705	318224	4.96	72	10
563996	318280	4.50	58	8
564016	318288	3.61	55	8
40MM SHAFT - SYLE 4				
562582	318008	5.40	56	8
562949	318078	4.02	58	8
563134	318126	4.44	52	8
563174	318136	8.76	68	10
563420	318184	5.01	50	8
563565	318220	6.34	65	12
563930	318264	7.45	62	8
564113	318322	6.89	72	10
692469	318358	5.03	55	8
42MM SHAFT - SYLE 4				
563094	318112	4.78	67	10
563126	318122	4.41	55	8
563296	318158	4.69	56	7
563484	318196	6.34	72	10
563557	318216	4.94	65	10
563725	318230	24.34	66	10
564117	318324	7.54	62	8
44MM SHAFT - SYLE 4				
563332	318160	7.03	60	10
563765	318236	4.50	62	10
563773	318238	6.34	65	10
45MM SHAFT - SYLE 4				
562913	318066	6.64	68	10
564125	318326	5.61	60	8
564129	318328	4.18	62	10
564133	318330	6.76	72	10
692509	318360	4.90	65	10
48MM SHAFT - SYLE 4				
563102	318116	4.99	72	10
563178	318138	4.73	68	10
563284	318154	6.80	70	10
50MM SHAFT - SYLE 4				
563054	318104	7.08	85	10
563078	318108	5.29	72	12
563210	318142	5.38	75	10
563336	318162	8.57	65	10
564141	318332	4.87	68	10
564145	318334	7.17	70	10
52MM SHAFT - SYLE 4				
562937	318072	4.69	68	8
563248	318146	6.04	85	10
563428	318188	5.52	80	10
692561	318362	5.61	72	10
55MM SHAFT - SYLE 4				
562657	318020	8.14	80	10
562729	318038	10.34	90	10
562933	318070	5.49	68	8
563154	318130	8.53	85	10
563697	318222	6.73	70	10
563761	318234	5.35	78	10
564149	318336	5.93	72	8
692573	318364	7.86	75	10
58MM SHAFT - SYLE 4				
562853	318060	6.85	72	8
563886	318262	6.14	80	12
60MM SHAFT - SYLE 4				
562725	318036	8.64	90	10
563010	318094	11.65	95	10
563098	318114	8.23	82	12
563340	318164	4.96	72	8
692589	318366	5.38	75	8
692597	318368	7.86	80	10
692605	318370	9.42	85	10

Prices subject to change without notice.

ASK FOR QUANTITY DISCOUNT

1-800-228-9222 / e-mail: sales@baumhydraulics.com

Fax: 1-800-832-2522 / www.baumhydraulics.com / © Baum Hydraulics Corporation

BAUM HYDRAULICS
CORPORATION

SKF / CHICAGO RAWHIDE OIL SEALS

R13

								
Open Group 1	Open Group 2	With Washer Group 3	Open Group 4	With Washer Group 5	With Washer Group 6	X15 Group 7	TL	CRWA5 Group P
Light Duty No Spring Single Lip For Grease Only	Medium Duty With Spring Single Lip For Oil or Grease		Medium Duty With Spring Double Lip For Oil or Grease With Dirt Wiper		Heavy Duty With Spring Double Lip For Oil or Grease With Heavy Duty Dirt Wiper	External Lip Rides on Bore of Housing	Internal Triple Lip	Pump Seal Not to be used on axles

Seal O.D. is approximately .004 larger than its bore diameter of housing for press fit.

Package of 1

Generic is Decimal I.D. x O.D. Family is Decimal I.D. or Shaft Size

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Wide Inches	Seal Type	Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Wide Inches	Seal Type	Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Wide Inches	Seal Type
.250" (1/4") Shaft						.625" (5/8") Shaft						.625" (5/8") Shaft					
2450	305700	\$4.48	.499	.188	1	4931	306056	\$6.32	.875	.250	2	6119	306288	\$7.12	.875	.094	1
2452	305702	10.16	.499	.188	--	4932	306058	16.87	.875	.250	2	6120	306290	6.94	.875	.188	2
2470	305704	8.57	.562	.188	1	4933	306060	22.75	.875	.250	4	6125	306292	5.42	.933	.188	1
2490	305706		.626	.250	1	4938	306062	6.32	.875	.250	1	6130	306294	8.92	.937	.188	1
2560	-----		.749	.188	1	4939	306064		.875	.313	4	6134	306296	7.63	.987	.250	2
2513	305710	17.08	.749	.250	2	4940	306066	6.48	.875	.313	P	6139	306298	12.20	.999	.250	4
.313" (5/16") Shaft						4943	306068	6.87	.987	.250	2	6141	306300	6.30	.999	.250	4
3050	-----		.626	.203	1	4944	306070	7.06	.987	.250	2	6143	306302	5.63	.999	.250	2
3060	305778	3.52	.626	.156	1	4950	306074	6.73	.999	.188	1	6147	306304	10.71	.999	.250	4
3080	305780	6.62	.633	.141	1	4980	306076	8.11	.999	.250	2	6151	306307	8.89	.999	.250	P
3094	305786	4.81	.686	.313	P	4984	306078	6.00	.999	.250	2	6152	306308	8.43	1.000	.125	1
3101	305790	6.39	.749	.250	P	4985	306080	5.33	.999	.250	4	6155	-----		1.062	.188	1
3103	305792	20.71	.749	.250	P	4990	306084	6.76	.999	.250	1	6157	306310	8.23	1.063	.250	2
3140	305796	5.75	.749	.250	1	4991	306085	19.24	.999	.250	P	6158	306312	8.94	1.063	.250	1
3086	305782	6.67	.862	.250	1	4996	306088	11.19	.999	.250	P	6191	306317	10.73	1.124	.250	P
3171	305804	11.42	.999	.313	P	5046	306096	18.13	1.124	.313	2	6213	306332	10.48	1.124	.250	2
3230	305806	11.01	1.250	.375	--	5062	306098	5.61	1.124	.250	4	6225	306336	6.41	1.124	.250	1
.375" (3/8") Shaft						5066	306100	14.82	1.124	.250	2	6229	306338	7.91	1.124	.375	P
3632	305864	2.67	.628	.197	--	5067	306102	12.16	1.124	.250	4	6232	306340	51.96	1.126	.250	P
3645	305866	5.40	.687	.156	1	5068	306104	6.07	1.124	.250	2	6247	306342	4.71	1.181	.250	4
3680	305868	9.06	.750	.250	4	5069	306106	12.71	1.124	.250	P	6280	306346	18.57	1.250	.313	2
3683	305872	4.46	.749	.250	1	5072	306107	28.61	1.124	.250	P	6309	306354	15.70	1.250	.250	P
3687	305874	6.32	.749	.250	2	5085	306108	7.95	1.124	.250	1	6323	306360	7.12	1.250	.250	1
3688	-----		.749	.250	2	5131	306118	22.68	1.249	.188	3	6367	-----		1.375	.250	3
3689	305878	17.21	.749	.250	P	5133	306120	3.05	1.250	.250	2	6370	306368	5.42	1.375	.250	1
3719	305888	10.27	.836	.188	2	5150	306122	6.83	1.375	.250	2	6371	306369	10.14	1.375	.250	P
3725	305890	9.24	.875	.250	2	5151	306124	16.32	1.375	.250	2	6372	306370	5.63	1.375	.250	2
3727	-----		.875	.250	1	.531" (17/32") Shaft						6373	306372	8.39	1.375	.250	4
3751	305898	5.95	.999	.250	2	5321	306152	11.42	.999	.250	4	6379	306374	12.23	1.375	.250	2
3752	305900	11.35	.999	.250	2	5334	306154	7.19	1.124	.313	4	6383	306376	18.62	1.375	.250	4
3806	-----		1.124	.250	2	.546" (35/64") Shaft						6386	-----		1.499	.250	2
3807	305912	16.87	1.124	.375	P	5385	306158	9.26	.875	.250	2	6388	306384	22.27	1.375	.375	P
.404" Shaft						.551" (14mm) Shaft						6391	306386	9.61	1.377	.250	5
4010	305927	5.29	.620	.188	1	5399	306160	5.52	1.124	.203	1	6393	3063865	23.24	1.500	.313	P
4012	305928	6.46	.862	.250	1	.554" Shaft						.656" (21/32") Shaft					
.425" Shaft						5605	306206	7.61	.999	.250	2	6521	306424	4.85	1.124	.313	2
4100	305930	23.30	.875	.313	3	.563" (9/16") Shaft						6541	-----		1.250	.250	2
.438" (7/16") Shaft						5510	306186	6.85	.810	.188	1	6556	-----		1.375	.313	2
4231	305942	6.69	.836	.188	1	5522	306188	6.30	.875	.188	1	.669" (17mm) Shaft					
4247	305945	20.25	.875	.313	2	5523	306189	12.11	.875	.188	2	6595	306436		.999	.188	2
4249	305954	9.81	.875	.250	2	5541	306190	8.09	.999	.250	2	6728	306490	21.24	1.064	.250	2
4251	305956	6.39	.875	.250	2	5542	306192	14.62	.999	.250	2	6729	306492	7.42	1.064	.250	2
4260	305960	12.18	.875	.250	4	5543	306194	21.53	.999	.250	2	6806	306520	5.84	1.250	.250	1
4261	305962	8.50	.875	.375	4	5569	306196	5.91	.999	.219	1	6641	-----		1.378	.276	4
4340	305974	8.50	.999	.250	1	5606	306208	9.19	.999	.250	4	6597	306438	22.71	1.573	.281	2
4355	305978	8.41	.999	.375	2	5650	306210	11.74	1.124	.250	2	.688" (11/16") Shaft					
4356	305980	17.54	.999	.250	2	5652	306212	6.71	1.124	.250	2	6720	306488	8.48	.999	.188	1
4390	305982	4.24	1.124	.250	2	5662	306214	5.54	1.124	.250	4	6738	306493	7.08	1.124	.190	2
.469" (15/32") Shaft						5685	306216	5.95	1.124	.250	1	6741	306494	5.61	1.124	.250	2
4623	305992	9.58	.836	.188	1	5707	306226	5.17	1.250	.250	2	6743	306496	22.52	1.124	.250	2
4628	305994	8.57	.875	.219	1	5756	306228	9.35	1.375	.250	2	6745	306498	13.61	1.124	.250	2
4641	-----		.999	.313	--	.594" (19/32") Shaft						6759	306500	8.94	1.125	.250	1
.500" (1/2") Shaft						5926	306272	8.92	1.124	.313	2	6762	306502	5.63	1.187	.124	1
4909	306042	9.17	.688	.170	2	5946	306274	5.10	1.124	.250	1	6763	306504		1.187	.188	2
4911	306046	2.90	.688	.094	1	5950	306276	6.41	1.250	.313	4	6765	306506	7.31	1.250	.250	4
4912	306048	5.24	.750	.125	1	5966	306278	12.20	1.375	.313	4	6767	306508	7.29	1.250	.313	2
4913	306050	7.54	.749	.125	2	.610" Shaft						6768	306510	12.27	1.250	.313	2
4914	306052	4.55	.820	.156	1	6103	306284	15.33	1.102	.600	SP	6814	-----		1.375	.250	4
4923	306054	4.57	.843	.250	1	.624" Shaft						6816	306524	5.88	1.375	.313	2
4925	306055	6.50	.875	.125	1	6243	306341	6.14	1.131	.188	1	6817	-----		1.375	.313	2
.624" Shaft						.624" Shaft						6920	306536	5.84	1.375	.250	1
.624" Shaft						.624" Shaft						6935	306538	7.95	1.499	.250	2
.624" Shaft						.624" Shaft						6990	-----		1.624	.250	4

ASK FOR QUANTITY DISCOUNT

Prices subject to change without notice.

BAUM HYDRAULICS CORPORATION

1-800-228-9222 / e-mail: sales@baumhydraulics.com
Fax: 1-800-832-2522 / www.baumhydraulics.com / © Baum Hydraulics Corporation

R14

SKF / CHICAGO RAWHIDE OIL SEALS

Package of 1 Generic is Decimal I.D. x O.D. Family is Decimal I.D. or Shaft Size
Seal O.D. is approximately .004 larger than its bore diameter of housing for press fit.

Oil Seal Number						Our Sequence Number						Per Each						Housing Diam.						Width Inches						Seal Type																																									
Oil Seal Number						Our Sequence Number						Per Each						Housing Diam.						Width Inches						Seal Type																																									
.750" (3/4") Shaft																								.875" (7/8") Shaft																								.9826																							
7408	306607	\$7.63	1.000	.125	1	8619	306924	\$10.18	1.125	.125	1	9831	307242	\$6.69	1.375	.250	2	9831	307242	\$6.69	1.375	.250	2	9831	307242	\$6.69	1.375	.250	2																																										
7410	306610	5.40	.999	.125	1	8620	306926	4.48	1.125	.125	1	9833	-----		1.437	.250	2	9833	-----		1.437	.250	2	9833	-----		1.437	.250	2																																										
7411	306612	7.19	1.006	.125	1	8621	306928	20.82	1.250	.250	2	9835	307250	6.99	1.437	.250	1	9835	307250	6.99	1.437	.250	1	9835	307250	6.99	1.437	.250	1																																										
7412	-----		1.031	.313	--	8624	306930	4.14	1.250	.188	2	9837	307254	6.21	1.437	.250	2	9837	307254	6.21	1.437	.250	2	9837	307254	6.21	1.437	.250	2																																										
7413	306616	6.11	1.062	.188	1	8625	306932	7.03	1.246	.188	1	9838	307256	7.35	1.437	.250	4	9838	307256	7.35	1.437	.250	4	9838	307256	7.35	1.437	.250	4																																										
7414	306618	7.95	1.124	.188	2	8627	306934	6.07	1.251	.188	1	9843	307260	7.35	1.499	.250	P	9843	307260	7.35	1.499	.250	P	9843	307260	7.35	1.499	.250	P																																										
7415	306620	5.63	1.124	.156	1	8631	306939	16.27	1.251	.188	1	9847	307264	11.33	1.437	.250	4	9847	307264	11.33	1.437	.250	4	9847	307264	11.33	1.437	.250	4																																										
7417	306622	17.37	1.124	.188	2	8632	306940	5.70	1.255	.188	1	9850	307266	8.18	1.496	.390	2	9850	307266	8.18	1.496	.390	2	9850	307266	8.18	1.496	.390	2																																										
7421	306626	6.62	1.187	.156	1	8634	306941	31.85	1.250	.250	P	9852	307270	13.24	1.499	.250	2	9852	307270	13.24	1.499	.250	2	9852	307270	13.24	1.499	.250	2																																										
7434	306634	17.28	1.250	.250	P	8637	306942	5.88	1.308	.250	1	9853	307272	7.10	1.510	.219	1	9853	307272	7.10	1.510	.219	1	9853	307272	7.10	1.510	.219	1																																										
7438	306636	6.62	1.250	.250	2	8645	306944	5.88	1.312	.250	1	9854	307274	17.88	1.499	.250	2	9854	307274	17.88	1.499	.250	2	9854	307274	17.88	1.499	.250	2																																										
7439	306638	5.84	1.250	.188	2	8646	306946	16.39	1.375	.250	2	9855	307276	27.83	1.499	.250	P	9855	307276	27.83	1.499	.250	P	9855	307276	27.83	1.499	.250	P																																										
7440	306640	6.39	1.250	.250	2	8648	306948	7.08	1.375	.250	2	9858	307278	19.63	1.499	.250	P	9858	307278	19.63	1.499	.250	P	9858	307278	19.63	1.499	.250	P																																										
7443	306642	5.24	1.250	.250	4	8649	306950	13.38	1.308	.250	2	9859	307280	5.81	1.499	.188	1	9859	307280	5.81	1.499	.188	1	9859	307280	5.81	1.499	.188	1																																										
7449	306644	16.89	1.250	.375	P	8660	306954	6.27	1.375	.250	P	9863	307281	10.34	1.500	.250	P	9863	307281	10.34	1.500	.250	P	9863	307281	10.34	1.500	.250	P																																										
7450	306646	14.46	1.250	.250	2	8665	306956	27.21	1.375	.250	P	9876	307282	5.75	1.499	.250	2	9876	307282	5.75	1.499	.250	2	9876	307282	5.75	1.499	.250	2																																										
7453	306648	18.20	1.250	.250	4	8677	306960	5.17	1.375	.188	1	9878	307284	5.24	1.499	.250	4	9878	307284	5.24	1.499	.250	4	9878	307284	5.24	1.499	.250	4																																										
7455	306650		1.250	.250	4	8690	306966	6.83	1.437	.250	1	9879	307286	22.04	1.499	.250	4	9879	307286	22.04	1.499	.250	4	9879	307286	22.04	1.499	.250	4																																										
7464	306652	4.92	1.250	.250	1	8691	306968	10.46	1.437	.250	2	9889	307292	27.00	1.250	.531	--	9889	307292	27.00	1.250	.531	--	9889	307292	27.00	1.250	.531	--																																										
7465	306654	18.94	1.250	.313	4	8694	306969	27.00	1.497	.313	P	9894	307294	7.42	1.561	.250	2	9894	307294	7.42	1.561	.250	2	9894	307294	7.42	1.561	.250	2																																										
7467	306656	50.06	1.249	.188	2	8698	306974	20.71	1.499	.313	--	9900	307304	8.41	1.561	.250	1	9900	307304	8.41	1.561	.250	1	9900	307304	8.41	1.561	.250	1																																										
7469	306657	6.18	1.252	.188	2	8700	-----		1.499	.250	2	9903	307306	9.06	1.575	.250	1	9903	307306	9.06	1.575	.250	1	9903	307306	9.06	1.575	.250	1																																										
7473	306658	8.96	1.260	.250	2	8702	306984	5.15	1.499	.250	4	9907	307307	10.16	1.575	.313	4	9907	307307	10.16	1.575	.313	4	9907	307307	10.16	1.575	.313	4																																										
7474	306660	6.85	1.312	.250	2	8703	306986	9.77	1.499	.313	2	9932	307312	10.20	1.624	.250	1	9932	307312	10.20	1.624	.250	1	9932	307312	10.20	1.624	.250	1																																										
7475	306662	20.04	1.312	.250	4	8704	306988	12.99	1.499	.250	2	9934	307314	7.26	1.624	.250	2	9934	307314	7.26	1.624	.250	2	9934	307314	7.26	1.624	.250	2																																										
7477	-----		1.259	.250	1	8707	306990	20.00	1.499	.250	4	9935	307316	8.85	1.624	.250	4	9935	307316	8.85	1.624	.250	4	9935	307316	8.85	1.624	.250	4																																										
7478	-----		1.250	.188	2	8741	-----		1.499	.250	1	9937	307318	19.63	1.624	.250	2	9937	307318	19.63	1.624	.250	2	9937	307318	19.63	1.624	.250	2																																										
7481	306670	14.73	1.301	.250	1	8748	306994	12.07	1.502	.313	4	9939	307320	28.75	1.624	.250	4	9939	307320	28.75	1.624	.250	4	9939	307320	28.75	1.624	.250	4																																										
7509	306685	29.23	1.375	.250	P	8749	306996	13.35	1.499	.453	6	9960	307324	12.36	1.686	.250	2	9960	307324	12.36	1.686	.250	2	9960	307324	12.36	1.686	.250	2																																										
7512	306686	7.31	1.375	.250	2	8761	307000	8.41	1.562	.250	1	9967	307328	12.02	1.752	.313	P	9967	307328	12.02	1.752	.313	P	9967	307328	12.02	1.752	.313	P																																										
7513	306688	6.30	1.375	.250	4	8763	-----		1.575	.250	2	9982	-----		1.752	.250	2	9982	-----		1.752	.250	2	9982	-----		1.752	.250	2																																										
7515	306690	16.18	1.375	.250	2	8772	-----		1.575	.250	1	9983	307332	26.71	1.752	.250	4	9983	307332	26.71	1.752	.250	4	9983	307332	26.71	1.752	.250	4																																										
7517	306692	18.75	1.375	.250	4	8782	307010	9.06	1.624	.250	4	9995	307336	6.85	1.752	.250	1	9995	307336	6.85	1.752	.250	1	9995	307336	6.85	1.752	.250	1																																										
7533	306693	10.11	1.375	.250	4	8795	307012	13.35	1.624	.250	2	9997	307338	10.07	1.752	.250	2	9997	307338	10.07	1.752	.250	2	9997	307338	10.07	1.752	.250	2																																										
7536	-----		1.375	.250	1	8796	307014	9.42	1.624	.250	2	9998	307340	8.50	1.752	.250	4	9998	307340	8.50	1.752	.250	4	9998	307340	8.50	1.752	.250	4																																										
7537	-----		1.375	.250	1	8802	307024	7.08	1.624	.188	1	10034	307354	9.49	1.781	.469	1	10034	307354	9.49	1.781	.469	1	10034	307354	9.49	1.781	.469	1																																										
7541	306698	23.83	1.416	.266	2	8821	-----		1.752	.250	2	10035	307356	7.12	1.781	.469	1	10035	307356	7.12	1.781	.469	1	10035	307356	7.12	1.781	.469	1																																										
7550	306700	7.47	1.437	.250	1	8842	307030	10.20	1.828	.250	2	10046	-----		1.828	.250	2	10046	-----		1.828	.250	2	10046	-----		1.828	.250	2																																										
7																																																																							

SKF / CHICAGO RAWHIDE SEALS

R15

Package of 1 Generic is Decimal I.D. x O.D. Family is Decimal I.D. or Shaft Size
Seal O.D. is approximately .004 larger than its bore diameter of housing for press fit.

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Wide Inches	Seal Type
1.125" (1-1/8") Shaft					
11050	307590	\$6.48	1.375	.125	1
11052	307592	13.38	1.375	.125	1
11055	307594	8.11	1.438	.203	1
11060	307596	6.87	1.499	.188	1
11061	307598	11.31	1.499	.188	2
11065	307602	22.96	1.562	.188	1
11066	307604	8.85	1.561	.250	2
11067	307606	8.32	1.561	.250	2
11071	-----		1.561	.250	2
11081	307614	12.64	1.562	.250	1
11082	307616	7.81	1.565	.250	2
11086	307620	11.35	1.575	.250	4
11111	307624	9.49	1.624	.250	2
11123	307626	8.25	1.624	.250	2
11124	307628	6.41	1.624	.250	4
11130	307630	8.20	1.624	.250	1
11133	307632	18.06	1.624	.250	2
11134	307634	21.58	1.624	.250	4
11136	307635	13.88	1.693	.250	4
11138	307638	5.79	1.752	.250	2
11139	307639	25.60	1.626	.250	P
11143	307642	19.40	1.630	.313	--
11144	307644	15.81	1.752	.250	2
11150	307646	12.07	1.750	.250	1
11161	307648	8.66	1.781	.250	1
11164	307650	8.83	1.781	.469	1
11170	307654	12.36	1.828	.250	2
11171	307656	11.56	1.828	.250	4
11172	307658	22.34	1.828	.250	2
11175	-----		1.828	.250	4
11191	307662	11.68	1.828	.250	1
11197	307666	5.47	1.852	.313	3
11200	-----		1.852	.313	5
11207	307676	15.26	1.874	.250	2
11208	307678	22.75	1.874	.250	4
11209	307680		1.874	.250	2
11223	307682	9.51	1.874	.250	4
11269	307690	12.50	1.938	.563	1
11284	307696	19.65	1.938	.625	1
11299	307698	10.39	1.983	.250	2
11334	307714	10.18	2.000	.250	1
11340	307718	9.06	2.000	.250	2
11343	307720	7.63	2.000	.375	4
11344	307722	23.95	2.000	.250	2
11352	307724	11.47	2.047	.250	1
11353	307725	10.30	2.047	.313	4
11366	307728	5.02	2.062	.313	2
11368	307730	18.59	2.062	.250	4
11372	307734	9.88	2.125	.313	2
11378	307740	16.89	2.250	.250	2
11392	307744	13.49	2.441	.250	2
1.156" (1-5/32") Shaft					
11512	307752	28.84	1.686	.313	4
11514	307754	12.99	1.752	.300	4
11518	-----		1.686	.250	4
11524	307758	7.29	1.874	.250	2
11536	307759	21.74	1.875	.375	4
11544	307760	9.47	2.000	.250	2
11545	307761	6.80	2.000	.250	4
11550	307764	20.27	2.000	.250	2
11557	-----		2.062	.313	2
1.175" Shaft					
11553	-----		2.031	.500	2
11700	307830	9.61	1.771	.275	2
1.178" Shaft					
11650	-----		2.073	.335	2
1.181" Shaft					
11612	307787	17.12	1.732	.276	4
11619	307793	21.37	1.772	1.732	--
1.188" (1-3/16") Shaft					
11585	307772	5.17	1.874	.375	2
11710	307838	26.02	1.561	.313	2
11711	-----		1.687	.250	3
11728	307842	11.54	1.686	.250	2
11733	307850	27.21	1.716	.270	2
11734	307852	7.58	1.752	.250	2
11736	-----		1.752	.250	2
11740	307856	12.02	1.828	.375	2
11763	307868	18.11	1.875	.250	2

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Wide Inches	Seal Type
11764	-----		1.875	.250	2
11771	307870	10.14	1.996	.250	1
11776	307871	12.13	1.983	.250	2
11777	307872	12.18	1.983	.250	4
11800	307884		2.000	.250	2
11801	307886	11.19	2.000	.250	4
11806	307888	16.18	2.000	.250	2
11836	-----		2.000	.250	1
11878	307898	11.72	2.062	.250	2
11879	-----		2.062	.250	2
11907	307912	9.06	2.125	.313	2
11911	307914	12.55	2.165	.250	2
11914	307916	8.62	2.250	.250	2
11923	307920	9.38	2.437	.250	2
11930	307924	7.91	2.441	.250	2
1.190" Shaft					
11846	307896	9.49	1.996	.250	1
1.192" Shaft					
11899	307906	16.89	2.122	.350	--
1.219" (1-7/32") Shaft					
12131	307941	16.36	2.000	.438	3
1.221" (31mm) Shaft					
12301	307946	16.32	1.811	.315	4
1.234" (1-15/64") Shaft					
12590	308110	12.20	2.250	.250	2
1.250" (1-1/4") Shaft					
11096	307623	10.64	1.625	.188	1
12325	307948	10.99	1.624	.250	1
12327	307950	16.27	1.751	.290	--
12329	307952	8.25	1.625	.188	2
12330	307954	5.29	1.500	.125	1
12333	307956	11.56	1.687	.313	P
12334	307958	10.87	1.686	.188	1
12335	307960	17.54	1.687	.250	2
12336	307962	9.15	1.687	.250	2
12337	307964	28.27	1.687	.250	4
12339	307965	34.13	1.750	.250	P
12340	307966	34.75	1.752	.250	2
12343	307970	35.78	1.752	.250	4
12350	307974	8.41	1.687	.313	4
12355	-----		1.752	.391	4
12360	307982	10.07	1.750	.250	P
12361	307984	11.24	1.752	.188	1
12363	307986	9.42	1.752	.250	2
12364	307988	8.60	1.752	.250	4
12369	307990	10.00	1.752	.250	1
12371	307994	19.97	1.752	.313	2
12375	307997	11.72	1.828	.188	1
12379	308000	11.56	1.874	.250	1
12382	308004	10.96	1.874	.250	2
12383	308006	24.75	1.874	.250	4
12384	308008	7.38	1.874	.250	2
12386	308010	9.19	1.874	.250	4
12391	308014	9.84	1.938	.250	2
12396	-----		1.955	.250	4
12398	-----		1.968	.438	1
12399	308022	14.80	1.968	.469	1
12404	308032	8.14	1.979	.406	1
12407	308034	6.21	1.979	.250	1
12411	308036	7.77	1.979	.406	1
12427	308038	10.60	1.983	.250	2
12428	308040	11.22	1.983	.250	4
12432	308042		1.983	.250	2
12437	308044	10.16	1.983	.250	1
12438	308046	34.18	1.997	.438	P
1.250" (1-1/4") Shaft					
12445	308054	20.36	2.000	.250	2
12446	308056	27.97	2.000	.250	4
12456	308060	8.73	2.000	.250	2
12458	308062	8.85	2.000	.250	4
12459	308064	31.23	2.000	.625	6
12481	308068	10.46	2.000	.250	1
12483	308070	21.53	2.000	.438	2
12508	308082	12.36	2.062	.250	1
12530	308088	16.18	2.062	.438	3
12531	308090	21.33	2.062	.250	4
12536	308091	15.31	2.106	.469	5
12544	308094	21.74	2.125	.250	2
12545	308096	8.32	2.125	.250	2

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Wide Inches	Seal Type
12551	308100	\$12.07	2.125	.250	4
12565	308102	9.56	2.125	.250	1
12577	308106	12.50	2.250	.250	2
12578	308107	28.68	2.250	.750	--
12582	-----		2.250	.250	1
12609	308124	22.25	2.328	.500	P
12610	308126	17.63	2.327	.500	2
12611	308128	16.59	2.328	.500	1
12612	308130	25.33	2.374	.313	2
12613	308132	15.47	2.374	.313	2
12614	308134	18.18	2.374	.313	4
12621	308138	17.63	2.437	.250	2
12631	308140	12.71	2.441	.250	2
12637	308142	18.18	2.502	.313	2
12640	308144	16.27	2.502	.500	P
12660	308148	19.08	2.713	.469	3
12668	308150	15.81	2.835	.469	4
12678	308154	10.75	3.156	.500	3
1.260" (32mm) Shaft					
12747	308186	15.05	2.087	.276	4
12751	308189	19.83	2.126	.394	4
1.266" (1-17/64") Shaft					
12693	308160	17.15	1.689	.500	4
1.299" Shaft					
13005	308226	16.29	2.323	.669	--
1.301" Shaft					
12900	308218	13.90	1.969	.469	4
12905	308220	13.12	2.000	.438	4
12907	308222	19.05	2.046	.492	4
12925	308224	13.24	2.621	1.331	--
1.313" (1-5/16") Shaft					
13021	308234	16.18	1.828	.375	2
13027	308236	15.12	1.874	.375	4
13037	308237	12.78	2.000	.313	4
13050	308238	5.01	2.062	.313	2
13052	308240	10.89	2.062	.313	4
13054	308242	19.49	2.062	.313	2
13060	-----		2.063	.250	1
13084	308250	14.98	2.106	.438	

R16

SKF / CHICAGO RAWHIDE OIL SEALS

Package of 1 Seal O.D. is approximately .004 larger than its bore diameter of housing for press fit. Generic is Decimal I.D. x O.D. Family is Decimal I.D. or Shaft Size

Oil Seal Our Seq. Per Housing Width Seal
Number Number Each Diam. Inches Type

1.375" (1-3/8") Shaft

13534	308366	\$9.03	1.874	.250	2
13535	308368	17.33	1.874	.313	4
13536	308370	11.88	1.835	.250	2
13537	308372	9.38	1.828	.313	2
13538	308374	18.09	1.874	.250	2
13543	308382		1.874	.188	1
13545	308384	9.91	1.874	.250	1
13548	308388	10.66	1.874	.250	1
13552	308390	21.93	1.938	.250	4
13556	308392	13.88	1.938	.250	1
13557	308394	11.10	1.983	.313	2
13562	308400	17.37	2.000	.313	4
13568	308404	9.15	2.000	.313	2
13569	308406	10.73	2.000	.313	4
13571	308408	15.08	2.000	.313	3
13573	308410	8.87	2.000	.250	1
13579	308412	17.08	2.000	.313	2
13581	308414	32.57	2.000	.313	4
13582	308416	19.97	2.062	.313	2
13585	308418	7.86	2.062	.313	2
13588	308420	13.74	2.062	.313	4
13596	308426	9.29	2.063	.250	2
13602	308438	15.72	2.106	.313	4
13612	308442	15.61	2.106	.250	1
13614	308444	12.30	2.106	.313	2
13649	308452	12.00	2.125	.313	2
13661	308458	25.92	2.125	.313	4
13662	308460	11.88	2.125	.250	1
13663	308462	19.60	2.125	.313	2
13671	308472	9.81	2.250	.313	2
13676	308474	15.86	2.250	.313	4
13685	308480	24.28	2.250	1.188	--
13688	308482	21.67	2.250	.313	2
13689	-----		2.250	.250	1
13691	308488	20.68	2.250	.313	4
13698	308494	16.02	2.250	.250	4
13710	308500	21.72	2.282	.250	1
13711	308502	16.80	2.328	.406	1
13734	308504	21.49	2.374	.313	2
13738	308506	11.68	2.374	.313	2
13739	308508	12.50	2.374	.313	4
13750	3085095	12.04	2.162	.578	--
13758	308510	10.27	2.374	.250	1
13796	308518	10.04	2.437	.250	1
13797	308520	7.12	2.437	.250	2
13807	308534	39.71	2.438	.250	7
13810	308535	12.25	2.441	.313	2
13812	308536	16.82	2.441	.313	4
13839	308540	15.54	2.500	.321	--
13862	308544		2.502	.250	1
13865	308546	14.80	2.502	.313	2
13867	308547	21.81	2.502	.313	2
13869	308549	14.75	2.250	.313	2
13875	308550		2.562	.375	2
13876	308552	14.53	2.562	.375	4
13878	308554	22.06	2.562	.375	4
13882	308556		2.623	.313	4
13892	308558	16.87	2.686	.500	2
13900	308568	15.61	2.716	.313	2
13912	308571		2.812	.375	5
13916	308572	32.50	2.835	.594	--
13918	308574	13.38	2.835	.313	4
13920	308576	11.19	2.835	.313	2
13925	308581	19.97	2.835	.313	4
13929	308583	14.57	2.835	.313	4
13934	308585	21.72	3.350	.469	3
13936	308586	19.95	3.125	.500	3
13937	308587	22.94	3.000	.500	5
1.378" (35mm) Shaft					
13911	308570		1.614	.359	1
13926	308582	36.20	2.835	.313	4
13931	3085832	14.78	1.890	.591	4
13943	308592	38.75	1.969	.275	2
13953	308604	14.94	2.097	.313	4
13958	308611	32.84	1.983	1.549	--
13959	308612	28.06	2.240	.875	--
1.399" Shaft					
13988	308646	17.65	2.252	.313	4
13990	308648		2.292	.500	4
13992	308650	5.15	2.292	.469	4
13995	308652	15.15	2.292	.500	6
1.414" Shaft					
14045	308676		2.360	.344	2

Oil Seal Sequence Per Housing Width Seal
Number Number Each Diam. Inches Type

1.417" (36mm) Shaft

14008	308661	\$22.62	1.929	.276	4
14092	308692	13.63	2.616	.313	2
1.438" (1-7/16") Shaft					
14208	308694	25.17	1.874	.250	P
14209	308696		2.000	.125	1
14211	308698	22.13	2.003	.313	P
14212	308700	19.42	2.062	.313	2
14214	308702	8.96	2.062	.313	4
14223	308706	14.57	2.125	.313	2
14225	308708	23.47	2.125	.313	4
14247	308710	9.95	2.250	.313	4
14257	308712	11.47	2.250	.250	1
14259	308714	20.89	2.250	.313	4
14260	308716	19.63	2.250	.313	2
14262	308718		2.250	.313	2
14282	3087201	15.31	2.374	.313	2
14359	3087279		2.437	.250	1
14363	3087283		2.437	.313	2
14381	3087302	15.21	2.484	.550	2
14383	3087305		2.502	.313	2
14404	3087329		2.623	.313	2
14423	3087349	13.79	2.686	.313	2
14458	3087384	13.81	2.750	.313	2
1.457" (37mm) Shaft					
14600	308747	10.78	2.047	.328	--
1.469" (1-15/32") Shaft					
14641	308751	15.21	2.374	.375	4
1.473" Shaft					
14631	308749	36.61	1.971	.563	--
1.479" Shaft					
14700	308756		2.563	.470	1
1.484" (1-31/64") Shaft					
14907	308884	21.12	2.254	.313	2
1.494" Shaft					
14789	308812	10.76	2.060	.270	2
14896	308874	40.17	2.187	.500	7
1.496" (38mm) Shaft					
14738	308777	21.17	2.323	.354	4
14749	308784	22.22	2.480	.395	--
14758	3087864	10.89	2.559	.394	--
14773	308799	13.97	1.937	.354	4
14775	308802		2.047	.236	--
1.500" (1-1/2") Shaft					
14804	308813	12.36	1.874	.188	1
14807	308814	7.68	1.874	.250	2
14808	308815	21.51	1.874	.188	1
14809	308816	52.12	1.918	.250	2
14810	308818	8.76	1.874	.250	1
14816	308820	7.61	1.938	.250	1
14821	308821	23.67	1.983	.250	2
14832	308822	15.31	1.983	.313	2
14840	308824	7.68	1.983	.188	1
14844	308826	22.22	1.997	.250	P
14846	308828	10.99	2.000	.313	4
14848	308830	15.81	1.989	.250	--
14855	308836	6.85	2.000	.313	2
14857	308838	11.58	2.000	.250	1
14858	308840	13.86	2.048	.313	4
14861	308842	20.13	2.000	.313	2
14863	308844	9.19	2.062	.210	1
14864	308846	6.62	2.062	.313	2
14867	308850	18.71	2.062	.313	2
14868	308852	22.80	2.064	.375	P
14872	308854	67.11	2.125	.250	3
14875	308858	11.68	2.125	.313	2
14876	308860	10.73	2.125	.313	4
14886	308870		2.125	.313	2
14887	308872	26.18	2.125	.313	4
14898	308880	9.29	2.192	.250	1
14903	308882		2.222	.313	2
14935	308890	21.47	2.250	.313	2
14938	308892	9.24	2.250	.313	2
14939	308894	10.66	2.250	.313	4
14940	308896		2.250	.313	2
14942	308898		2.250	.313	4
14960	308902	9.68	2.250	.250	1
14966	308906	9.86	2.254	.250	1
14968	308908		2.260	.406	2
14970	308910	18.02	2.286	.270	7
14971	308912	20.20	2.286	.420	7

Oil Seal Sequence Per Housing Width Seal
Number Number Each Diam. Inches Type

Number	Number	Each	Diam.	Inches	Type
14972	308914	\$11.72	2.328	.500	1
14974	308916	9.35	2.328	.500	1
14975	308918	12.69	2.328	.390	1
14977	308920	21.10	2.328	.500	P
14978	308922	13.79	2.372	.375	--
14979	308923		2.311	.500	P
14992	308926	20.27	2.374	.313	2
14994	308928	35.53	2.374	.313	4
15004	308934	10.41	2.374	.313	2
15005	308936	6.16	2.374	.313	4
15032	308940	10.82	2.374	.250	1
15039	308944	16.41	2.374	.400	3
15041	308946	3.77	2.377	.453	4
15076	308950	16.00	2.437	.313	2
15080	308952	14.34	2.437	.250	1
15092	308958	16.04	2.441	.313	2
15093	308960	14.43	2.441	.313	4
15097	308962		2.441	.313	2
15120	308976		2.502	.625	--
15138	308978	20.36	2.502	.313	2
15141	308980	7.03	2.502	.313	2
15142	308982	8.50	2.502	.313	4
15160	308986	13.19	2.502	.250	1
15174	308994	21.01	2.462	.290	7
15176	308996	13.86	2.561	.313	2
15190	309000	11.72	2.623	.250	1
15194	309002	18.59	2.623	.313	2
15204	309014	20.06	2.716	.438	2
15207	309016	18.62	2.686	.500	2
15209	309018	18.43	2.716	.250	1
15214	309020	19.44	2.750	.313	2
15230	309024	10.14	2.758	.313	2
15234	309026	12.07	2.835	.313	2
15235	309028	14.80	2.875	.313	2
15240	309032		2.996	.500	3
15241	309033	21.56	3.000	.375	4
15250	309036	151.23	3.125	.625	--
1.504" Shaft					
15270	309042	13.24	1.937	.475	--
1.516" (1-33/64") Shaft					
15292	3090444	9.30	2.283	.438	4
1.524" Shaft					
15315	309046	15.97	2.656	.404	4
15343	309054	9.75	2.374	.500	3
15376	309060	20.50	2.714	.500	2
1.535" (39mm) Shaft					
15310	309049	12.46	2.244	.669	--
15312	309050	23.70	2.244	.844	--
15372	309055	16.29	2.323	.669	--
1.552" Shaft					
15440	309064	32.59	2.447	.500	4
15450	309072		2.502	.500	4
15460	309074	15.67	2.686	.500	2
15462	309076	21.37	2.750	.500	5
15788	309180	22.75	3.160	.665	--
1.557" Shaft					
15463	3090761	24.75	2.248	.512	--
1.563" (1-9/16") Shaft					
15506	3090807	29.97	2.062	.250	2
15508	309086	15.01	2.062	.250	2
15509	309088	14.36	2.062	.203	1
15517	309094	15.38	2.125	.313	2
15518	309096	17.37	2.125	.313	4
15522	309098	10.34	2.250	.313	2
15530	309099	21.93	2.237	.290	7
15532	309100	13.24	2.250	.250	1
15535	309102	8.89	2.250	1.520	--
15540	309104		2.374	.313	2
15542	309106	13.15	2.374	.313	2
15543	309108		2.374	.313	4
15544	309110	12.92	2.374	.250	1
15546	309112	11.40	2.372	.350	--
15549	309114	32.77	2.374	.313	4
15592	309118	16.71	2.437	.313	2
15620	309132	15.10	2.441	.500	4
15635	309134	12.53	2.502	.313	4
15649	309136		2.502	.250	1

SKF / CHICAGO RAWHIDE OIL SEALS

R17

Package of 1
Seal O.D. is approximately .004 larger than its bore diameter of housing for press fit.
Generic is Decimal I.D. x O.D. Family is Decimal I.D. or Shaft Size



Open
Group 1



Open
Group 2



With
Washer
Group 3



Open
Group 4



With
Washer
Group 5



With
Washer
Group 6



X15
Group 7



CRWA5
Group P

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type
1.563" (1-9/16") Shaft					
15655	309138	\$14.62	2.502	.313	2
15656	309140		2.502	.313	2
15660	309142	18.32	2.531	.500	7
15677	309146	15.17	2.561	.313	2
15692	309147		2.620	.906	2
15699	309148	19.42	2.623	.313	2
15707	309160	13.35	2.686	.313	2
15719	309162		2.687	.250	1
15730	309164	13.90	2.686	.375	1
15748	309167		2.716	.469	3
15761	309172	14.64	2.750	.500	3
15773	309176	12.04	2.875	.313	2
15779	309177	17.67	2.875	.313	4
1.575" (40mm) Shaft					
15746	309166	10.34	2.165	.328	--
15750	309168		2.283	.354	4
15753	309169	16.89	2.520	.472	4
15800	309186		2.047	.276	4
15802	309187	9.33	2.047	.260	--
15849	309211	22.25	2.520	.688	4
1.578" (1-37/64") Shaft					
15510	309090	11.54	2.082	.250	2
15557	309116	10.06	2.408	.313	5
1.594" (1-19/32") Shaft					
15915	309246	14.73	2.125	.313	2
15940	309248	20.36	2.437	.313	2
15955	309250	16.94	2.437	.313	2
15960	309252	12.82	2.502	.313	2
15968	309254	16.55	2.623	.313	2
15975			2.758	.313	2
1.609" (1-39/64") Shaft					
16020	309268	14.11	1.906	.250	1
1.614" (41mm) Shaft					
16036	309271	11.86	2.165	.275	--
1.618" Shaft					
16040	309272	25.07	2.531	.438	4
16404	309274	6.21	2.575	.500	5
1.625" (1-5/8") Shaft					
16039	3092713	23.33	2.000	.250	2
16045	309275	22.55	2.125	.250	P
16046	309276	10.39	2.000	.250	2
16047	309277	10.94	2.116	.313	4
16048	309278	19.56	2.125	.250	2
16049	309280	17.70	2.250	.375	2
16054	309284	10.60	2.125	.250	2
16055	309286	11.22	2.125	.250	1
16062	309292	6.44	2.248	.313	4
16064	309294	23.12	2.328	.438	TL2
16065	309296	16.92	2.250	.250	1
16069	309298	7.22	2.328	.438	1
16072	309302	14.85	2.374	.313	3
16077	309306	16.85	2.374	.313	2
16078	309308	29.23	2.250	.313	2
16079	309310	13.74	2.374	.500	3
16083	309311	13.42	2.282	.313	2
16084	309312	9.08	2.374	.313	2
16085	309314	9.26	2.374	.313	4
16091	309316	14.66	2.374	.313	4
16092	309318	14.69	2.374	.250	1
16095	309320	11.97	2.375	.250	1
16115	309331	24.41	2.375	.395	4
16119	309336	19.77	2.437	.313	2
16120	309338	23.37	2.437	.313	4
16128	3093385	9.77	2.437	.313	4
16168	309340	13.17	2.437	.250	1
16180	309346	10.34	2.441	.313	2
16189	309350	26.50	2.441	.625	--
16201	309360	14.13	2.440	.313	4
16204	309362	40.86	2.443	.640	--
16242	309365		2.502	.250	3
16243	309366		2.502	.313	4
16245	309368	11.93	2.502	.313	2
16246	309370	9.10	2.502	.313	4
16247	309372	16.06	2.502	.313	4

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type
16254	309376	\$....	2.502	.375	5
16270	309378	11.47	2.502	.250	1
16285	309383	10.73	2.562	.250	1
16286	309384	14.64	2.462	.250	7
16289	309386	12.02	2.562	.438	1
16290	309388	34.89	2.562	.313	4
16314	309400	14.57	2.623	.313	2
16315	309402	13.56	2.623	.313	4
16316	309404		2.623	.313	2
16322	309406	16.00	2.623	.250	1
16337	309412	8.55	2.686	.313	2
16338	309413	23.14	2.686	.313	2
16342	309415	18.02	2.722	.406	--
16362	309416	18.41	2.750	.250	1
16364	309418	15.97	2.750	.250	2
16368	309420	14.16	2.750	.313	3
16384	309424	29.60	2.781	.313	1
16386	309426	18.09	2.835	.469	3
16406	309434	20.57	2.875	.313	2
16422	309436	18.96	3.000	.313	3
16431	309438	21.51	3.062	.500	3
1.645" Shaft					
16500	3094526	17.54	2.656	.313	4
1.654" (42mm) Shaft					
16506	309455	11.19	2.213	.236	1
16524	309466	30.13	2.520	.472	--
16542	309473	19.65	2.551	.531	--
16901	309575	21.33	2.520	.390	4
1.656" (1-21/32") Shaft					
16532	309471	14.82	2.502	.500	3
16545	309474	29.30	2.623	.375	4
1.660" Shaft					
16520	309464	11.86	2.440	.594	1
1.673" Shaft					
16599	309488	8.55	2.162	.290	--
1.688" (1-11/16") Shaft					
16650	309494	19.05	2.279	.500	3
16657	309498	11.31	2.328	.313	4
16659	309500	10.89	2.328	.531	--
16667	309504	7.56	2.328	.500	1
16669	309505	11.84	2.374	.313	4
16679	309506	10.87	2.437	.313	2
16680	309508	9.88	2.437	.313	4
16692	309512	13.61	2.437	.250	2
16696	309514	30.77	2.437	.469	2
16719	309526	13.28	2.502	.313	2
16725	309528		2.502	.835	--
16735	309530	14.57	2.551	.470	4
16743	309532	12.53	2.502	.281	1
16754	309536	16.75	2.562	.250	1
16757	309538	15.05	2.605	.245	1
16805	309548	17.70	2.623	.531	4
16811	309550	23.58	2.623	.375	1
16816	309552	16.48	2.623	.500	2
16817	309554	26.11	2.623	.500	4
16818	309556	20.41	2.650	.290	7
16820	309558	27.40	2.688	.250	7
16842	309560	12.34	2.686	.313	2
16854	309562	13.58	2.716	.313	2
16871	309564		2.502	.500	4
16900	309574	19.86	2.750	.313	2
16903	309576	19.77	2.750	.375	4
16904	309578	76.90	2.760	.974	7
16945	309584	26.66	2.623	.500	2
16960	309586	16.98	2.835	.469	4
16999	309588	15.42	2.874	.313	2
17035	309600		3.061	.375	2
17038	309601	25.95	3.125	.375	4
1.704" (1-45/64") Shaft					
17100	309610	17.79	3.034	.500	4
1.709" (43.4mm) Shaft					
17106	309614	21.58	2.209	.355	--
17107	309615	34.89	2.209	.355	--

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam	Width Inches	Seal Type
1.719" (1-23/32") Shaft					
17136	309623	\$20.55	2.623	.500	3
17146	309628	10.18	2.561	.500	1
1.730" Shaft					
17110	309616	20.75	2.336	.470	--
17115	309618	16.87	2.336	.250	--
1.732" (44mm) Shaft					
17147	309629	5.95	2.441	.315	--
1.734" (1-47/64") Shaft					
17131	309622	7.66	2.449	.250	1
17145	309627	29.39	2.726	.512	1
17187	309644		2.401	.210	1
17815	309962	14.92	2.328	.270	1
1.739" Shaft					
17190	309650		2.812	.594	4
17727	309892	23.51	3.000	.500	4
1.747" Shaft					
17458	309777		2.623	.365	2
1.750" (1-3/4") Shaft					
17227	309658	19.17	2.125	.188	2
17231	309664	11.86	2.250	.313	2
17234	309668	19.63	2.250	.313	2
17240	309670	9.06	2.250	.188	1
17261	309674	32.20	2.374	.313	4
17271	309680	10.43	2.374	.438	--
17270	309678	10.89	2.374	.313	2
17271	309680	10.43	2.374	.313	4
17277	309682	10.87	2.374	.250	1
17280	309684	16.98	2.411	.375	2
17283	309686	32.29	2.437	.313	2
17284	309688	32.29	2.437	.313	2
17285	309690	13.77	2.437	.313	4
17292	309696		2.437	.313	2
17293	309698	32.82	2.437	.313	4
17310	309708	11.68	2.437	.250	1
17315	309710	17.56	2.441	.313	2
17320	309714	33.78	2.441	.375	4
17340	309716	16.87	2.441	.250	1
17341	309718	29.88	2.441	.240	1
17359	309722	12.92	2.441	.469	1
17374	309728	19.08	2.502	.500	P
17379	309730	21.14	2.502	.313	2
17381	309732	18.71	2.502	.313	4
17385	309733		2.502	.313	2
17386	309734	15.90	2.502	.313	2
17387	309736	14.78	2.502	.313	4
17392	309740	10.18	2.502	.250	1
17395	309742	49.87	2.502	.375	5
17404	309756	12.18	2.561	.313	2
17406	309758	12.73	2.562	.500	1
17413	309762	13.35	2.565	.313	4
17415	309764	10.60	2.561	.250	1
17442	309768	10.43	2.623	.313	2
17443	309770	12.64	2.623	.313	4
17444	309772	50.79	2.623	.313	2
17448	309774	26.59	2.623	.313	4
17456	309776		2.623	.375	3
17461	309778	17.60	2.623	.250	1
17484	309784	10.04	2.686	.313	2
17485	309785	22.09	2.718	.294	7
17488	309786	18.04	2.716	.250	1
17523	309800	13.86	2.750	.250	1
17544	309802	14.16	2.750	.250	1
17557	309808	15.38	2.750	.313	2
17558	309810	34.68	2.750	.313	2
17599	309812	25.97	2.750	.484	1
17605	309822	15.97	2.758	.313	2
17607	309824	18.57	2.717	.438	4
17617	309830	9.12	2.718	.359	1
17618	309832	21.03	2.718	.359	--
17620	309834	29.10	2.786	.294	7
17624	309836	14.18	2.810	.313	4
17627	309838	25.95	2.810	.313	4
17633	309840	8.46	2.830	.375	1
17645	309844	16.73	2.875	.375	5

R18

Package of 1

Generic is Decimal I.D. x O.D.

Family is Decimal I.D. or Shaft Size

Seal O.D. is approximately .004 larger than its bore diameter of housing for press fit.

SKF / CHICAGO RAWHIDE OIL SEALS

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type	Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type	Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type
1.750" (1-3/4") Shaft						1.873" Shaft						1.929" (49mm) Shaft					
17653	309848	\$10.34	2.874	.313	2	18630	310167	\$22.48	2.715	.281	7	19090	310357	\$22.52	2.441	.315	--
17657	309850		2.875	.313	2	1.875" (1-7/8") Shaft						19100	310358	14.34	2.843	.315	--
17671	309852	13.35	2.875	.250	1	18536	310110	18.23	2.318	.203	4	19200	310360	11.05	2.520	.492	--
17674	309856		2.875	.500	--	18543	310112		2.401	.275	1	1.938" (1-15/16") Shaft					
17675	309858	11.57	2.981	.438	5	18544	310113		2.561	.600	4	19013	-----		2.500	.300	--
17678	3098589	13.31	2.997	.313	5	18545	310114	11.28	2.471	.313	4	19210	310376	8.00	2.437	.250	2
17695	309864	15.54	2.997	.313	2	18546	310116	17.03	2.562	.313	4	19211	310377	23.19	2.563	.313	2
17699	309866	24.18	3.000	.313	4	18548	310118	19.77	2.561	.600	4	19212	310378	32.54	2.437	.250	2
17702	309876	13.10	3.000	.250	1	18549	310120	15.12	2.398	.250	2	19213	310379	9.45	2.675	.250	P
17707	309878	22.94	3.000	.313	2	18551	310124		2.938	.250	--	19214	310380	15.70	2.500	.380	2
17709	309880	29.44	3.000	.313	2	18555	310126	18.18	2.500	.313	2	19215	310381	20.11	2.412	.313	2
17716	309884	18.39	3.061	.313	2	18558	310130	8.41	2.502	.250	1	19219	310384	4.92	2.502	.281	2
17718	3098848	14.75	3.061	.375	4	18562	310134	17.97	2.562	.313	2	19220	310386	14.87	2.502	.375	4
17720	309885	19.90	3.062	.485	6	18565	310136	10.62	2.502	.313	2	19221	310388	4.64	2.502	.281	1
17722	309887	15.84	3.061	.484	--	18580	310138	10.09	2.623	.313	2	19223	310390	13.81	2.578	.294	1
17724	309889	25.97	3.149	.290	--	18581	310140	10.43	2.623	.313	4	1.938" (1-15/16") Shaft					
17726	309890	33.53	3.154	.313	2	18582	310142		2.623	.313	2	19226	310392	18.59	2.623	.313	2
17746	309894	16.94	3.189	.313	2	18584	310146	32.52	2.623	.313	4	19227	-----		2.623	.313	4
17751	309902	136.52	3.371	.625	--	18591	310148	15.79	2.623	.250	1	19229	310394	8.57	2.623	.313	4
17756	309906	22.20	3.543	.438	2	18592	310150	22.18	2.623	.374	2	19234	310396	15.03	2.686	.313	4
17761	309912	27.12	3.625	.438	2	18603	310164	14.62	2.628	.328	1	19236	310398	4.74	2.686	.313	2
17771	309923	18.41	3.937	.313	4	18626	310166	18.25	2.686	.313	2	19237	310400	11.42	2.686	.313	4
1.766" (1-49/64") Shaft						18640	310170	18.18	2.721	.266	1	19240	310402	13.61	2.686	.375	2
17286	309692	8.96	2.412	.375	4	18652	310173	31.90	2.750	.313	2	19243	310406	32.96	2.686	.313	4
17775	309925	22.04	2.412	.370	4	18657	310174	7.64	2.750	.313	2	19244	310408	17.90	2.686	.300	2
1.768" Shaft						18658	310176	14.46	2.750	.313	4	19251	310410	40.86	2.686	.594	--
17780	309928	27.10	2.363	.313	5	18659	310178	10.60	2.750	.250	1	19264	310413	18.75	2.750	.313	2
1.770" Shaft						18662	310180	27.79	2.750	.500	--	19267	310414	23.79	2.750	.313	2
17781	309930	27.37	2.364	.427	4	18666	310182	19.97	2.750	.313	2	19273	310416	15.67	2.762	.500	4
1.772" (45mm) Shaft						18671	310186	21.51	2.758	.313	2	19274	310418	12.28	2.825	.500	3
17787	309935	20.16	2.500	.432	4	18676	310188	32.18	2.758	.531	6	19277	310422	27.86	2.813	.500	--
17788	309936	17.86	2.480	.294	--	18677	310190		2.758	.656	2	19278	310423	14.64	2.835	.250	P
17789	309938	7.95	2.520	.354	--	18679	310192	16.48	2.758	.313	2	19300	310436	10.48	2.875	.313	2
17799	309948	77.45	3.346	.740	--	18692	310202	8.57	2.760	.400	2	19301	310438	13.42	2.875	.313	4
1.781" (1-25/32") Shaft						18693	310204	15.70	2.782	.438	3	19304	310442	25.14	2.875	.313	3
17802	309956	22.68	2.126	.250	1	18695	310208	34.04	2.782	.438	5	19306	310444	11.91	2.875	.250	1
17806	309958	24.02	2.252	.313	4	18697	310210	11.28	2.804	.300	--	19310	310446	18.20	2.884	.313	4
17810	309960	15.54	2.502	.313	3	18704	310222	12.76	2.780	.250	1	19350	-----		2.997	.313	2
17811	309961	24.61	2.502	.313	3	18708	310224	22.13	2.813	.500	4	19359	310452	15.40	3.000	.313	2
17821	309964	17.31	2.623	.313	2	18731	310228	23.40	2.877	.375	--	19360	310454	18.78	3.000	.313	4
17832	309968	13.74	2.686	.313	2	18732	310230	25.05	2.875	.313	2	19368	310455	27.53	3.000	.313	4
17851	309975	16.36	2.748	.500	3	18733	310232	15.63	2.875	.313	2	19380	310456	19.51	3.061	.313	2
1.787" (45.4mm) Shaft						18734	310234	15.31	2.875	.313	4	19400	310470	14.64	3.125	.500	2
17849	309974	23.99	3.234	.335	2	18737	310236	25.12	2.875	.313	4	19407	310472	16.48	3.189	.313	2
1.797" (1-51/64") Shaft						18750	310240		2.875	.250	1	19433	-----		3.251	.313	4
17836	309970	14.82	2.725	.516	1	18765	310242	11.81	2.903	.424	--	19434	-----		3.251	.313	2
1.813" (1-13/16") Shaft						18771	310243	21.33	2.752	.570	--	19438	310482	29.46	3.062	.500	2
18024	3100019	16.73	3.092	.469	4	18772	310244	8.68	2.965	.234	1	19449	310486	22.13	3.543	.313	2
18025	310002		2.279	.313	2	18785	310246	18.02	2.997	.313	2	19455	310490		3.622	.375	--
18030	310005	16.92	2.408	.300	7	18808	310256	14.75	2.997	.250	1	19466	310494		3.751	.500	3
18039	310006	17.81	2.437	.313	2	18817	310260	17.60	3.000	.313	2	19500	310498	4.14	2.621	.570	--
18049	310010	69.84	2.562	.313	4	18818	310262	31.72	3.000	.313	2	1.940" Shaft					
18050	310012	16.50	2.562	.438	1	18823	310264	19.31	3.000	.250	1	19314	310447	19.58	2.909	.516	--
18100	310026	18.34	2.623	.500	2	18872	310270	16.18	3.061	.313	4	1.945" Shaft					
18104	310028	11.79	2.623	.313	2	18879	310271		3.125	.313	4	19510	310500	22.80	2.892	.294	7
18114	310030	16.25	2.686	.313	4	18880	310272		3.105	.500	4	1.969" (1-31/32") Shaft					
18127	310032	29.62	2.719	.270	--	18881	310274	13.61	3.150	.930	--	19607	310514	19.54	2.623	.313	4
18159	310036	8.96	2.750	.313	2	18888	310276		3.160	.531	--	19610	310517	40.47	2.686	.375	2
18190	310040	14.44	2.777	.432	--	18889	310277	22.71	3.150	.250	1	19612	310519	7.08	2.618	.591	--
18242	310052	11.81	2.875	.313	2	18891	310278	19.79	3.160	.770	--	19613	31051901	16.36	2.677	.270	--
18259	310058	97.98	3.003	.892	--	18896	310279	20.20	3.160	.695	--	19615	-----		2.686	.500	3
18264	310060	14.02	3.000	.375	4	18899	310280	17.10	3.189	.469	3	19620	310524	16.94	2.742	.500	3
18833	310268	16.02	3.001	.563	--	18912	310290	39.02	3.105	.500	2	19626	310525	6.27	2.638	.433	--
1.825" Shaft						18916	310292	19.35	3.371	.438	3	19639	310528	57.73	2.835	.640	--
18055	310014	18.91	2.623	.250	1	18922	310294	16.94	3.249	.484	4	19643	310531	16.23	2.874	.469	3
18149	310034	12.89	2.750	.484	1	18924	-----		3.496	.438	4	19660	310536	8.89	2.960	.250	1
18415	310076		2.570	.250	1	18926	310297	21.79	3.500	.4384							

SKF / CHICAGO RAWHIDE OIL SEALS

R19

Package of 1

Generic is Decimal I.D. x O.D. Family is Decimal I.D. or Shaft Size

Seal O.D. is approximately .004 larger than its bore diameter of housing for press fit.

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type	Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type	Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type
2.000" (2") Shaft						2.063" (2-1/16") Shaft						2.188" (2-3/16") Shaft					
19762	310580	\$10.41	2.623	.313	4	20520	310868	\$26.71	2.561	.313	2	21736	311178	\$7.92	2.875	.438	3
19763	310582	12.00	2.623	.250	1	20525	310869	10.07	2.661	.188	2	21749	311180	13.35	2.997	.438	3
19768	310584	16.36	2.627	.234	1	20530	310874	21.93	2.750	.313	3	21759	311182	14.94	3.000	.375	4
19770	310586		2.635	.234	1	20538	310876	24.55	2.842	.438	3	21763	311184	43.23	3.000	.375	4
19773	310588	12.36	2.652	.365	--	20554	310878	19.47	2.875	.438	3	21764	311186	23.58	3.000	.500	3
19777	310592	37.21	2.623	.313	4	20560	310880	38.08	2.938	.344	7	21771	311190	5.17	3.000	.500	--
19778	310594	11.72	2.686	.375	2	20586	310882	12.50	2.997	.438	3	21775	311192	15.28	3.061	.500	3
19782	310595	22.78	2.623	.313	4	20594	310884	12.09	3.000	.375	2	21840	311214	17.49	3.251	.438	3
19783	310596	18.50	2.686	.250	1	20599	310886	35.90	3.000	.375	4	21890	311216	17.10	3.350	.438	3
19785	310598	17.79	2.716	.375	2	20608	310898	22.13	3.000	.313	1	21910	311226	17.37	3.371	.438	3
19786	310600	19.97	2.716	.375	4	20643	310900	21.49	3.061	.313	3	21938	311228	27.12	3.189	.640	--
19799	310604	14.85	2.742	.375	2	20659	310902	11.24	3.125	.375	2	21950	311230	27.21	3.623	.500	5
19803	-----		2.745	.234	1	20669	-----		3.149	.250	1	2.199" Shaft					
19807	310618	6.94	2.746	.375	2	20672	310906	31.65	3.149	.500	--	21952	311232	8.43	2.737	.438	1
19820	310620	15.95	2.752	.188	1	20674	310908	26.89	3.150	.266	--	21953	-----		2.804	.300	--
19823	310624		2.750	.313	2	20702	310918	21.74	3.189	.375	2	21955	-----		3.519	.591	4
19831	310626	14.78	2.750	.313	2	20735	310920	68.95	3.250	.294	7	2.201" Shaft					
19832	310628	13.17	2.750	.313	4	20749	310922	19.40	3.251	.438	3	21961	311235	11.45	2.738	.197	1
19834	310632	18.50	2.750	.250	1	2.094" (2-3/32") Shaft						2.205" (56mm) Shaft					
19839	310634	28.98	2.750	.313	4	20952	310942	11.31	2.718	.359	1	22005	311236	12.50	2.638	.217	--
19840	310635	95.13	2.750	.313	2	20965	310946	15.49	3.149	.550	1	22022	311247	29.56	2.835	.453	--
19841	310636	86.83	2.834	.197	--	2.125" (2-1/8") Shaft						2.240" Shaft					
19844	310638	34.41	2.802	.250	7	21059	310960	16.00	2.750	.250	1	22614	311400	17.24	3.189	.610	1
19848	310640	17.28	2.835	.469	3	21061	310961	15.51	2.750	.500	4	2.244" (57mm) Shaft					
19852	310643	10.94	2.562	.335	2	21063	310962	31.30	2.750	.375	2	22230	-----		3.110	.610	--
19876	310644	49.76	2.874	.703	--	21069	310966	15.77	2.763	.250	2	2.250" (2-1/4") Shaft					
19880	310646	16.66	2.874	.250	1	21091	310978	52.33	2.875	.438	2	22306	311283	16.82	2.625	.188	1
19882	310648	17.33	2.875	.256	--	21098	310982	10.23	2.875	.438	2	22311	311284	13.49	3.110	.469	--
19884	310650	42.84	2.875	.313	2	21100	-----		2.875	.438	4	22325	311286	13.01	2.875	.250	1
19886	310652	9.12	2.875	.313	2	21101	310994	11.01	2.875	.250	1	22340	311294	16.00	2.997	.438	5
19887	310654	15.67	2.875	.313	4	21103	310996	39.28	2.875	.375	2	22353	311298	9.33	3.000	.375	2
19896	310662	19.83	2.875	.375	5	21108	311000	19.05	2.875	.438	5	22354	311300	14.64	3.000	.375	4
19900	310670	49.60	2.875	.500	3	21110	311002	52.29	2.880	.500	4	22358	311304	19.28	3.000	.438	3
19922	310674	19.19	2.880	.375	4	21111	311004	39.19	2.880	.550	4	22359	311306	18.02	3.000	.438	5
19923	310676	18.55	2.880	.375	4	21121	311008		2.891	.250	1	22361	311308	23.79	3.000	.375	4
19938	310680	16.23	2.965	.500	1	21124	311014	21.14	2.997	.438	3	22363	311312		3.000	.375	2
19940	-----		2.965	.313	1	21134	311016	22.09	2.997	.438	5	22367	311314	32.22	3.000	.438	3
19965	310686	18.34	2.997	.250	1	21136	311018	16.85	3.000	.250	1	22368	311315	13.93	3.000	.250	1
19969	310688	19.12	2.997	.375	3	21159	311018	16.85	3.000	.250	1	22371	311315	12.94	3.035	.374	3
19970	310690	23.44	2.997	.375	5	21163	-----		3.000	.375	2	22382	311320	14.34	3.061	.375	2
19979	310694	43.74	2.997	.375	3	21164	311022	16.52	3.000	.375	4	22390	311324	23.95	3.061	.438	3
19982	310695	19.26	2.997	.438	--	21167	311023	70.42	3.000	.313	5	22391	311326	24.29	3.061	.438	5
19992	310698	11.24	3.000	.313	2	21171	311025	59.69	3.000	.438	3	22392	311328	20.20	3.061	.250	1
19993	310700	13.56	3.000	.313	4	21172	311026	18.32	3.000	.438	3	22394	311330	62.72	3.061	.438	5
19995	310702		3.000	.313	4	21173	311028	24.71	3.000	.438	5	22400	311342	19.88	3.125	.375	4
20002	310712	29.17	3.000	.375	3	21203	311042	42.82	3.061	.438	3	22407	311344	23.72	3.125	.500	3
20004	310714	18.94	3.000	.375	3	21208	311044	14.73	3.061	.250	1	22411	311346	13.35	3.125	.563	1
20005	310716	26.11	3.000	.375	5	21210	-----		3.061	.500	2	22424	311350	22.45	3.189	.438	2
20006	310718	18.50	3.000	.250	1	21211	311048		3.061	.500	4	22425	311352	24.75	3.189	.438	4
20044	310720	13.61	3.061	.250	1	21213	311050	13.95	3.061	.500	5	22430	311358	23.21	3.250	.270	7
20045	310722	18.57	3.061	.375	2	21234	311054	19.97	3.125	.438	3	22440	-----		3.251	.375	2
20054	310728	18.29	3.061	.500	5	21245	311056	33.28	3.125	.438	5	22441	311362	16.41	3.251	.375	4
20070	310732	17.10	3.125	.375	2	21265	311060	18.64	3.189	.250	1	22446	311364	18.50	3.251	.438	3
20078	310736	18.11	3.148	.250	1	21267	311062	10.46	3.189	.375	4	22448	311366	25.74	3.251	.438	5
20079	310740	17.83	3.150	.375	2	21269	311064	28.08	3.189	.375	4	22449	311368	30.96	3.251	.438	3
20091	310746	12.82	3.155	.500	1	21270	311066	26.59	3.189	.469	5	22468	311374	22.25	3.251	.250	1
20098	310748	16.73	3.189	.469	3	21298	311076	29.28	3.250	.270	7	22483	311378	15.55	3.310	.375	1
20100	310758	22.52	3.189	.469	5	21302	311086	7.44	3.251	.438	3	22484	311380	19.56	3.350	.375	2
20109	310760	21.01	3.251	.438	3	21306	311090	96.62	3.250	.900	7	22492	311382	25.74	3.350	.438	3
20113	-----		2.962	.250	1	21336	311096	21.14	3.350	.438	3	22493	311383	26.25	3.350	.438	5
20118	310770	12.96	2.968	.313	1	21352	311106	14.09	3.371	.375	4	22495	311384	31.07	3.350	.438	3
20122	-----		3.371	.438	2	21353	311108	27.12	3.371	.438	3	22532	311385	27.33	3.371	.438	5
20124	310772	22.20	3.371	.438	3	21358	311111	32.13	3.543	.438	3	22550	311386	23.74	3.371	.375	1
20125	310774	23.35	3.371	.438	5	21379	311112										

R20

Package of 1

SKF / CHICAGO RAWHIDE OIL SEALS

Generic is Decimal I.D. x O.D. Family is Decimal I.D. or Shaft Size

Seal O.D. is approximately .004 larger than its bore diameter of housing for press fit.

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type
2.297" (2-19/64") Shaft					
22870	311444	\$16.23	3.148	.359	1
2.313" (2-5/16") Shaft					
23030	311454	31.16	2.997	.375	2
23035	-----		3.000	.250	1
23040	311457	45.64	3.000	.438	3
23046	311458		3.061	.313	2
23050	311459	19.67	3.065	.281	1
23061	311460	18.04	3.125	.375	2
23063	311464	48.36	3.125	.375	4
23093	311468	17.65	3.251	.438	3
23099	311470	40.36	3.251	.438	5
23130	311480	38.93	3.310	.375	1
23152	311482	17.17	3.350	.438	3
23167	311484	29.28	3.371	.438	2
23169	-----		3.374	.438	5
23184	311488	23.07	3.500	.313	2
23240	311500	15.84	3.500	.250	1
23277	3115026	22.04	3.751	.500	2
2.328" (2-21/64") Shaft					
23300	311506	14.96	3.000	.395	2
2.362" (60mm) Shaft					
23446	-----		3.228	.472	4
23450	-----		3.374	.395	2
23464	311529	13.61	3.543	.866	--
2.375" (2-3/8") Shaft					
23630	311550	12.89	2.997	.250	1
23632	311552	15.84	2.997	.438	3
23640	311556	14.43	3.000	.250	1
23641	311558	32.96	3.000	.375	2
23644	311562	19.03	3.061	.438	3
23645	311564	19.10	3.061	.438	3
23646	311566	19.19	3.125	.375	2
23652	311568	19.03	3.125	.438	3
23654	311570	18.71	3.125	.438	5
23655	311571	29.07	3.061	.438	3
23656	311572	44.56	3.125	.438	5
23659	311574	25.76	3.125	.375	2
23666	311576	10.99	3.189	.438	3
23685	311584	22.20	3.251	.453	2
23691	311588	27.26	3.251	.625	4
23695	311590	41.32	3.350	.656	--
23701	311600	15.12	3.350	.375	2
23702	311602	27.33	3.350	.375	4
23703	311604	17.05	3.350	.375	2
23706	311606	19.17	3.350	.375	2
23708	311610	17.74	3.350	.438	3
23710	311612	19.72	3.350	.438	5
23725	311616	12.94	3.350	.250	1
23742	311622	19.24	3.371	.438	3
23744	311624	50.15	3.471	.250	7
23746	311627	45.44	3.371	.438	3
23755	311628	26.80	3.481	.438	3
23756	-----		3.481	.438	5
23770	311634	21.40	3.500	.375	4
23771	311636	31.42	3.500	.375	3
23779	311640	23.44	3.500	.375	3
23782	311644	22.55	3.500	.438	5
23806	311657	37.00	3.876	1.150	--
23808	311658	19.08	3.543	.438	3
23809	311660	41.64	3.543	.438	5
23815	311664	24.73	3.543	.250	1
2.375" (2-3/8") Shaft					
23820	311666	53.27	3.601	.438	2
23839	311670	Call	3.623	.438	3
23841	311672	40.70	3.623	.438	5
23843	311673	40.08	3.623	.438	5
23844	-----		3.876	.438	3
23857	-----		4.063	1.094	4
23860	311678	61.80	4.498	1.150	--
2.420" Shaft					
24017	311690	18.43	3.000	.390	--
24097	311694	14.43	3.554	.276	1
2.438" (2-7/16") Shaft					
24255	311700	20.50	3.125	.500	3
24263	311702	20.04	3.251	.438	3
24286	311706	17.70	3.350	.375	2
24287	311708	24.68	3.350	.375	4
24320	-----		3.371	.438	3
24340	-----		3.481	.438	3

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type
24370	311724	\$13.38	3.500	.438	3
24372	311726	45.02	3.500	.438	3
24445	311738	10.77	3.543	.438	3
24459	311740	24.20	3.623	.359	1
2.474" Shaft					
24670	311768	25.14	3.543	.290	--
2.480" (63mm) Shaft					
24920	311858	19.47	3.314	.500	--
2.496" Shaft					
25078	311934	51.14	3.672	.313	7
2.497" Shaft					
24888	311816	20.89	3.245	.420	1
2.500" (2-1/2") Shaft					
24863	311800	13.93	3.000	.250	1
24865	311802	20.09	3.000	.313	1
24875	311806	15.35	3.125	.250	1
24880	-----		3.150	.250	1
24881	-----		3.189	.438	3
24883	311814	41.48	3.189	.438	3
24886	311815	22.50	3.226	.190	1
24889	311818	14.64	3.245	.438	3
24892	311822	38.59	3.251	.350	P
24897	311824	16.66	3.251	.375	2
24898	311826	7.68	3.251	.375	4
24899	311828	52.49	3.251	.375	4
24904	311838	15.08	3.251	.250	1
24910	311846	32.98	3.251	.438	3
24911	311848	25.51	3.251	.438	5
24913	311850	54.93	3.251	.500	2
24914	311852	40.31	3.251	.438	3
24916	311854	48.17	3.251	.438	5
24917	311856	11.91	3.301	.453	4
24931	311864	15.51	3.350	.438	3
24932	311866	22.48	3.350	.438	5
24934	311867	30.41	3.371	.438	5
24936	311868	33.95	3.371	.438	5
24949	311874	21.31	3.428	.375	4
24951	311876	15.12	3.428	.375	4
24954	311878	16.87	3.371	.438	3
24960	311880	34.18	3.500	.625	--
24971	311886	49.96	3.500	.375	4
24980	311888	16.59	3.500	.438	2
24982	311890	24.11	3.500	.438	4
24984	311892	68.67	3.500	.438	3
24986	311894	18.55	3.500	.438	3
24988	311896	19.26	3.500	.438	5
24989	311898	25.28	3.500	.438	3
24990	311900	48.61	3.500	.438	5
25007	311910	13.28	3.500	.250	1
25028	311912	14.11	3.505	.250	1
25043	311918	20.18	3.543	.438	3
25065	311920	25.58	3.543	.438	5
25071	-----		3.623	.438	3
25074	311928	18.85	3.623	.375	2
25075	311930	17.28	3.623	.375	4
25076	311932	33.03	3.623	.375	4
25082	-----		3.502	.406	2
25085	311938	39.81	3.695	.500	--
25091	311940	22.29	3.751	.438	3
25096	311944	80.84	3.761	.907	--
25100	311954	34.73	3.876	.438	3
25102	311956	32.77	3.876	.469	5
25108	311960	25.72	4.003	.375	4
25110	311962	35.85	4.003	.375	4
25140	311965	32.36	4.035	.640	--
25445	3120056	22.45	4.035	.640	4
25146	311966	42.72	4.938	.500	--
2.560" Shaft					
25515	312022	14.59	3.094	.256	1
2.563" (2-9/16") Shaft					
25561	-----		3.481	.500	5
25587	312030	38.75	3.500	.500	5
25641	312040	18.62	3.623	.438	3
2.563" (2-9/16") Shaft					
25661	-----		3.623	.469	4
25713	312049	22.66	3.751	.438	3
25714	312050	23.24	2.751	.438	5
25745	312056	36.63	3.873	.438	5
25748	312058	26.18	3.876	.438	3

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type
2.598" (66mm) Shaft					
25970	312084	\$21.12	3.481	.438	5
25990	312086	18.06	3.999	.787	4
2.607" Shaft					
25950	312080	21.74	3.350	.375	3
2.625" (2-5/8") Shaft					
26110	-----		3.251	.438	3
26122	312097	27.67	3.350	.375	2
26123	312098	20.04	3.350	.375	2
26124	312100	17.15	3.350	.375	4
26141	-----		3.374	.438	5
26144	-----		3.371	.250	1
26153	312112	22.45	3.371	.438	5
26163	312116	14.96	3.481	.438	3
26177	312120	36.70	3.500	.375	2
26186	312122	24.96	3.500	.375	4
26189	312126	19.37	3.500	.438	3
26190	312128	24.50	3.500	.438	5
26191	312130	19.60	3.500	.438	4
26194	312132	21.83	3.543	.438	3
26204	312146	46.29	3.623	.375	2
26208	312148	55.57	3.623	.438	3
26209	312150	23.01	3.623	.438	3
26211	312154	20.13	3.623	.438	5
26220	312156	18.59	3.623	.375	4
26237	-----		3.623	.375	2
26238	312160	13.37	3.623	.375	4
26260	312162	23.81	3.623	.250	1
26284	312168	16.64	3.751	.375	4
26289	312170	61.25	3.751	.715	--
26297	312172	24.61	3.751	.438	3
26298	312174	21.51	3.751	.438	5
26310	312188	25.40	3.813	.415	--
26328	312190	28.57	3.876	.438	3
26346	312194		3.936	.438	3
26354	312198	22.96	4.003	.375	4
26356	312200	25.28	4.003	.438	3
26358	312202	45.83	4.063	1.094	4
26359	312204	34.31	4.370	.438	5
26368	-----		4.438	.438	3
26373	-----		4.563	.719	4
2.667" Shaft					
26620	312230	37.51	3.751	.500	1
2.677" (68mm) Shaft					
26695	312245	57.18	4.882	1.063	--
2.688" (2-11/16") Shaft					
26761	312254	18.62	3.751	.438	3
26921	312278	34.41	3.876	.438	3
26975	312280	34.11	4.003	.469	3
2.700" Shaft					
26747	312251	12.07	3.498	.475	1
2.750" (2-3/4") Shaft					
27225	312292	16.96	3.250	.313	1
27251	312294	32.22	3.481	.438	2
27268	312298	15.08	3.500	.375	2
27269	312300	13.93	3.500	.375	4
27271	312302	21.93	3.500	.250	1
27272	312304	51.32	3.500	.375	4
27280	312310	14.09	3.500	.438	3
27284	312312	17.12	3.538	.438	3
27292	312316	34.80	3.543	.438	3
27293	312317	77.73	3.543	.438	3
27295	312318	36.17	3.543	.438	5
27324	312330	36.59	3.623	.438	3
327334	312336	19.40	3.623	.438	3
27361	312338	25.79	3.751	.438	2
27362	312340	27.33	3.751	.438	4
27365	312342	49.83	3.751	.438	3
27368	312344	23.30	3.751	.438	3
27370	312346	23.44	3.751	.438	5
27377	312348	33.00	3.751	.438	4
27394	312352	21.93	3.751	.250	1
27426	312354	22.52	3.765	.438	3
27430	312358	14.85	3.773	.365	--
27452	312362	29.81	3.876	.438	5
27467	312366	29.23	3.876	.438	4
27470	312368	18.71	3.876	.438	3

SKF / CHICAGO RAWHIDE OIL SEALS

R21

Package of 1
Seal O.D. is approximately .004 larger than its bore diameter of housing for press fit.

Generic is Decimal I.D. x O.D. Family is Decimal I.D. or Shaft Size



Open
Group 1



Open
Group 2



With
Washer
Group 3



Open
Group 4



With
Washer
Group 5



With
Washer
Group 6



X15
Group 7



CRWA5
Group P

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type
27471	312370	\$26.38	3.876	.438	5
27501	312380	54.17	3.876	.703	--
27525	312382	42.31	3.936	.438	3
27526	312384	26.50	3.937	.438	4
27536	312388	116.22	4.030	.918	--
27539	312390	52.08	4.003	.375	4
27541	312392	31.74	4.003	.438	3
27565	312394	45.30	4.003	.438	5
27576	312395	27.86	4.125	.438	2
27577	312397	41.32	4.126	.563	4
27600	312404	30.91	4.249	.438	3
27601	312406	32.93	4.249	.438	5
27625	312410	43.62	4.331	.500	5
27642	312414	81.43	5.501	1.375	4
2.813" (2-13/16") Shaft					
28035	312456	21.56	3.751	.438	3
28116	312468	35.95	3.876	.438	3
28175	312470	25.05	4.004	.438	3
28270	312480	20.36	4.249	.313	2
28275	312482	25.79	4.249	.438	3
2.835" (72mm) Shaft					
28305	312490	19.31	3.365	.709	2
2.844" (2-27/32") Shaft					
28425	312514	9.54	3.939	.500	4
28426	312515	15.12	3.939	.550	5
28464	312516	33.05	4.003	.438	3
28474	312518	70.33	4.003	.500	3
2.875" (2-7/8") Shaft					
28654	312536	19.86	3.623	.438	3
28655	312537		3.623	.438	5
28656	312538	29.21	3.623	.500	--
28669	312540	26.11	3.751	.375	4
28670	312542	50.38	3.751	.375	4
28686	312546	22.27	3.751	.438	3
28687	312548	20.11	3.751	.438	5
28697	312550	22.39	3.751	.438	3
28698	312552	37.81	3.751	.438	3
28699	312554	56.47	3.751	.438	5
28700	312564	20.22	3.751	.250	1
28720	312568	15.79	3.876	.432	4
28725	312570	22.59	3.876	.188	1
28745	312572	27.46	3.876	.438	3
28746	312574	26.36	3.876	.438	5
28748	312576	42.06	3.876	.438	5
28751	312578	19.54	3.876	.250	1
28760	312584	30.43	4.003	.438	3
28761	312586	27.37	4.003	.438	5
28778	312592	27.19	4.003	.375	4
28779	312594	35.74	4.003	.375	4
28790	-----		4.003	.750	--
28800	312608	22.50	4.003	.250	1
28817	312610	22.62	4.125	.375	3
28828	312616	54.84	4.125	.813	3
28830	312618	43.94	4.176	.813	3
28841	312622	28.91	4.331	.438	4
28848	312624	31.88	4.501	.438	3
2.913" (74mm) Shaft					
29105	312635	24.71	3.543	.394	2
29208	312638	24.32	3.378	.180	2
29218	312640	17.83	3.623	.375	2
29223	-----		3.751	.375	2
2.938" (2-15/16") Shaft					
29224	312644	18.98	3.751	.375	4
29226	312646	33.78	3.751	.375	4
29262	312650	40.38	3.876	.375	5
29273	312654	39.76	3.937	.438	4
29288	-----		3.937	.594	--
29292	312660	51.09	4.003	.625	--
29316	312666	20.41	4.003	.438	3
29322	312670	22.50	4.003	.438	4
29384	312674	24.15	4.125	.375	3
29385	312676	31.37	4.125	.375	5
29465	312682	25.05	4.501	.438	3
29471	312684	38.31	4.938	1.375	4

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type
2.953" (75mm) Shaft					
29590	312714	\$31.53	4.724	.320	1
2.992" (76mm) Shaft					
29675	312716	29.62	3.661	.394	4
29685	312718	41.48	3.858	.472	4
3.000" (3") Shaft					
29840	312724	17.28	3.500	.313	1
29841	312725	37.07	3.500	.375	2
29850	312726	24.68	3.623	.250	1
29863	312728	17.10	3.751	.250	1
29865	312730	18.02	3.751	.375	2
29866	312732	22.04	3.751	.375	4
29867	312734	22.64	3.751	.375	4
29868	312736	39.05	3.751	.375	2
29870	312738	50.75	3.751	.375	4
29871	312740	20.64	3.751	.438	3
29872	312742	15.28	3.751	.438	5
29877	312743	35.69	3.876	.313	2
29887	312746	29.60	3.876	.438	3
29891	312748	45.41	3.876	.469	3
29900	312760	31.39	4.000	.500	7
29906	312762	14.73	4.003	.375	2
29907	312764	16.87	4.003	.375	4
29912	312766	51.73	4.003	.375	4
29925	312772	38.86	4.003	.438	5
29950	312776	35.37	4.003	.375	3
29951	312778	22.02	4.003	.438	3
29952	312780	20.78	4.003	.438	5
29958	312782	56.19	4.003	.438	3
29968	312784	23.01	4.003	.250	1
30000	312796	31.07	4.125	.438	3
30003	312798	44.70	4.125	.438	3
30015	312802	56.56	3.683	.540	4
30033	312804	31.62	4.249	.438	3
30049	312806	20.36	4.249	.250	1
30060	312810	33.88	4.331	.438	3
30070	312814	34.80	4.376	.438	3
30087	312818	32.82	4.500	.438	3
30095	312820	38.47	4.500	.438	5
30098	312822	100.20	4.501	.438	3
30108	312830	42.98	4.525	.375	7
30125	312834	40.91	4.999	.438	3
30144	312838	113.26	5.501	1.375	--
30145	312840	66.08	4.939	.750	4
30147	312842	54.49	5.750	1.300	4
30148	312844	44.43	5.750	.840	4
3.063" (3-1/16") Shaft					
30651	312864	135.74	4.500	1.016	7
3.125" (3-1/8") Shaft					
31129	312994	17.12	3.751	.250	1
31132	312997		3.811	.355	2
31135	312998	12.13	3.811	.375	2
31139	313000	28.61	4.003	.375	4
31147	313006	24.94	4.003	.438	3
31148	313008	16.94	4.003	.438	5
31152	313010		4.003	.375	5
31158	313012		4.049	.438	--
31173	313014	50.93	4.125	.438	5
31177	313018	19.14	4.125	.375	2
31179	313019	34.41	4.125	.375	4
31185	313020	71.06	4.125	.438	5
31189	313022	29.26	4.125	.438	3
31192	313024		4.125	.250	1
31203	313034	16.75	4.174	.290	1
31227	313036	24.41	4.249	.438	3
31228	313038	32.77	4.249	.438	5
31237	313040	67.27	4.376	.438	3
31250	313044	30.89	4.375	.438	3
31261	313048	72.79	4.376	.438	5
31269	313054	33.83	4.501	.438	3
31284	313058	92.25	4.562	.750	3
31299	313062	30.31	4.626	.438	3
31316	313076		4.751	.438	3
31333	313078	30.52	4.999	.438	3
31353	313082	42.95	5.251	.438	3

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type
3.150" (80mm) Shaft					
532099	313116	\$17.51	3.994	.591	7
3.188" (3-3/16") Shaft					
31753	313148	51.37	4.180	.750	--
31758	313150	33.33	4.249	.438	3
31825	313162	26.73	4.376	.438	3
31855	313164	28.50	4.501	.438	3
31870	313168	40.29	4.626	.438	3
31955	313174	48.45	4.999	.438	3
3.228" (82mm) Shaft					
32304	3131814	43.35	4.134	.512	4
3.250" (3-1/4") Shaft					
32325	3131836	24.50	3.750	.250	1
32330	3131841	20.09	3.876	.375	2
32332	3131843	35.62	3.876	.375	4
32344	3131856	19.47	4.003	.375	2
32347	313186	33.58	4.003	.375	4
32380	313190	30.89	4.249	.438	3
32385	313193	37.00	4.249	.438	5
32392	313196	67.16	4.249	.375	4
32393	313198	17.28	4.249	.375	2
32394	313199	31.83	4.249	.750	--
32395	313200	13.97	4.249	.375	4
32396	313202	22.36	4.249	.438	3
32397	313204	25.33	4.249	.438	5
32403	313212	59.53	4.249	.438	3
32412	313214	19.95	4.249	.250	1
32424	313220	33.78	4.376	.438	3
32437	313223	37.32	4.468	.315	7
32441	313224	77.61	4.500	.313	7
32448	313228	32.54	4.500	.438	4
32477	313238	31.14	4.501	.375	2
32501	313250	39.58	4.501	.438	3
32502	313252	32.27	4.501	.438	5
32510	313254	26.32	4.501	.250	1
32514	313255	32.11	4.626	.433	5
32527	3132557	35.23	4.500	.610	--
32540	313260	25.86	4.626	.438	3
32555	313263	52.56	4.718	.438	3
32560	313264	41.19	4.751	.438	3
32582	313270		4.999	.438	3
32583	313271	35.07	4.999	.438	5
3.262" Shaft					
32710	313296	28.04	4.626	.500	4
3.313" (3-5/16") Shaft					
33033	313306	24.02	4.125	.438	3
33073	313310	29.67	4.249	.438	3
33136	313316		4.500	.438	3
33206	313330		4.999	.438	3
33250	313332		5.501	.438	3
3.375" (3-3/8") Shaft					
33628	313366	104.57	3.948	.375	4
33645	313372	28.31	4.125	.375	2
33654	313374	31.67	4.280	.406	4
33665	313378	31.26	4.249	.438	5
34647	313531	35.69	4.125	.375	4
33700	313390	16.80	4.376	.375	2
33701	313392	21.24	4.376	.375	4
33711	313394	25.90	4.376	.438	3
33712	313396	36.22	4.376	.438	5
33733	313400	47.71	4.501	.438	4
33735	313402		4.501	.438	3
33772	313406	41.92	4.626	.438	3
33773	313408	38.52	4.626	.438	5
33807	313422	34.73	4.686	.438	3
33837	313426	36.66	4.999	.438	3
33866	313434	43.58	5.251	.438	5
3.400" Shaft					
34000	313442	14.00	4.500	.281	7
3.425" (87mm) Shaft					
34120	313452		3.937	.315	4

R22

Package of 1

SKF / CHICAGO RAWHIDE OIL SEALS

Generic is Decimal I.D. x O.D.

Family is Decimal I.D. or Shaft Size

Seal O.D. is approximately .004 larger than its bore diameter of housing for press fit.

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type	Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type	Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type
3.438" (3-7/16") Shaft						3.465" (88mm) Shaft						4.000" (4") Shaft					
34256	313464	\$17.61	4.249	.375	2	36221	313838	\$34.18	4.695	.395	7	39835	314229	\$30.11	4.501	.250	1
34279	313466	31.60	4.501	.375	4	36234	313840	35.53	4.751	.500	4	39851	-----		4.876	.438	2
34282	313468	32.82	4.501	.438	3	36282	-----		4.814	.906	4	39860	314234	37.81	4.876	.250	1
34283	313470	25.02	4.501	.438	5	36289	313850	47.21	4.839	.500	--	39895	314236	46.01	4.999	.375	2
34336	313482		4.626	.438	3	36314	313854	20.01	4.876	.438	4	39921	314246	100.07	4.999	.375	4
34338	313483	28.02	4.626	.438	5	36337	313856	27.03	4.876	.375	2	39922	314248	29.28	4.999	.375	2
34379	313486	38.89	4.751	.438	4	36340	313858	67.16	4.876	.750	--	39923	314250	25.37	4.999	.375	4
34383	313488	31.30	4.756	.438	3	36359	313860	54.63	4.999	.375	4	39930	314251	41.19	4.999	.438	5
34398	313494	19.61	4.876	.438	3	36361	313862	29.76	4.999	.375	4	39932	314252	118.34	4.999	.438	3
34407	313506	33.55	4.999	.438	3	36363	313864	33.03	4.999	.438	3	39933	314254	31.46	4.999	.438	3
3.465" (88mm) Shaft						36364	313866	44.77	4.999	.438	5	39934	314256	29.26	4.999	.438	5
34611	313529	20.66	4.252	.427	2	36382	313874	49.25	5.251	.375	4	39935	314258	42.31	4.999	.438	3
3.469" (3-15/32") Shaft						36391	313880	59.85	5.375	.438	5	39946	314259	84.94	4.999	.438	--
34700	313544	37.88	4.626	.625	4	3.688" (3-11/16") Shaft						39961	314260		4.999	.250	1
3.500" (3-1/2") Shaft						36740	-----		4.501	.438	5	39975	314262	39.02	5.126	.438	3
34835	313554	20.55	4.000	.300	1	36770	313898	37.09	4.751	.438	3	39996	314272	100.07	5.251	.438	3
34840	313556	15.52	4.003	.250	1	36880	-----		4.999	.438	3	39997	314274	35.92	5.251	.438	3
34848	313558	18.29	4.125	.250	1	36895	313902	40.01	5.126	.438	4	40000	314284	38.63	5.251	.438	4
34857	313560	69.09	4.249	.438	5	36910	313912	37.23	5.626	.438	4	40020	314285	36.93	5.310	.500	5
34860	313562		4.376	.375	2	3.750" (3-3/4") Shaft						40036	314288	48.77	5.376	.438	3
34861	313564	27.88	4.376	.375	4	37328	313949	42.17	4.501	.375	2	40049	314292	49.69	5.501	.438	3
34866	313568	53.39	4.376	.375	4	37330	313950	32.91	4.501	.469	5	40077	314296	30.59	5.626	.375	4
34867	313570	26.50	4.376	.438	3	37340	313954	35.76	4.501	.380	2	40078	314298	38.20	5.626	.438	8
34868	313572	26.77	4.376	.438	5	37341	313955	59.85	4.501	.376	2	40108	314312	57.94	5.751	.438	3
34883	313574	72.44	4.501	.375	4	37381	313958	74.85	4.751	.875	--	40131	314314	36.66	5.813	.500	--
34885	313578	31.97	4.450	.531	1	37387	313960	36.43	4.751	.375	2	40138	314320	80.88	6.001	.500	3
34886	313580	16.94	4.501	.375	2	37388	-----		4.751	.375	2	40158	314322	54.49	6.250	.500	3
34887	313582	26.34	4.501	.375	4	37389	313964	33.39	4.751	.438	4	4.012" Shaft					
34888	313584	26.98	4.501	.438	3	37390	313966	24.87	4.751	.438	4	40210	314334	42.66	5.693	.813	4
34889	313586	26.77	4.501	.438	5	37395	313972	49.41	4.751	.438	5	4.063" (4-1/16") Shaft					
34890	313587	56.97	4.438	.438	7	37396	313974	24.48	4.751	.438	3	40510	314360	48.15	5.390	.375	7
34891	313588	39.44	4.501	.438	5	37405	313986	109.86	4.751	.438	3	4.125" (4-1/8") Shaft					
34892	313590	68.05	4.501	.438	3	37433	313990	32.31	4.876	.438	3	41125	314374	29.76	4.999	.438	3
34967	313604	13.97	4.501	.250	1	37524	314000	53.25	4.999	.375	2	41126	314376	90.55	4.999	.438	3
34980	313608	31.67	4.547	.740	--	37525	314002	37.53	4.999	.375	2	41170	314380	48.59	5.126	.438	3
34985	313612	34.08	4.626	.438	3	37526	314004	33.88	4.999	.375	4	41171	314382	61.98	5.126	.438	3
35012	313626	32.57	4.751	.438	3	37532	314006	32.87	4.999	.438	3	41185	314384	35.44	5.251	.438	3
35020	313628	29.23	4.751	.438	5	37533	-----		4.999	.438	5	41186	314386	64.63	5.251	.438	3
35029	313630	30.57	4.751	.625	3	37574	314014	46.22	5.251	.438	3	41265	314396	34.70	5.501	.438	3
35039	313634	66.83	4.751	.375	4	37577	314016	65.52	5.251	.438	3	41287	314400	41.81	5.751	.438	3
35040	313636	36.04	4.751	.250	1	3.813" (3-15/16") Shaft						41305	314402	57.27	6.001	.438	3
35042	313638	21.93	4.751	.250	1	38040	314038	26.87	4.501	.250	1	41307	314404	89.20	6.001	.438	3
35062	313646	65.18	4.842	.906	--	38041	314039	33.55	4.501	.250	1	4.166" Shaft					
35076	313654	134.08	4.953	1.096	--	38160	-----		4.999	.469	3	41550	314434	28.94	5.501	.600	4
35080	313656	60.12	4.999	.438	4	38220	314058	32.08	5.251	.469	3	4.188" (4-3/16") Shaft					
35082	-----		4.999	.438	3	3.873" Shaft						41751	314444	38.22	4.999	.469	5
35083	313660	50.15	4.999	.438	5	38845	-----		5.999	.625	4	41761	314446	51.46	5.251	.469	3
35086	-----		5.126	.438	5	3.875" (3-7/8") Shaft						41813	314448	44.40	5.501	.500	4
35095	313668	39.39	5.126	.438	5	38646	314090	46.06	4.751	.375	2	41814	314449	94.94	5.501	.500	4
35096	313670	50.72	5.251	.438	3	38647	314092	28.27	4.751	.375	4	41833	314450	55.37	5.751	.500	5
35098	313672	39.65	5.251	.750	--	38649	314094	63.34	4.751	.375	4	4.250" (4-1/4") Shaft					
3.543" (90mm) Shaft						38653	314096	26.57	4.751	.438	3	42340	314470	26.59	4.813	.313	1
35422	-----		4.528	.512	4	38669	-----		4.876	.438	5	42380	314472		5.126	.250	1
3.563" (3-9/16") Shaft						38673	-----		4.876	.438	5	42419	314482	28.57	5.251	.375	4
35556	313732	25.42	4.501	.438	3	38678	314103	89.04	4.876	.500	5	42422	314484		5.251	.375	2
35593	313734	26.11	4.626	.438	3	38691	314104	26.82	4.999	.375	2	42425	314485	33.49	5.251	.375	3
35649	313744	29.62	4.751	.438	3	38692	314106	25.51	4.999	.375	4	42426	314486		5.251	.438	3
35676	313746	35.21	4.876	.438	3	38694	314108	53.50	4.999	.375	4	42427	314488	35.35	5.251	.438	5
35716	-----		4.999	.438	3	38702	-----		5.126	.438	5	42433	314490	84.78	5.251	.438	3
3.574" Shaft						38703	314118	38.75	5.126	.438	3	42470	314494	22.41	5.251	.250	1
35810	313766	41.48	4.758	.625	4	38713	314124	39.23	5.126	.438	5	42474	314496	72.65	5.373	.438	4
3.583" (91mm) Shaft						38730	314126	46.56	5.251	.438	3	42475	314498	31.23	5.376	.438	3
35905	313776	44.84	4.370	.394	4	38731	314128	38.34	5.251	.438	5	42528	314510	34.82	5.501	.438	3
3.620" Shaft						38740	314130	211.97	5.313	1.102	--	42540	314514	75.22	5.501	.750	--
36120	313798	58.72	4.626	.500	--	38745	-----		5.376	.438	3	42557	314520	46.24	5.626	.438	4
3.625" (3-5/8") Shaft						38749	314135	51.16	5.501	.500	P	42573	314522	48.15	5.751	.438	3
36147	3138012	36.80	4.240	.380	2	38751	314138	119.84	5.563	1.267	--	42592	314528	150.05	5.876	.500	3
36153	313802	48.10	4.376	.375	4	38758	314140	54.42	5.626	.835	5	42616	314534	56.86	6.001	.500	3
36155	313804	49.23	4.376	.375	4	38774	-----		5.690	.500	3	42635	314542	58.15	6.126	.500	3
36157	313805	31.90	4.376	.375	3	38777	314144	39.74	5.690	.750	--	42644	314544	52.75	6.250</		

SKF / CHICAGO RAWHIDE OIL SEALS

R23

Package of 1 Generic is Decimal I.D. x O.D. Family is Decimal I.D. or Shaft Size
Seal O.D. is approximately .004 larger than its bore diameter of housing for press fit.

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type
4.375" (4-3/8") Shaft					
43650	314640	\$40.10	5.376	.438	3
43691	314642	34.43	5.501	.438	3
43751	314652	61.62	5.751	.438	3
43762	314656	80.26	5.907	.984	--
43771	314660	74.56	6.001	.500	3
43820	314674	85.63	6.250	.500	3
44269	314700	39.01	5.373	.570	7
4.438" (4-7/16") Shaft					
44275	314706	47.90	5.501	.500	3
44276	314707	68.99	5.501	.500	3
44295	314710	48.49	5.751	.500	3
44320	314718	75.82	6.001	.500	3
44350	314720	76.10	6.250	.500	3
4.477" Shaft					
44630	314730	59.89	6.250	.500	3
4.500" (4-1/2") Shaft					
44892	314744	94.32	6.015	.550	7
44913	314754	62.42	5.251	.438	3
44917	314758	101.68	5.251	.438	5
44920	314760	33.26	5.376	.438	3
44926	314764	95.95	5.376	.438	5
44959	314766	26.02	5.501	.375	2
44960	314768	32.77	5.501	.375	4
44967	314772	33.58	5.501	.438	3
44968	314774	33.28	5.501	.438	5
44973	314776	90.74	5.501	.438	3
44980	314780	63.69	5.501	.435	3
45025	3147974	33.99	5.501	.250	1
45032	3147976	39.21	5.626	.438	3
45033	3147977	204.32	5.626	.438	5
45064	314798	67.52	5.751	.375	4
45069	314802	37.30	5.751	.438	3
45070	314804	48.72	5.751	.438	5
45110	314824	44.89	6.001	.500	3
45111	314826	50.95	6.001	.500	5
45112	314827	96.57	6.001	.500	5
45140	314828	62.58	6.126	.563	3
45150	314830	74.97	6.250	.500	3
45161	314836	71.94	6.409	.415	7
45167	314840	72.92	6.750	.375	7
4.563" (4-9/16") Shaft					
45550	314890	54.15	5.751	.500	5
4.625" (4-5/8") Shaft					
46125	314900	84.19	5.501	.500	2
46144	314902	27.90	5.626	.500	3
46155	314904	69.32	5.626	.500	3
46200	314914	33.90	5.751	.500	3
46208	314916	78.23	5.751	.500	3
46285	314920	32.44	6.001	.500	3
46309	314923	115.30	6.186	1.250	--
46324	314924	60.49	6.250	.500	3
46395	314928	203.19	6.623	1.094	4
4.688" (4-11/16") Shaft					
46851	314950	32.29	5.751	.250	1
46790	314938	55.55	5.751	.512	3
46800	314948	41.19	5.751	.512	3
46920	314962	30.29	6.001	.266	1
46935	314964	54.52	6.001	.380	2
46950	314966	64.14	6.250	.500	3
46975	314970	220.08	6.400	1.525	--
4.750" (4-3/4") Shaft					
47378	314999	32.54	5.375	.313	1
47375	314998	45.02	5.749	.438	2
47379	315000	119.46	5.751	.500	2
47382	315002	86.44	5.751	.500	4
47383	315003	37.76	5.751	.500	2
47394	315008		5.751	.500	3
47395	315010	45.34	5.751	.500	5
47441	315022	60.86	5.875	.500	3
47455	315024		6.002	.300	7
47474	315028		6.001	.500	3
47475	315030	43.37	6.001	.500	5
47481	315032	120.66	6.001	.500	2
47583	315042		6.250	.500	3
47586	315046	156.05	6.250	.500	5
47591	315048	41.53	6.250	.610	--
47660	315056	73.06	6.619	1.181	--

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type
4.875" (4-7/8") Shaft					
48650	315116	\$35.76	5.501	.250	1
48692	315120	118.68	6.001	.500	3
48693	315122	40.73	6.001	.500	3
48726	315132	47.02	6.126	.500	3
48769	315134	46.70	6.250	.500	3
48883	315152	71.71	6.375	.516	2
48886	315156	44.56	6.440	.500	2
4.902" Shaft					
49050	315168	54.49	6.309	.709	4
49060	315170	71.98	7.085	.475	7
4.921" (4-59/64") Shaft					
49274	315188	111.58	6.375	.500	5
4.938" (4-15/16") Shaft					
49251	315184	45.00	6.001	.400	3
49301	315200		6.250	.500	3
5.000" (5") Shaft					
49920	315220	91.98	5.751	.500	2
49927	315224	132.82	6.001	.500	5
49928	315226	45.32	6.001	.500	3
49929	315228	69.96	6.001	.500	5
49935	315230	91.26	6.000	.500	2
49951	315233	105.95	6.125	.500	2
49960	315235	78.07	6.126	.500	2
49966	315236	67.50	6.250	.500	3
49984	315238		6.250	.500	2
49985	315240	40.49	6.250	.500	4
49990	315242	61.98	6.250	.500	3
49991	315244	156.17	6.250	.500	3
49998	315246	58.15	6.250	.500	5
50070	315256		6.250	.250	1
50130	315272	71.52	6.375	.500	3
50138	315273	76.44	6.375	.500	5
50148	315274	80.30	6.500	.500	3
50151	315275	177.04	6.500	.500	3
50167	315276	135.64	6.623	.906	4
50168	315278	71.52	6.750	.500	3
50172	315280	76.03	6.750	.500	5
50185	315282	73.59	7.000	.500	5
50186	315284	150.90	7.125	.500	--
50195	315288		7.500	.500	5
5.063" (5-1/16") Shaft					
50618	315290	56.95	6.126	.500	3
50620	315292	110.46	6.125	.500	--
50640	315294	43.81	6.310	1.313	3
50650	315298	66.95	6.375	.500	3
5.125" (5-1/8") Shaft					
51240	315316	60.72	6.126	.500	5
51243	315317	75.13	6.126	.500	2
51247	315318	78.81	6.126	.500	2
51248	315320	52.93	6.375	.500	3
51252	315322	59.02	6.250	.500	5
51253	315324	92.80	6.250	.500	4
51255	315326	120.68	6.375	.500	3
51260	315328	123.33	6.408	.625	--
51276	315330	76.65	6.500	.500	5
51277	-----		6.625	.500	2
51320	315334	135.90	7.000	.500	2
5.188" (5-3/16") Shaft					
51800	315336	117.53	6.250	.500	2
51852	315368	123.92	6.501	.625	3
5.250" (5-1/4") Shaft					
52440	315384		6.001	.375	2
52443	315385	89.33	6.001	.500	3
52445	315386	74.33	6.250	.500	3
52447	315388	124.22	6.250	.500	3
52475	315392	42.40	6.250	.250	1
52488	315398	59.07	6.500	.500	3
52489	315400	159.13	6.500	.500	3
52648	315412		6.750	.500	3
52649	315414	132.45	6.750	.500	3
52651	315416	114.71	6.750	.500	2
52655	315418	140.88	7.125	.500	2
5.313" (5-5/16") Shaft					
53100	315426	120.66	6.375	.500	2
53151	315428	67.16	6.500	.500	5

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type
5.375" (5-3/8") Shaft					
53688	315440	\$73.25	6.374	.500	5
53692	315442	76.26	6.499	.563	3
53701	315452	63.29	6.625	.500	3
53702	315454	164.99	6.625	.500	3
53771	315458	125.23	6.750	.500	3
53775	315460	73.98	6.750	.500	3
53790	315462	54.17	6.876	1.000	--
5.438" (5-7/16") Shaft					
54300	315484	129.97	6.625	.500	2
5.500" (5-1/2") Shaft					
54925	315490	53.27	6.250	.500	4
54929	315492	99.08	6.310	1.188	--
54931	315496	47.45	6.500	.500	3
54934	315500	157.16	6.500	.500	3
54936	315504	72.19	6.500	.500	3
54940	315506	96.48	6.499	1.063	--
54949	315508	71.06	6.626	.563	5
54959	315510	53.69	6.750	.500	2
54960	315512	52.75	6.750	.500	4
54972	315514	53.02	6.750	.500	3
54974	315516	167.15	6.750	.500	3
55152	315536	127.67	6.780	.380	--
55157	315538	101.01	6.876	.563	5
55170	315542	144.26	6.998	1.188	--
55175	315544	95.01	7.250	.625	--
55179	315546	105.79	7.501	.563	3
5.625" (5-5/8") Shaft					
56101	315558	67.09	6.625	.500	3
56102	315559	164.99	6.625	.500	3
56112	315561	257.80	6.750	.750	--
56136	315562	65.02	6.875	.500	3
56137	315564	133.07	6.875	.500	3
56160	315566	122.54	7.125	.500	5
5.750" (5-3/4") Shaft					
57502	315610	48.36	6.375	.250	1
57505	315612	67.45	6.625	.500	3
57506	315614	96.00	6.625	.500	2
57510	315616	68.30	6.750	.500	3
57522	315622	167.48	6.750	.500	3
57519	315618	85.36	6.876	.563	5
57521	315620	55.37	7.000	.500	3
57523	315624	179.01	7.000	.500	3
57531	315626	77.06	7.000	.500	5
57571	315629	52.63	7.003	.250	--
57578	315630	88.62	7.126	.563	5
57584	315634	82.03	7.502	.563	5
5.875" (5-7/8") Shaft					
58709	315650	126.93	6.875	.500	3
58710	315654	140.22	7.000	.500	2
58716	315658	89.13	7.125	.500	3
58717	315660	213.62	7.125	.500	3
58741	315662	66.72	7.125	.500	5
58760	315664	86.07	7.500	.500	3
5.938" (5-1/516") Shaft					
59300	315684	125.78	7.000	.500	2
6.000" (6") Shaft					
59999	315695	64.54	6.750	.500	4
60000	315700	87.66	6.750	.500	2
60006	315704	87.70	7.002	.500	5
60009	315705	123.42	7.250	.500	2
60012	3157055	83.24	7.126	.563	5
60016	315706	69.94	7.500	.500	4
60026	315708	220.59	7.500	.500	5
60028	315712	88.58	7.500	.500	5
60075	315716	73.54	7.500	.250	1
6.063" (6-1/16") Shaft					
60650	315718	154.93	7.500	.500	2
6.125" (6-1/8") Shaft					
61210	315728	79.18	7.125	.625	3
61212	315729	169.47	7.125	.550	--
61215	315730	126.06	7.125	.500	2
61230	315731	127.19	7.250	.500	2
61235	315732	152.61	7.375	.500	2
61248	315736	113.53	7.502	.563	5
61255	315738	79.45	7.625	.625	3
61256	315740	110.87	7.625	.625	3

R24

Package of 1

Seal O.D. is approximately .004 larger than its bore diameter of housing for press fit.

SKF / CHICAGO RAWHIDE OIL SEALS

Generic is Decimal I.D. x O.D. Family is Decimal I.D. or Shaft Size

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type
-----------------	---------------------	----------	---------------	--------------	-----------

6.188" (6-3/16") Shaft
61840 315760 **\$96.00** 7.500 .563 3

6.204" Shaft
62000 315772 **103.70** 7.330 .500 2

6.250" (6-1/4") Shaft
62480 315776 **129.44** 7.250 .500 2
62482 315783 **82.14** 7.252 .500 3
62495 315784 **81.38** 7.500 .500 3
62497 315786 **181.56** 7.500 .500 3
62530 315796 **168.46** 7.500 .500 --
62535 315798 **76.81** 7.750 .500 3
62572 315802 **79.11** 7.875 .625 3

6.375" (6-3/8") Shaft
63700 315828 **81.93** 7.375 .625 3
63717 315829 **140.52** 7.500 .500 2
63734 315834 **86.78** 7.875 .563 5
63733 315832 **91.03** 7.875 .625 3

6.438" (6-7/16") Shaft
64330 315850 **126.50** 7.500 .500 2

6.500" (6-1/2") Shaft
64993 315880 **78.46** 7.500 .500 4
64994 315882 **71.61** 7.500 .500 3
64998 315884 **190.92** 7.500 .500 3
65021 315894 **75.80** 8.000 .500 2
65037 315898 **98.44** 8.000 .500 5

6.625" (6-5/8") Shaft
66217 315912 **143.16** 7.625 .500 2
66219 315913 **126.43** 7.750 .500 2
66222 315914 **143.90** 7.875 .500 2
66230 315915 **164.92** 8.000 .500 2
66241 315916 **90.32** 8.125 .500 3

6.750" (6-3/4") Shaft
67510 315936 **130.86** 7.750 .500 2
67515 315938 **94.76** 8.000 .500 3
67533 315942 **93.91** 8.250 .500 3
67600 315950 **162.47** 8.750 .500 2

6.875" (6-7/8") Shaft
68730 315959 **147.83** 8.250 .500 2
68745 315960 **79.96** 8.375 .500 3
68760 315961 **140.42** 8.500 .500 2

7.000" (7") Shaft
70016 315972 **71.71** 8.000 .625 3
70028 315976 8.250 .625 3
70034 315978 **116.68** 8.375 .625 5
70052 315982 **95.91** 8.500 .625 3
70053 315984 **94.30** 8.500 .625 5
70054 315986 **258.69** 8.500 .625 5
70080 315988 **79.73** 8.500 .500 4

7.125" (7-1/8") Shaft
71220 315994 **142.33** 8.250 .500 --
71245 316004 **90.46** 8.625 .625 3

7.250" (7-1/4") Shaft
72515 316016 **75.75** 8.250 .625 2
72539 316018 **104.46** 8.750 .625 5
72542 316020 **171.36** 8.750 .750 3
72570 316022 **128.84** 9.055 .625 5

7.375" (7-3/8") Shaft
73720 316036 **144.42** 8.375 .500 2
73730 316040 **145.89** 8.500 .500 2
73745 316046 **94.60** 8.875 .625 3


7.453" (7-28/64") Shaft
74540 316068 **155.62** 8.500 .750 2

7.500" (7-1/2") Shaft
75030 316092 **104.78** 8.500 .625 3
75046 316094 **153.62** 8.750 .500 2
75050 316096 **102.69** 9.000 .625 3
75052 316098 **123.95** 9.000 .625 5
75069 316106 **181.89** 9.250 .500 2

7.625" (7-5/8") Shaft
76215 316110 **98.27** 8.625 .563 3
76225 316112 **159.75** 8.875 .500 2
76255 316114 **103.01** 9.125 .625 3

7.750" (7-3/4") Shaft
77506 316116 **159.11** 8.750 .500 2
77540 316122 **97.68** 9.250 .625 3

SKF / CHICAGO RAWHIDE METRIC OIL SEALS



Oil Seal No. x H x MM	Our Sequence Number	Per Each	Seal Type
-----------------------	---------------------	----------	-----------

20MM SHAFT
20x35x7 306782 **\$4.11** 4
20x40x7 3067905 **3.95** 4

25MM SHAFT
25x40x7 307192 **3.91** 4
25x45x8 307197 **4.78** 4
25x52x8 307208 **5.70** 4

28MM SHAFT - STYLE 4
28x40x7 307560 **4.85** 4
28x42x7 307563 **2.28** 4

30MM SHAFT
30x42x7 307785 **4.64** 4
30x45x8 307791 **3.26** 4
30x47x8 307797 4
30x50x8 307801 **4.09** 4
30x52x8 307802 **5.52** 4
30x62x7 307818 **6.80** 4

32MM SHAFT
32x47x8 308176 **3.52** 4
32x48x8 308180 **2.30** 4
32x50x8 308182 **5.15** 4
32x52x8 308184 **4.99** 4

35MM SHAFT
35x47x7 308589 **4.00** 4
35x50x8 308594 **5.88** 4
35x52x8 308596 **5.56** 4
35x55x8 308606 **5.01** 4
35x62x8 308621 **6.85** 4
35x72x10 308578 **9.65** 4

38MM SHAFT
38x55x8 308769 **2.70** 4
38x58x8 308774 **4.53** 4
38x62x8 308780 **5.03** 4

40MM SHAFT
40x52x7 309190 **6.32** 4
40x55x8 309198 **6.32** 4
40x58x8 309204 **2.59** 4
40x62x8 309208 **6.44** 4
40x65x10 309212 **9.49** 4
40x68x8 309214 **4.76** 4
40x72x10 309218 **7.95** 4

42MM SHAFT
42x62x8 309463 **6.21** 4
42x65x10 309467 **4.41** 4

45MM SHAFT
45x60x8 309900 **6.21** 4
45x62x8 309904 **5.22** 4
45x65x8 309910 **6.53** 4
45x68x8 309918 **5.22** 4
45x72x8 309924 **7.86** 4

50x68x8 310516 **4.20** 4
50x72x8 310529 **3.35** 4
50x80x8 310540 **3.58** 4

48MM SHAFT
48x72x8 310316 **9.84** 4

Oil Seal No. x H x MM	Our Sequence Number	Per Each	Seal Type
-----------------------	---------------------	----------	-----------

50MM SHAFT
50x65x8 310510 **\$6.80** 4

52MM SHAFT
52x72x8 310848 **5.29** 4

55MM SHAFT
55x70x8 311141 **7.49** 4
55x72x8 311144 **7.54** 4
55x80x8 311150 **8.57** 4
55x85x8 311156 **8.43** 4

60MM SHAFT
60x80x8 311521 **8.57** 4
60x85x8 311526 **7.22** 4
60x90x8 311530 **10.34** 4

62MM SHAFT
62x80x10 311752 **3.55** 4

65MM SHAFT
65x80x8 311988 **7.75** 4
65x85x10 311992 **8.32** 4
65x90x10 311995 **9.61** 4

70MM SHAFT
70x90x10 3124299 **7.95** 4
70x100x10 312440 **11.35** 4
70x110x10 312444 **11.08** 4

72MM SHAFT
72x90x10 312496 **5.10** 4
72x95x10 312499 **7.63** 4
72x100x10 312501 **10.41** 4

75MM SHAFT
75x95x10 312704 **11.22** 4
75x100x10 312706 **11.10** 4
75x105x10 312708 **7.33** 4
75x110x12 312710 **14.13** 4

80MM SHAFT
80x100x10 313112 **12.50** 4
80x110x10 313122 **10.87** 4

85MM SHAFT
85x105x12 313342 **5.64** 4
85x110x12 313346 **14.89** 4
85x120x12 313358 **17.42** 4

90MM SHAFT
90x110x12 313701 **6.81** 4
90x120x12 313714 **12.25** 4


95MM SHAFT
95x115x12 313920 **11.49** 4
95x120x12 3139235 **14.13** 4

100MM SHAFT
100x120x12 3141652 **6.40** 4
100x125x12 3141669 **13.63** 4
100x130x12 314170 **19.33** 4
100x140x12 314174 **19.09** 4

Prices subject to change without notice. **ASK FOR QUANTITY DISCOUNT**

1-800-228-9222 / e-mail: sales@baumhydraulics.com
 Fax: 1-800-832-2522 / www.baumhydraulics.com / © Baum Hydraulics Corporation

BAUM HYDRAULICS CORPORATION




SPEEDI-SLEEVE®

SIZE OF SLEEVE
SHOWN BY LAST
3 DIGITS OF
PART NUMBER



Two sleeves for double
seal installation.



Flange removed for double
seal installation.

R25

Speedi-Sleeve® was created to fill a need. It is less costly than custom renewal of seal surfaces, either by welding or machine shop resleeving. It reduces downtime because the installation of a Speedi-Sleeve® offers a custom finish, chrome plated sealing surface of corrosion resistant stainless steel. Oversize seals need not be used. The original equipment type of seal or first-class replacements of exactly the same size are suitable.

C/R Number	Min. Ins.	Max. Ins.	Width Ins.	Our Sequence Number	Per Each
99049	.469	.475	.236	317312	\$35.14
99050	.498	.502	.250	317313	35.14
99055	.547	.551	.250	3173132	39.01
99056	.560	.566	.250	317314	22.65
99059	.589	.593	.197	317315	21.19
99060	.682	.686	.313	317316	33.26
99062	.623	.627	.313	317317	39.01
99068	.667	.671	.315	317318	33.71
99076	.748	.752	.313	317320	51.62
99078	.785	.789	.315	317322	33.44
99080	.780	.784	.313	317324	37.94
99081	.759	.761	.313	317325	36.20
99082	.704	.709	.315	317326	35.14
99084	.861	.866	.259	3173262	38.79
99085	.861	.866	.315	317327	33.88
99086	.857	.861	.250	317328	41.19
99087	.873	.877	.313	317330	38.11
99091	.908	.912	.313	317331	35.14
99094	.966	.970	.313	317332	35.14
99096	.966	.970	.625	317334	37.90
99098	.982	.986	.313	317336	51.62
99103	1.019	1.024	.315	317347	45.83
99106	1.060	1.064	.313	317348	51.62
99108	1.087	1.091	.313	317349	35.14
99111	1.100	1.104	.375	317350	24.23
99112	1.123	1.127	.313	317352	50.61
99114	1.179	1.184	.315	317354	53.83
99118	1.185	1.190	.313	317356	53.83
99120	1.154	1.158	.375	317358	35.14
99122	1.173	1.178	.313	317360	35.14
99123	1.216	1.222	.313	317361	22.65
99125	1.247	1.253	.313	317362	51.94
99128	1.257	1.263	.315	317364	37.14
99129	1.308	1.314	.250	317366	37.14
99131	1.310	1.316	.500	317368	49.96
99133	1.371	1.377	.313	317370	38.60
99138	1.371	1.377	.500	317372	52.88
99139	1.375	1.381	.512	317374	54.35
99141	1.237	1.243	.315	317376	35.14
99143	1.432	1.438	.563	317378	38.11
99144	1.435	1.441	.375	317379	
99146	1.412	1.417	.512	317380	41.35
99147	1.490	1.496	.512	317381	41.35
99149	1.497	1.503	.563	317382	59.66
99150	1.497	1.503	.375	317384	60.81
99152	1.520	1.526	.438	317385	39.02
99153	1.569	1.575	.389	3173852	42.04
99155	1.549	1.555	.438	317386	59.66
99156	1.559	1.565	.563	317388	58.05
99157	1.572	1.578	.512	317390	59.48
99160	1.602	1.608	.500	317391	58.65
99161	1.622	1.628	.313	317392	
99162	1.623	1.628	.563	317394	43.53
99163	1.608	1.614	.500	3173942	38.79

C/R Number	Min. Ins.	Max. Ins.	Width Ins.	Our Sequence Number	Per Each
99166	1.647	1.653	.445	317395	\$57.04
99167	1.685	1.691	.313	317396	59.48
99168	1.684	1.690	.563	317400	57.04
99169	1.647	1.653	.563	317401	25.00
99170	1.736	1.752	.375	317402	38.75
99171	1.715	1.721	.563	317403	43.08
99172	1.747	1.753	.375	317404	38.43
99174	1.748	1.753	.563	317406	56.81
99175	1.747	1.753	.750	317408	59.64
99176	1.761	1.767	.563	317410	45.78
99177	1.769	1.775	.551	317412	60.70
99179	1.778	1.784	.667	317414	25.55
99180	1.747	1.753	.531	317415	40.33
99181	1.809	1.815	.563	317416	61.55
99182	1.687	1.693	.500	3174162	38.79
99184	1.872	1.878	.375	317417	40.93
99185	1.857	1.863	.563	317418	
99186	1.866	1.872	.889	317420	46.33
99187	1.872	1.878	.563	317422	56.91
99188	1.872	1.878	.295	317423	46.30
99189	1.887	1.893	.551	317424	60.61
99190	1.872	1.878	.175	317425	25.04
99192	1.909	1.915	.375	317426	26.59
99193	1.934	1.940	.563	317428	63.20
99196	1.965	1.971	.551	317430	64.12
99198	1.997	1.983	.563	317431	
99199	1.997	2.003	.563	317432	68.60
99200	1.997	2.003	.875	317442	64.12
99204	2.040	2.047	.500	317443	48.79
99205	2.057	2.063	.781	317444	45.41
99210	2.123	2.128	.500	317446	61.64
99212	2.124	2.130	.781	317448	69.04
99215	2.162	2.168	.787	317450	66.05
99218	2.186	2.192	.781	317452	70.99
99220	2.198	2.205	.500	317453	68.53
99225	2.249	2.255	.781	317454	68.53
99226	2.237	2.243	.764	317456	70.99
99227	2.249	2.255	.313	317458	44.44
99229	2.227	2.233	.500	317459	51.44
99230	2.227	2.233	.781	317460	68.07
99231	2.309	2.315	.781	317462	68.07
99233	2.327	2.333	.750	317464	46.33
99235	2.369	2.365	.787	317466	67.39
99237	2.374	2.380	.781	317470	70.17
99238	2.372	2.378	.594	317472	68.07
99240	2.374	2.380	.526	317473	67.39
99241	2.359	2.365	.370	3174735	46.33
99242	2.435	2.441	.500	317474	46.77
99243	2.434	2.440	.781	317476	30.14
99244	2.433	2.441	.500	317477	46.77
99248	2.500	2.506	.500	317478	67.09
99249	2.489	2.496	.781	317480	68.93
99250	2.500	2.506	.781	317482	72.90
99251	2.510	2.516	.781	317484	34.37
99253	2.497	2.503	.555	317485	54.54
99254	2.556	2.562	.787	317486	
99256	2.560	2.566	.781		
99259	2.595	2.601	.781	317490	53.34
99260	2.622	2.628	.500	317492	54.65
99261	2.618	2.624	.781	317494	77.47
99262	2.625	2.631	.781	317496	66.70
99264	2.621	2.627	.781	317498	73.64
99266	2.670	2.677	.750	317499	50.44
99267	2.747	2.753	1.438	317500	48.15
99268	2.727	2.733	.781	317502	71.11
99269	2.750	2.756	1.125	317504	60.56
99272	2.750	2.756	.406	317508	76.16
99273	2.740	2.746	.781	317510	30.73
99274	2.745	2.751	.781	317512	48.75
99275	2.750	2.756	.781	317514	54.32
99276	2.753	2.759	.787	317516	46.68
99281	2.809	2.815	.594	317518	56.15


ASK FOR QUANTITY DISCOUNT

Prices subject to change without notice.


BAUM HYDRAULICS CORPORATION

1-800-228-9222 / e-mail: sales@baumhydraulics.com
Fax: 1-800-832-2522 / www.baumhydraulics.com / © Baum Hydraulics Corporation


R26



Speedi-Sleeve with standard single-lip seal.




Speedi-Sleeve with combination lip seal.




SPEEDI-SLEEVE®

SIZE OF SLEEVE
SHOWN BY LAST
3 DIGITS OF
PART NUMBER



Two sleeves for double seal installation.



Flange removed for double seal installation.

Speedi-Sleeve® was created to fill a need. It is less costly than custom renewal of seal surfaces, either by welding or machine shop resleeving. It reduces downtime because the installation of a Speedi-Sleeve® offers a custom finish, chrome plated sealing surface of corrosion resistant stainless steel. Oversize seals need not be used. The original equipment type of seal or first-class replacements of exactly the same size are suitable.

C/R Number	Shaft Diam. Range		Width Ins.	Our Sequence Number	Per Each
	Min. Ins.	Max. Ins.			
99282	2.838	2.844	.500	317520	\$49.71
99284	2.827	2.835	.750	3175202	56.65
99286	2.866	2.872	.781	317522	64.58
99287	2.873	2.879	.781	3175223	76.16
99289	2.950	2.956	.594	3175225	62.65
99290	2.937	2.943	.500	317525	63.34
99291	2.990	2.996	.484	3175255	58.65
99292	2.972	2.976	.813	3175256	33.05
99293	2.937	2.943	.781	317526	77.68
99294	2.950	2.956	.866	317528	56.68
99296	2.997	3.003	.813	317530	65.85
99298	2.990	2.996	.563	317532	47.81
99299	2.990	2.996	.813	317534	45.71
99300	3.000	3.006	.813	317544	80.39
99301	3.008	3.014	.500	317546	44.29
99303	3.000	3.006	.625	317548	58.65
99306	3.063	3.071	.750	317549	58.65
99311	3.120	3.126	.688	317552	71.80
99312	3.120	3.126	.813	317554	74.42
99313	3.142	3.150	.750		
99315	3.146	3.153	.827	317558	32.78
99317	3.146	3.153	.433	317559	48.06
99322	3.247	3.253	.813	317560	64.10
99324	3.250	3.256	.595	317562	64.10
99325	3.250	3.256	.813	317564	30.09
99326	3.250	3.256	.688	317566	73.64
99328	3.225	3.231	.660	317568	57.80
99331	3.307	3.313	.813	3175685	74.76
99332	3.338	3.346	.669	317569	80.72
99333	3.337	3.346	.827	317572	88.12
99334	3.338	3.346	.399	317573	40.88
99337	3.373	3.379	.813	317574	101.56
99338	3.373	3.379	.375	317575	74.07
99339	3.435	3.441	.781	317576	55.99
99340	3.477	3.483	.781	317577	76.90
99346	3.497	3.503	.625	3175775	71.41
99347	3.500	3.506	.313	317578	48.42
99349	3.501	3.507	.625	317579	70.17
99350	3.500	3.506	.813	317580	75.08
99351	3.540	3.546	.710	317581	72.37
99352	3.540	3.546	.438	317582	54.97
99353	3.540	3.546	.526	317583	54.97
99354	3.540	3.546	.906	3175835	76.14
99356	3.560	3.566	.813	317584	53.53
99359	3.727	3.733	.469	317586	53.39
99360	3.618	3.624	.813	317588	77.77
99362	3.623	3.629	.813	317590	59.66
99363	3.623	3.629	.500	317592	77.77
99364	3.740	3.746	.469	317594	
99365	3.685	3.691	.813	317596	53.39
99366	3.727	3.733	.781	317598	53.39
99367	3.750	3.756	.344	317600	61.73
99368	3.684	3.690	.313	317602	74.76
99369	3.737	3.743	.827	317604	63.50
99372	3.750	3.756	.688	317606	108.80

C/R Number	Shaft Diam. Range		Width Ins.	Our Sequence Number	Per Each
	Min. Ins.	Max. Ins.			
99374	3.740	3.743	.344	317608	\$52.93
99376	3.746	3.752	.563	317612	50.75
99386	3.868	3.874	.813	317614	72.26
99387	3.873	3.879	.813	317616	60.14
99393	3.935	3.941	.813	317618	60.63
99395	3.998	4.006	.600	317620	70.47
99399	3.998	4.006	.813	317622	88.28
99400	3.998	4.006	.650	317628	84.19
99401	3.998	4.006	.500	317632	63.52
99409	4.090	4.098	.787	317633	40.51
99412	4.122	4.130	.813	317634	73.97
99413	4.130	4.138	.787	317636	88.30
99418	4.183	4.191	.813	317638	75.22
99423	4.226	4.234	.781	317640	79.54
99424	4.248	4.256	.813	317642	116.02
99434	4.322	4.331	.448	3176422	88.30
99435	4.327	4.335	.509	317643	129.26
99437	4.370	4.378	.813	317644	93.84
99438	4.401	4.409	.750	317646	83.54
99439	4.434	4.442	1.000	317647	
99450	4.496	4.504	.813	317648	90.76
99452	4.523	4.531	.813	317650	60.07
99463	4.621	4.629	1.000	317652	123.42
99465	4.621	4.629	.438	317654	88.73
99468	4.685	4.693	.813	317656	129.28
99471	4.720	4.728	.315	317657	
99472	4.799	4.807	.787	317658	148.49
99473	4.720	4.728	.787	317659	
99475	4.746	4.754	.500	317660	106.18
99484	4.839	4.847	.787	317662	93.20
99487	4.871	4.879	.625	317663	112.06
99490	4.917	4.925	.394	317664	100.99
99491	5.117	5.125	.866	317665	137.21
99492	4.917	4.925	1.024	317666	97.24
99494	5.110	5.118	.750	317667	128.31
99498	4.998	5.006	.688	317668	123.33
99499	4.998	5.006	.813	317669	
99501	4.998	5.006	.540	317670	147.83
99513	5.120	5.128	.813	317671	133.21
99525	5.246	5.254	.813	317672	204.13
99533	5.307	5.315	.807	317673	140.15
99537	5.371	5.379	.813	317674	142.45
99547	5.472	5.480	.563	317675	136.06
99548	5.434	5.442	1.500	317676	136.06
99549	5.498	5.503	.813	317678	181.52
99552	5.508	5.516	.807	317679	140.68
99562	5.726	5.734	.563	317680	142.45
99571	5.700	5.709	.750	3176802	197.42
99575	5.746	5.754	.813	317681	166.99
99587	5.871	5.879	1.000	317682	140.68
99595	5.895	5.905	1.024	317683	186.14
99596	5.934	5.942	1.000	317684	147.83
99599	5.995	6.000	1.000	317686	154.54
99601	5.995	6.003	.500	317696	145.00
99605	6.058	6.068	1.024	317698	134.33
99606	6.092	6.102	1.024	317699	147.83
99620	6.198	6.208	.813	317700	197.19
99625	6.245	6.255	1.031	317701	209.56
99630	6.289	6.299	1.000	317702	209.56
99640	6.683	6.693	1.250	317703	239.25
99650	6.495	6.505	1.000	317704	239.25
99687	6.880	6.890	1.102	317707	284.41
99725	7.244	7.254	1.250	317712	260.28
99726	7.273	7.283	1.260	317713	260.28


Prices subject to change without notice. **ASK FOR QUANTITY DISCOUNT**

1-800-228-9222 / e-mail: sales@baumhydraulics.com
Fax: 1-800-832-2522 / www.baumhydraulics.com / © Baum Hydraulics Corporation

BAUM HYDRAULICS
CORPORATION

GOLD OIL SEALS

R27 Oil




Generic is Decimal I.D. x O.D. Family is Decimal I.D. or Shaft Size

Oil Seal Number	Our Sequence Number	Per Each	Seal O.D.	Width Inches	Seal Type	Oil Seal Number	Our Sequence Number	Per Each	Seal O.D.	Width Inches	Seal Type	Oil Seal Number	Our Sequence Number	Per Each	Seal O.D.	Width Inches	Seal Type
.375" (3/8") Shaft						9876	130235	\$2.19	1.499	.250	2	12360	130505	\$2.85	1.750	.250	4
3687	1300268	\$0.87	.749	.250	2	9878	130245	10.32	1.499	.250	4	12361	130510	2.21	1.752	.188	1
030812	1300269	0.86	.819	.250	2	9879	1302455	7.58	1.499	.250	4	12363	130515	2.42	1.752	.250	2
.500" (1/2") Shaft						9894	130248	1.75	1.561	.250	2	12364	130520	10.55	1.752	.250	4
4931	1300392	7.97	.875	.250	2	9900	130250	6.70	1.561	.250	1	12369	130531	3.42	1.752	.250	1
4940	1300395		.875	.313	P	9903	130255	1.77	1.575	.250	1	12379	130532	3.88	1.874	.250	1
5062	1300401	2.99	1.124	.250	4	9932	130258	2.60	1.624	.250	1	12383	130534	4.22	1.874	.250	4
5133	1300410	1.85	1.250	.250	2	9934	130259	2.85	1.624	.250	2	12384	130535	15.06	1.874	.250	2
.625" (5/8") Shaft						9935	130260	10.55	1.624	.250	4	12386	130536	2.64	1.874	.250	4
6141	130050	4.58	.999	.250	4	9997	130270	9.94	1.752	.250	2	12398	130538	2.20	1.968	.438	1
6152	130054	2.80	1.000	.125	1	9998	130275	10.55	1.752	.250	4	12399	130539	6.67	1.968	.469	1
6203	130060	1.40	1.124	.250	2	10034	130287	2.22	1.781	.469	1	12404	130540	2.39	1.979	.406	1
6204	130065	1.40	1.124	.250	4	10035	130290	1.64	1.781	.469	1	12407	130545	3.42	1.979	.250	1
6213	130067	4.86	1.124	.250	2	10050	1302906	9.16	1.828	.250	4	12411	130550	1.83	1.979	.406	1
6215	130069	3.58	1.124	.250	4	10075	130295	2.45	1.874	.250	2	12428	130558	9.21	1.983	.250	4
6316	130072	2.26	1.250	.250	4	10112	130298	1.85	1.938	.250	1	12437	130565	2.88	1.983	.250	1
6372	1300724	2.55	1.375	.250	4	10114	130300	2.91	1.983	.313	4	12446	1305671	8.98	2.000	.250	4
6373	1300725	9.47	1.375	.250	4	10123	130305	2.59	2.000	.250	2	12456	130570	3.18	2.000	.250	2
.687" (11/16") Shaft						10124	130310	2.60	2.000	.250	4	12458	130585	2.48	2.000	.250	4
6763	1300764	1.76	1.187	.188	2	10158	130325	2.77	2.062	.250	2	12481	130590	1.31	2.000	.250	1
6816	130077	1.13	1.375	.313	2	101872	130296	1.85	1.874	.250	4	12508	130596	3.21	2.062	.250	1
.750" (3/4") Shaft						1.063" (1-1/16") Shaft						12530	130599	3.15	2.062	.438	3
7413	130078	6.51	1.062	.188	1	10515	130340	3.55	1.499	.250	2	12531	130600	7.58	2.062	.250	4
7415	1300783	1.03	1.124	.156	1	10653	130347	2.51	1.752	.250	2	12545	130610	2.06	2.125	.250	2
7421	1300789	1.13	1.187	.250	1	10681	130348	1.55	1.828	.250	2	12551	130615	3.51	2.125	.250	4
7439	130085	0.98	1.250	.188	2	10740	130360	4.37	2.000	.250	2	12565	130620	2.24	2.125	.250	1
7440	130095		1.250	.250	2	1.125" (1-1/8") Shaft						12577	130623	3.63	2.250	.250	2
7443	130100	1.54	1.250	.250	4	11050	130363	2.01	1.375	.125	1	12609	130630	6.02	2.328	.500	P
7449	130106	13.59	1.250	.375	P	11060	1303645	2.20	1.499	.188	1	12614	130650	3.51	2.374	.313	4
7464	130115	1.11	1.250	.250	1	11061	130365	10.21	1.499	.188	2	12621	130655	3.89	2.437	.250	2
7465	130116	1.90	1.250	.313	4	11067	130366	3.07	1.561	.250	2	12631	130670	4.25	2.441	.250	2
7513	130130	9.02	1.375	.375	4	11081	130367	5.17	1.562	.250	1	12637	130671	15.38	2.502	.313	2
7573	130136	2.44	1.499	.250	4	11082	130368	1.47	1.565	.250	2	12678	130672	3.46	3.156	.500	3
7591	130138	2.87	1.575	.250	2	11086	130370	10.55	1.575	.250	4	1.313" (1-5/16") Shaft					
7627	130140	1.13	1.628	.250	2	11123	130375	2.64	1.624	.250	2	13021	130680	3.72	1.828	.375	2
7628	1301402	2.16	1.624	.250	4	11124	130380	3.18	1.624	.250	4	13050	130681	2.56	2.062	.313	2
7636	1301411	1.87	1.752	.250	2	11130	130390	2.56	1.624	.250	1	13092	1306822	3.69	2.125	.313	2
7638	1301412	2.72	1.752	.250	4	11144	130395	6.16	1.752	.250	2	1.375" (1-3/8") Shaft					
7693	130142	2.24	2.047	.313	2	11161	130400	2.76	1.781	.250	1	13203TA	130718	3.38	2.000	.370	5
.812" (13/16") Shaft						11164	130405	5.58	1.781	.469	1	13529	1306893	2.90	1.750	.188	1
8088	130158		1.499	.250	2	11171	130410	11.65	1.828	.250	4	13533	1306898	2.09	1.834	.188	1
.875" (7/8") Shaft						11174TB	130415	2.30	1.781	.469	1	13534	130690	2.43	1.874	.250	2
8620	130163	1.08	1.125	.125	1	11191	130416	1.28	1.828	.250	1	13535	130691	3.80	1.874	.313	4
8624	130164	1.56	1.250	.188	2	11223	130417	11.65	1.874	.250	4	13537	130692	2.72	1.828	.313	2
8627	-----		1.251	.188	1	11269	130420	6.76	1.938	.563	1	13545	130696	4.29	1.874	.250	1
8646	-----		1.375	.250	2	11334	130438	1.40	2.000	.250	1	13548	130700	9.48	1.874	.250	1
8648	130170	1.66	1.375	.250	2	11340	130440	3.88	2.000	.250	2	13556	130709	1.55	1.938	.250	1
8660	130175	2.10	1.375	.250	4	11343	130450	3.20	2.000	.375	4	13557	130710	3.42	1.983	.313	2
8665	-----		1.375	.250	P	11366	130453	2.16	2.062	.313	2	13669	130720	2.39	2.000	.313	4
8677	130177	4.23	1.375	.188	1	11372	130454	3.57	2.125	.313	2	13571	130721	1.95	2.000	.313	3
8702	130179	2.48	1.499	.250	4	11392	130460	4.68	2.441	.250	2	13573	1307212	3.80	2.000	.313	1
8741	130182	0.59	1.499	.250	1	471692	130411	2.71	1.752	.250	4	13585	1307222	3.12	2.062	.313	2
8748	130183	1.46	1.502	.313	4	1.188" (1-3/16") Shaft						13602	1307229	3.87	2.106	.313	4
8763	130185	1.58	1.575	.250	2	11734	1304634	2.41	1.752	.250	2	13614	1307231	2.60	2.106	.313	2
8796	1301855	10.55	1.624	.250	2	11800	1304652	7.31	2.000	.250	2	13649	130729	2.93	2.125	.313	3
8870	130186	1.67	2.000	.250	2	11801	130467	2.59	2.000	.250	4	13650	130730	2.24	2.125	.313	4
1.000" (1") Shaft						11907	1304682	3.38	2.125	.313	2	13676	130750	3.55	2.250	.313	4
9814	130193	1.76	1.375	.250	P	11923	1304688	7.95	2.437	.250	2	13711	1307532	4.74	2.328	.406	1
9815	130195	2.06	1.250	.125	1	11930	130469	2.72	2.441	.250	2	13739	130756	3.38	2.374	.313	4
9818																	

R28

GOLD OIL SEALS




Generic is Decimal I.D. x O.D. Family is Decimal I.D. or Shaft Size

Oil Seal Number	Our Sequence Number	Per Each	Seal O.D.	Width Inches	Seal Type	Oil Seal Number	Our Sequence Number	Per Each	Seal O.D.	Width Inches	Seal Type	Oil Seal Number	Our Sequence Number	Per Each	Seal O.D.	Width Inches	Seal Type
1.438" (1-7/16") Shaft						1.688" (1-11/16") Shaft						1.938" (1-15/16") Shaft					
14283	1308161	\$3.10	2.374	.313	4	16657	1311130	\$3.20	2.328	.313	4	18734	131345	\$4.14	2.875	.313	4
14359	130817	1.09	2.437	.250	1	16667	1311140	4.62	2.328	.500	1	18750	131347	2.83	2.875	.250	1
14363	1308172	11.69	2.437	.313	2	16679	13111402	2.86	2.437	.313	2	18772	131349	4.37	2.965	.234	1
1.500" (1-1/2") Shaft						1.719" Shaft						1.938" (1-15/16") Shaft					
14807	1308216	3.42	1.874	.250	2	16719	13111404	4.95	2.502	.313	2	19210	131369	3.34	2.437	.250	2
14810	130822	3.04	1.874	.250	1	16811	1311141	5.03	2.623	.375	1	19213	1313692	2.40	2.675	.250	P
14816	130826	3.28	1.938	.250	1	16816	13111413	4.54	2.623	.500	2	19214	1313693	8.54	2.500	.380	--
14832	130830	3.51	1.983	.313	2	16842	13111416		2.686	.313	2	19219	1313695	4.46	2.502	.281	2
14840	130835	2.05	1.983	.188	1	16854	1311142	4.69	2.716	.313	2	19221	1313696	18.07	2.502	.281	1
14844	130837		1.997	.250	P	16903	1311143	2.49	2.750	.375	4	19226	1313697	2.61	2.623	.313	2
14846	130840	3.03	2.000	.313	4	16999	1311144	2.88	2.875	.313	2	19229	1313698	6.07	2.623	.313	4
14855	130848	2.44	2.000	.313	2	1.750" (1-3/4") Shaft						19237	131370	3.91	2.686	.313	4
14857	130850	2.39	2.000	.250	1	17231	1311160	9.20	2.250	.313	2	19273	131373		2.762	.500	4
14864	130857	2.72	2.062	.313	2	17234	13111605	13.10	2.250	.313	2	19350	131377	18.15	2.997	.313	4
14875	130869	3.22	2.125	.313	2	17240	1311161	3.92	2.250	.188	1	19360	131385	4.82	3.000	.313	4
14903	130871	2.59	2.222	.313	2	17271	1311165	1.85	2.374	.313	4	19380	131387	4.37	3.061	.313	2
14938	130872	4.09	2.250	.313	2	17277	1311171	4.46	2.374	.250	1	19400	1313875	3.01	3.125	.500	2
14939	130873	4.45	2.250	.313	4	17284	1311174	4.00	2.437	.313	2	19449	131390	5.68	3.543	.313	2
14960	1308736	4.50	2.250	.250	1	17285	1311175	4.08	2.437	.313	4	1.945" Shaft					
14968	1308741	3.29	2.260	.406	2	17310	1311178	5.36	2.437	.250	1	19510	131395	3.64	2.892	.294	7
14972	130875	2.64	2.328	.500	1	17315	1311180	5.28	2.441	.313	2	2.000" (2") Shaft					
14974	130878	2.60	2.328	.500	1	17340	1311184	3.74	2.441	.250	1	19743	1313968		2.622	.424	--
14975	130882	2.85	2.328	.390	1	17381	1311189	13.25	2.502	.313	4	19745	131397	8.09	2.502	.313	2
14977	130883	4.41	2.328	.500	P	17387	13111901	4.29	2.502	.313	4	19753	1313979	14.12	2.562	.234	1
15004	130889		2.374	.313	2	17392	13111907	2.83	2.502	.250	1	19754	131398	3.90	2.502	.250	1
15005	130890	4.70	2.374	.313	4	17399	13111914	2.88	2.502	.375	2	19757	131403		2.565	.500	1
15032	130894	4.46	2.374	.250	1	17404	1311192	3.27	2.561	.313	2	19760	131408	3.46	2.623	.313	2
15039	130895	4.29	2.374	.500	3	17406	1311194	5.36	2.562	.500	1	19762	131410	3.09	2.623	.313	4
15076	130896	4.70	2.437	.313	2	17413	1311200	5.28	2.565	.313	4	19763	131415	5.73	2.623	.250	1
15080	130897	2.18	2.437	.250	1	17415	1311205	3.10	2.561	.250	1	19778	1314172	5.03	2.686	.375	2
15141	130900	13.96	2.502	.313	2	17442	1311210	3.13	2.623	.313	2	19786	131418	5.57	2.716	.375	4
15142	130901	3.81	2.502	.313	4	17443	1311215	5.20	2.623	.313	4	19820	1314191	2.93	2.752	.188	1
15174	130904	6.72	2.462	.290	7	17461	1311225	2.83	2.623	.250	1	19832	131420	4.04	2.750	.313	4
15176	130906	5.49	2.561	.313	2	17484	1311229	3.46	2.686	.313	2	19834	131422	3.61	2.750	.250	1
15190	130920	3.18	2.623	.250	1	17523	13112311	4.74	2.750	.313	4	19886	1314227	4.70	2.875	.313	2
15194	130921	5.90	2.623	.313	2	17544	13112312		2.750	.250	1	19887	1314228	7.38	2.875	.313	4
15204	130930	13.88	2.716	.438	2	17557	13112313	5.03	2.750	.313	2	19940	1314245	10.87	2.965	.313	1
15209	130940	5.24	2.716	.250	1	17599	1311232	2.90	2.750	.484	1	19965	1314255	4.44	2.997	.250	1
15214	130942	6.02	2.750	.313	2	17605	13112323	3.29	2.758	.313	2	19970	131426	6.86	2.997	.375	5
15230	130943	4.40	2.758	.313	2	17607	13112325	3.15	2.717	.438	4	19993	1314275	5.28	3.000	.313	4
15234	1309433	3.52	2.835	.313	2	17617	1311233	1.96	2.718	.359	1	20044	131430	3.42	3.061	.250	1
15235	1309434	3.42	2.875	.313	2	17618	1311250	5.90	2.718	.359	1	20045	131431	5.24	3.061	.375	2
1.563" (1-9/16") Shaft						17620	13112502	5.42	2.786	.294	7	20054	131435	6.64	3.061	.500	5
15517	130960	2.99	2.125	.313	2	17624	13112504	4.69	2.810	.313	4	20070	131437	4.17	3.125	.312	2
15543	1309611	3.47	2.374	.313	4	17653	13112509	5.05	2.875	.313	2	20078	131439	6.92	3.145	.250	1
15620	130965	2.11	2.441	.500	4	17695	1311257	5.18	2.997	.313	2	20079	131440	10.48	3.150	.375	2
1.625" (1-5/8") Shaft						17699	1311260	8.70	3.000	.313	4	20125	131447	9.32	3.371	.438	5
16054	130979	3.55	2.125	.250	2	17716	13112612	4.33	3.061	.313	2	20140	131448	9.24	3.543	.438	3
16055	1309791	1.90	2.125	.250	1	17718	13112614	5.51	3.061	.375	4	20148	131451	4.91	3.623	.250	1
16061	1309797	2.33	2.250	.313	2	17746	1311264	5.65	3.189	.313	2	2.063" (2-1/16") Shaft					
16062	1309798	14.06	2.248	.313	4	17756	13112655	6.30	3.543	.438	2	20586	131454	3.72	2.997	.438	3
16064	130980	7.05	2.328	.438	TL	1.813" (1-13/16") Shaft						20608	131455	4.95	3.000	.313	1
16069	130993	2.72	2.328	.438	1	18039	1311270	4.91	2.437	.313	2	20643	131456	4.63	3.061	.313	3
16072	130995	3.97	2.374	.313	3	18050	1311275	4.21	2.562	.438	1	20669	1314566	8.72	3.149	.250	1
16079	1309951	5.81	2.374	.500	3	18104	1311280	2.90	2.623	.313	2	20702	1314575	5.61	3.189	.375	2
16084	1309952	2.80	2.374	.313	2	1.875" (1-7/8") Shaft						20735	1314581	8.09	3.250	.294	7
16118	130996	2.70	2.437	.313	4	18543	13112947	12.66	2.401	.275	1	2.094" (2-3/32") Shaft					
16189	1309971	6.90	2.441	.625	6	18545	13112949	2.27	2.471	.313	4	20952	131485	Call	2.718	.359	1
16201	1309973	3.53	2.441	.313	4	18558	1311301	3.32	2.502	.250	1						
16245	1309979	3.12	2.502	.313	2	18562	1311302	9.53	2.562	.313	2						
16246	130998	4.86	2.502	.313	4	18565	1311304	2.70	2.502	.313	2						
16284	131000	3.59	2.562	.250	1	18263	1311311	3.51	2.623	.313	4						
16286	131010	6.81	2.462	.250	7	18581	1311310	3.51	2.623	.313	4						
16289	131045	2.61	2.562	.438	1	18640	1311328	4.57	2.721	.266	1						
16314	131097	3.61	2.623	.313	2	18657	13113299	3.90	2.750	.313	2						
16315	131100	17.33	2.623	.313	4	18658	1311330	3.49	2.750	.313	4						
16322	131101	4.25	2.623	.250	1	18659	1311335	2.64	2.750	.250	1						
16337	131103	9.06	2.686	.313	2												
16362	131107	4.17	2.750	.250	1												
16364	1311075	4.09	2.750	.250	2												
16406	131112	4.29	2.875	.313	2												
16422	131114	6.64	3.000	.313	3												

GOLD OIL SEALS

R29



Generic is Decimal I.D. x O.D. Family is Decimal I.D. or Shaft Size

Oil Seal Number	Our Sequence Number	Per Each	Seal O.D.	Width Inches	Seal Type
2.125" (2-1/8") Shaft					
213062	-----	\$....	3.061	.250	--
21061	1314857	3.42	2.750	.500	4
21100	1314864	4.87	2.875	.438	4
21101	1314865	4.01	2.875	.250	1
21103	-----		2.875	.375	2
21108	131487	5.35	2.875	.438	5
21121	131488	2.54	2.891	.250	1
21134	131489	5.54	2.997	.438	3
21159	131490	5.03	3.000	.250	1
21163	1314905	2.51	3.000	.275	2
21171	131491	17.76	3.000	.438	3
21172	1314921	6.21	3.000	.438	3
21208	131496	3.61	3.061	.250	1
21211	131508	6.93	3.061	.500	4
21213	131509	10.19	3.061	.500	5
21265	131511	6.25	3.189	.250	1
21267	131512	4.60	3.189	.375	4
21302	131525	5.51	3.251	.438	3
21336	131533	5.36	3.350	.438	3
21352	131535	4.08	3.371	.375	4
21353	1315351	6.68	3.371	.438	3
2.188" (2-3/16") Shaft					
21759	1315355	5.51	3.000	.375	4
21840	1315358	4.97	3.251	.438	3
21890	1315359	20.22	3.350	.438	3
2.250" (2-1/4") Shaft					
22325	1315363	5.98	2.875	.250	1
22338	1315364	31.18	2.997	.438	3
22340	1315366	7.19	2.997	.438	5
22351	1315368	3.44	2.997	.250	1
22353	131537	6.07	3.000	.375	2
22354	131538	3.88	3.000	.375	4
22359	131570	8.00	3.000	.438	5
22361	131571	13.87	3.000	.375	4
22368	131575	4.29	3.000	.250	1
22382	131576	6.15	3.061	.375	2
22390	131578	5.17	3.061	.438	3
22392	131580	3.71	3.061	.250	1
22400	131581	4.21	3.125	.375	4
22430	131590	10.41	2.250	.270	7
22440	1315909	21.71	3.251	.375	2
22441	131591	7.84	3.251	.375	4
22446	1315913	10.48	3.251	.438	3
22448	1315915	5.69	3.251	.438	5
22468	131592	3.67	3.251	.250	1
22483	1315929	3.87	3.310	.375	1
223263	131593	Call	3.264	.312	4
22492	131595	8.74	3.350	.438	3
22493	131596	9.32	3.350	.438	5
22532	131597	5.57	3.371	.438	5
22550	1315978	3.14	3.371	.375	1
22582	1315987	10.19	3.500	.438	4
22626	131599	7.22	3.751	.438	3
22644	1315992	6.33	3.876	.438	3
22647	1315994	7.33	4.003	.438	3
2.297" Shaft					
22870	131600	7.05	3.148	.359	1
2.313" (2-5/16") Shaft					
23061	1316015	4.16	3.125	.375	2
23093	131602	5.38	3.251	.438	3
23167	1316026	2.26	3.371	.438	2
2.375" (2-3/8") Shaft					
23640	131604	28.85	3.000	.250	1
23644	1316043	3.49	3.061	.438	3
23654	131605	8.21	3.125	.438	5
23710	131608	7.92	3.350	.438	5
23725	131609	12.61	3.350	.250	1
23742	1316098	6.12	3.371	.438	3
23744	131610	7.51	3.471	.250	7
Continued in next column					
Oil Seal Number	Our Sequence Number	Per Each	Seal O.D.	Width Inches	Seal Type
23755	131611	\$11.88	3.481	.438	3
23770	131612	7.42	3.500	.375	4
23779	131613	7.94	3.500	.375	3
23815	131626	Call	3.543	.250	1
23839	131628	9.16	3.623	.438	3
23844	131630	4.82	3.876	.438	3
2.438" (2-7/16") Shaft					
24263	131632	7.26	3.251	.438	3
24287	1316335	7.34	3.350	.375	4
24320	131634	3.23	3.371	.438	3
24370	1316345	4.61	3.500	.438	3
2.500" (2-1/2") Shaft					
24863	131641	5.73	3.000	.250	1
24881	131643	4.82	3.189	.438	3
24889	1316435	4.91	3.245	.438	3
24904	1316446	5.28	3.251	.250	1
24931	131647	11.88	3.350	.438	3
24951	131648	5.42	3.428	.375	4
24954	1316485	6.64	3.371	.438	3
24982	1316507	11.47	3.500	.438	4
24986	131651	8.87	3.500	.438	3
24988	1316512	8.79	3.500	.438	5
25007	131653	8.00	3.500	.250	1
25043	131655	8.58	3.543	.438	3
25075	131658	10.18	3.623	.375	4
25091	131660	5.78	3.751	.438	3
25108	131662	8.24	4.003	.375	4
2.625" (2-5/8") Shaft					
26153	131669	12.92	3.371	.438	5
26186	131671	4.54	3.500	.375	4
26211	131674	10.64	3.623	.438	5
26220	131675	4.84	3.623	.375	4
26238	131676	3.96	3.623	.375	4
26260	131720	5.76	3.623	.250	1
26284	131721	5.21	3.751	.375	4
26310	1317225	16.78	3.813	.415	TL
26346	1317235	3.15	3.936	.438	3
26359	131724	17.10	4.370	.438	5
26368	1317245	3.78	4.448	.438	3
2.750" (2-3/4") Shaft					
27268	1317275	2.54	3.500	.375	2
27269	1317276	5.98	3.500	.375	4
27271	1317278	Call	3.500	.250	1
27334	1317292	7.84	3.623	.438	3
27362	1317295	5.44	3.751	.438	4
27368	1317298	8.71	3.751	.438	3
27370	131730	8.25	3.751	.438	5
27394	131732	4.83	3.751	.250	1
27426	131733	7.22	3.765	.438	3
27452	1317335	13.98	3.876	.438	5
27467	131734	5.77	3.876	.438	4
27470	1317345	11.84	3.876	.438	3
27471	1317346	9.16	3.876	.438	5
2.875" (2-7/8") Shaft					
28687	1317475	10.60	3.751	.438	5
28751	1317495	4.74	3.876	.250	1
28761	131750	8.29	4.003	.438	5
28800	131751	7.25	4.003	.250	1
28817	131752	12.49	4.125	.375	3
28848	131754	16.70	4.501	.438	3
28464TA	131749	7.70	4.623	.438	5
3.000" (3") Shaft					
29866	1317761	8.78	3.751	.375	4
29907	1317781	9.49	4.003	.375	4
29951	131800	8.54	4.003	.438	3
29952	131801	8.17	4.003	.438	5
Continued in next column					
Oil Seal Number	Our Sequence Number	Per Each	Seal O.D.	Width Inches	Seal Type
29968	131810	\$6.52	4.003	.250	1
30060	131814	13.63	4.331	.438	3
30087	131830	8.13	4.500	.438	3
30095	131831	9.94	4.500	.438	3
3.125" (3-1/8") Shaft					
31228	131838	6.02	4.249	.438	5
31267	131839	15.38	4.501	.438	3
3.250" (3-1/4") Shaft					
32395	131853	7.14	4.249	.375	4
32397	1318535	9.31	4.249	.438	5
32441	131855		4.500	.313	7
32582	131860	37.94	4.999	.438	3
3.375" (3-3/8") Shaft					
33735	1318665	9.90	4.501	.438	3
33772	131867	14.07	4.626	.438	3
33773	1318671	9.90	4.626	.438	5
3.438" (3-7/16") Shaft					
34383	131870	31.20	4.756	.438	3
3.500" (3-1/2") Shaft					
34889	1318721	9.57	4.501	.438	5
34985	1318737	12.37	4.626	.438	3
3.750" (3-3/4") Shaft					
37533	1318866		5.251	.438	4
3.875" (3-7/8") Shaft					
38731	1318905	10.48	5.251	.438	5
4.000" (4") Shaft					
39922	131892	13.71	4.999	.375	2
4.125" (4-1/8") Shaft					
41125	131895	17.28	4.999	.438	3
4.250" (4-1/4") Shaft					
42528	131897	13.53	5.501	.438	3
4.375" (4-3/8") Shaft					
43771	131900	14.07	6.001	.500	3
4.750" (4-3/4") Shaft					
47395	131902	Call	5.751	.500	3
5.500" (5-1/2") Shaft					
54931	131903	10.02	6.500	.500	3
5.500" (5-1/2") Shaft					
57521	131904	8.23	7.000	.625	3
5.500" (5-1/2") Shaft					
58741	1319049	10.86	7.125	.500	3

**QUALITY GOODS
PROMPT SERVICE
RIGHT PRICE**


**We sell the service and
satisfaction our
merchandise will give.
We will not handle
lines falling short of
this standard.**

ASK FOR QUANTITY DISCOUNT

Prices subject to change without notice.

BAUM HYDRAULICS CORPORATION

1-800-228-9222 / e-mail: sales@baumhydraulics.com
Fax: 1-800-832-2522 / www.baumhydraulics.com / © Baum Hydraulics Corporation



Oil Seal Wide Our Sequence Per
No. x H x MM Number Each

6MM SHAFT - STYLE 2				
M6x16x7	259001			\$3.07
M6x22x7	259002			3.32

7MM SHAFT - STYLE 2				
M7x16x7	259003			3.60
M7x22x7	259004			2.69

8MM SHAFT - STYLE 2				
M8x16x7	259006			2.99
M8x22x7	259008			3.12
M8x24x7	259009			3.22

9MM SHAFT - STYLE 2				
M9x22x7	259011			4.12
M9x24x7	259012			2.82
M9x26x7	259013			3.65

10MM SHAFT - STYLE 2				
M10x19x7	259014			3.57
M10x22x7	259015			3.12
M10x24x7	259016			2.82
M10x26x7	259018			3.40

11MM SHAFT - STYLE 2				
M11x22x7	259019			3.37
M11x26x7	259021			3.62

12MM SHAFT - STYLE 2				
M12x20x5	259023			3.47
M12x22x7	259024			5.46
M12x24x7	259025			4.98
M12x28x7	259028			5.26
M12x30x7	259029			3.02
M12x32x7	259030			6.99

13MM SHAFT - STYLE 2				
M13x26x7	259033			3.97

14MM SHAFT - STYLE 2				
M14x24x7	259036			2.92
M14x25x5	259037			2.84
M14x28x6	259040			2.77
M14x30x7	259041			5.18
M14x35x7	259043			4.73

15MM SHAFT - STYLE 2				
M15x24x7	259044			3.12
M15x26x7	259047			3.52
M15x32x8	259050			4.02
M15x35x7	259051			4.00

16MM SHAFT - STYLE 2				
M16x28x7	259058			4.83
M16x30x7	259059			5.68
M16x32x7	259060			3.29
M16x35x7	259061			6.92

17MM SHAFT - STYLE 2				
M17x28x7	259065			5.31
M17x30x7	259066			4.53
M17x32x7	259067			2.74
M17x35x7	259068			5.76
M17x40x7	259072			3.87

18MM SHAFT - STYLE 2				
M18x28x6	259074			3.35
M18x30x7	259075			5.18
M18x32x8	259076			3.09
M18x35x7	259077			3.09
M18x40x7	259080			5.66

19MM SHAFT - STYLE 2				
M19x35x10	259083			5.76
M19x40x10	259084			6.67

20MM SHAFT - STYLE 2				
M20x32x7	259088			6.44
M20x35x7	259089			5.66
M20x40x7	259093			3.27
M20x40x10	259094			3.82
M20x47x7	259097			6.09
M20x52x7	259098			6.36

22MM SHAFT - STYLE 2				
M22x32x7	259100			5.11
M22x35x7	259101			3.52
M22x37x7	259103			5.81
M22x40x7	259105			5.61
M22x45x7	259109			6.34
M22x47x7	259110			4.12

24MM SHAFT - STYLE 2				
M24x35x7	259111			\$3.40
M24x37x7	259112			4.07
M24x40x7	259114			4.45
M24x47x7	259116			5.58

25MM SHAFT - STYLE 2				
M25x35x7	259119			5.03
M25x36x8	259120			7.14
M25x38x7	259122			4.12
M25x40x7	259123			3.52
M25x42x10	259125			4.50
M25x45x8	259126			5.26
M25x47x7	259128			5.03
M25x50x10	259129			6.01
M25x52x7	259130			5.99
M25x62x10	259133			5.99

26MM SHAFT - STYLE 2				
M26x42x10	259137			7.42
M26x47x7	259138			6.04
M26x48x7	259139			8.20

27MM SHAFT - STYLE 2				
M27x37x7	259141			4.45
M27x45x8	259144			6.74
M27x47x10	259145			6.51

28MM SHAFT - STYLE 2				
M28x38x7	259146			4.65
M28x40x7	259147			5.84
M28x42x8	259149			4.05
M28x44x6	259150			7.90
M28x47x7	259152			3.82
M28x52x7	259154			5.61

30MM SHAFT - STYLE 2				
M30x40x7	259155			4.80
M30x42x7	259156			3.67
M30x44x7	259157			5.58
M30x45x5	259158			5.84
M30x47x7	259161			4.00
M30x48x8	259162			7.09
M30x50x7	259163			4.38
M30x52x7	259165			5.66
M30x55x10	259166			6.84
M30x62x7	259168			5.84
M30x72x10	259169			5.66

32MM SHAFT - STYLE 2				
M32x45x7	259173			4.58
M32x46x6	259174			8.73
M32x47x7	259175			7.04
M32x48x8	259176			6.72
M32x52x7	259178			4.48
M32x54x10	259179			10.14
M32x56x10	259180			9.15

33MM SHAFT - STYLE 2				
M33x50x12	259186			9.71

34MM SHAFT - STYLE 2				
M34x52x8	259189			4.20
M34x62x10	259192			9.96

35MM SHAFT - STYLE 2				
M35x45x7	259193			4.18
M35x47x7	259194			5.58
M35x50x8	259196			5.11
M35x55x11	259200			4.30
M35x56x10	259201			6.99
M35x58x10	259202			8.65
M35x60x10	259203			7.14
M35x62x7	259204			8.25
M35x64x8	259206			10.06
M35x72x10	259209			6.39

36MM SHAFT - STYLE 2				
M36x47x7	259211			7.80
M36x50x7	259212			5.68
M36x52x7	259213			6.14
M36x58x12	259217			8.35
M36x62x7	259219			8.45

37MM SHAFT - STYLE 2				
M37x52x8	259221			9.66

Oil Seal Wide Our Sequence Per
No. x H x MM Number Each

38MM SHAFT - STYLE 2				
M38x52x8.5	259223			\$5.43
M38x54x7	259225			9.21
M38x55x7	259227			6.64
M38x56x10	259228			9.28
M38x58x8	259229			7.85
M38x60x10	259230			5.18
M38x62x7	259231			5.86

40MM SHAFT - STYLE 2				
M40x52x7	259239			4.75
M40x55x8	259242			6.49
M40x58x10	259245			5.03
M40x60x10	259246			6.51
M40x65x10	259249			8.60
M40x68x12	259250			9.78
M40x72x7	259252			7.60
M40x80x10	259255			13.20

41MM SHAFT - STYLE 2				
M41x55x7	259256			8.12
M41x56x7	259257			7.19

42MM SHAFT - STYLE 2				
M42x55x8	259258			9.36
M42x56x7	259259			14.86
M42x58x7	259260			10.06
M42x60x7	259261			7.60
M42x62x8	259262			9.23
M42x65x10	259263			7.04
M42x72x10	259267			11.27

44MM SHAFT - STYLE 2				
M44x62x8	259273			7.70
M44x65x10	259274			7.07

45MM SHAFT - STYLE 2				
M45x58x7	259277			9.31
M45x60x10	259278			5.26
M45x62x8	259280			4.93
M45x65x8	259281			5.84
M45x68x7	259282			6.54
M45x72x7	259284			5.43
M45x80x10	259289			9.38

47MM SHAFT - STYLE 2				
-----------------------------	--	--	--	--

48MM SHAFT - STYLE 2				
M48x62x8	259298			5.33
M48x63x9	259299			10.51
M48x65x10	259300			5.18
M48x68x10	259301			5.33
M48x70x9	259302			6.09
M48x72x7	259303			12.25

50MM SHAFT - STYLE 2				
M50x62x7	259307			5.16
M50x65x8	259308			8.50
M50x68x8	259309			7.72
M50x72x8	259312			6.51
M50x80x8	259314			9.91
M50x90x10	259316			17.13

52MM SHAFT - STYLE 2				
M52x65x9	259318			5.68
M52x68x8	259319			6.77
M52x69x10	259320			7.62
M52x72x8	259322			7.85
M52x75x12	259323			5.91
M52x80x10	259325			18.66

53MM SHAFT - STYLE 2				
M53x68x10	259326			10